

CC220400011



CHECK LIST

TEMPSENS INSTRUMENTS (I) PVT. LTD.

B-188 A, ROAD NO-5, MEWAR INDUSTRIAL AREA,
JAIPUR, (RAJ)-313003, INDIA
+91 294 3507700, FAX : +91 294 3507731
E-MAIL : info@tempsens.com, www.tempsens.com

DISCOUNT: *at Rates as below*

QUOTATION

Quo No. : T222/1/R/2112032008
Dt. : 29.03.2022

To,
M/s. Jindal Aluminum Ltd. SP-2/333, INDUSTRIAL AREA
BHIWADI, RAJASTHAN,
BHIWADI -301019 (I)

INCORPORATED
N.A.
19.5% Extra
30 days credit
Phone : 8023-715555
Fax :
Mobile : 9611195368
Email : rajgopal@jindalaluminium.com

CustID : 2000035597
Case Num : 21103179547

DISCOUNT: *11%*
rajgopal@jindalaluminium.com

K/A : Mr. RAJGOPAL C. SARDA, ASST. MANAGER-PURCHASE
Your Reference: ENQ-TC
Date : 27.03.2022
Due Date : 04.04.2022

Dear Sir/Madam,

With reference to your above enquiry, we are pleased to submit our most competitive offer as under:

submit our most competitive offer

Sr.	Description	Qty/Unit	Rate (Rs.)	Amount (Rs.)
1	Part Num : T-101 HSN Code : 90258090 Tempsens Make Thermocouple:- Element: Cr/Al "K" Type, Type: Simplex, Ungrounded, Head: Die Cast Alu. Weather Proof Ip-67, Terminal & Ceramic Block, Cable Entry: 1/2" Npt (F) With Cable Gland, Standard: Cali: ANSI MC 96.1, Insulation: Mineral Insulated With Mgo Sheath Material: Inconel-600, Sheath Dia: 6mm, Mtg: 1/2" Npt (M) Adj. Comp. Fitting, Sheath Length: 80mm Below Head, Temperature Range: 0 To 1200 Deg. C. (Max. Temp. Range For "K" Type T/C), Material Code : 07460100, {Other Details As Per Our Drg. No.:20-2084/2113000966} Same As per Your Previous P.o:PO200600290, Dt:23.06.2020	2.00 NOS	800.00	1,600.00
2	Part Num : T-101 HSN Code : 90258090 Tempsens Make Thermocouple :- Element: Cr/Al "K" Type, Type: Simplex Ungrounded, Head: Die Cast Alu. Ip-67 Terminal & Ceramic Block, Cable Entry: 1/2" Npt (F) With Cable Gland, Standard: Cali: Ansi Mc 96.1, Insualtion: Mineral Insulated, Sheath/Outer Material: Ss-316, Sheath Dia: 6mm, Outer Dia: 10mm.	3.00 NOS	1,150.00	3,450.00

Discussed with Mr. Vinod Jais and agreed 11% discount offered Rates.

NABL Accredited
Temperature Calibration Lab.
JAIPUR | VADODARA | BANGALORE



CIN : U31402RJ1990PTC005590
ISO 9001 : 2008 Certified
ISO 14001 : 2004 Certified
OHSAS 18001:2007 Certified



TEMPSENS

TEMPSENS INSTRUMENTS (I) PVT. LTD.B-188 A, ROAD NO -5, MEWAR INDUSTRIAL AREA,
UDAIPUR, (RAJ) - 313003, INDIA.
PHONE : +91 294 3507730, FAX : +91 294 3507731
E-MAIL : info@tempsens.com, www.tempsens.com


Quo No. : T222/1/R/2112032008

Dt : 29.03.2022

Page 2 of 6

Sr.	Description	Qty/Unit	Rate (Rs.)	Amount (Rs.)
	Mtg: 3/4"Bsp(M) Adj. Comp. Fitting. Sheath Length: 350mm Below Head, Material Code: 07460064 (Model No: T-501-C-UN-K-6-316-10-7-316-3/4"Bsp(M)-350) (OTHER DETAILS AS PER OUR DRG NO.:19-12081/45921) Same As Per Your Previous P.o:PO0200102366JAL/12345,Dt:9-1-2020			
3	Part Num : T-101 HSN Code : 90258090	2.00 NOS	0.00	0.00
	Tempsens Make Thermocouple :- Material Code: 07460052 (Needle Type Not Clear, Kindly Provide Dimensional Drawing to Quote For The Same)			
4	Part Num : T-101 HSN Code : 90258090	1.00 NOS	1,000.00	1,000.00
	Tempsens Make Thermocouple:- Element: Cr/Al "K" Type, Type: Simplex Ungrounded, Head: Die Cast Alu. Ip-67 Terminal & Ceramic Block, Cable Entry: 1/2" Npt(F) With Cable Gland, Standard: Cali: Ansi Mc 96.1, Insualtion: Mineral Insulated, Sheath Material: Inconel-600, Sheath Dia: 6mm, Mtg: 1/2" Npt(M) Adj. Comp. Fitting, Sheath Length: 200mm Below Head, Temp. Range: 0 To 1200 Deg. C, Material Code : 07460101,			
5	Part Num : T-101 HSN Code : 90258090	4.00 NOS	2,400.00	9,600.00
	Tempsens Make Thermocouple :- Element: Cr/Al "K" Type, Type: Simplex Ungrounded, Head: Die Cast Alu. Ip-67 Terminal & Ceramic Block, Cable Entry: 1/2" Npt (F) With Cable Gland, Standard: Cali: Ansi Mc 96.1, Insualtion: Mineral Insulated, Sheath/Outer Material: Inconel-600, Sheath Dia: 6mm, Outer Dia: 10mm. Mtg: 1/2"Bsp(M) Adj. Comp. Fitting. Sheath Length: 450mm Below Head, Temp. Range: 0-1200 Deg. C Material Code: 07460023			

*Registered*NABL Accredited
Temperature Calibration Lab
UDAIPUR | VADODARA | BANGALORECIN : U31402RJ1990PTC005590
ISO 9001 : 2008 Certified
ISO 14001 : 2004 Certified
OHSAS 18001:2007 Certified



TEMPSENS INSTRUMENTS (I) PVT. LTD.

B-189 A, ROAD NO.-5, MEWAR INDUSTRIAL AREA,
UDAIPUR, (RAJ)- 313003, INDIA
PHONE : +91 294 3507700, FAX : +91 294 3507731
E-MAIL : info@tempsens.com, www.tempsens.com

Quo No. : T222/1/R/2112032008

Dt : 29.03.2022

Page 3 of 6

Sr.	Description	Qty/Unit	Rate (Rs.)	Amount (Rs.)
6	Part Num : T-101 HSN Code : 90258090	2.00 NOS	18,500.00	37,000.00
Tempsens Make Thermocouple Rod:- Element1: Nickle-Alumel, (Negative Terminal For "K" Type) (As part 4) Element2: Nickle-Chromel, (Positive Terminal For "K" Type) (As part 5) Dia: 10mm Accuracy: Class-I As Per Iec 584.3=1.5 Deg.c. Upto 200 Deg.c. +/-0.4% Of Temp. Upto 800 Deg.c. As Per Iec 60584.3. End Conn: M10x1.5(M) Thread. Tip: Pencil Type. Total Length: 750mm. Item Code : 07460135 (Other Details Of Thermocouple Rod Part4+5 As Your Drg No.: EL-BP-10-A3) Note: We Only Quote Thermocouple Rod Part No. 4 & 5, Remaining Assembly Not In Our Scope of Supply)				
7	Part Num : T-101 HSN Code : 90258090	2.00 NOS	17,750.00	35,500.00
Tempsens Make Thermocouple Rod:- Element1: Nickle-Alumel, (Negative Terminal For "K" Type) (As part 4) Element2: Nickle-Chromel, (Positive Terminal For "K" Type) (As part 5) Dia: 10mm, Accuracy: Class-I As Per Iec 584.3=1.5 Deg.c. Upto 200 Deg.c. +/-0.4% Of Temp. Upto 800 Deg.c. As Per Iec 60584.3. End Conn: M10x1.5(M) Thread. Tip: Pencil Type. Total Length: 675mm. Item Code : 07460134 (Other Details Of Thermocouple Rod Part4+5 As Your Drg No.: EL-BP-11-A3) Note: We Only Quote Thermocouple Rod Part No. 4 & 5, Remaining Assembly Not In Our Scope of Supply)				
8	Part Num : T-101 HSN Code : 90258090	1.00 NOS	0.00	0.00
Tempsens Make Thermocouple:-				

NABL Accredited
Temperature Calibration Lab
UDAIPUR | VAUGHARA | BANGALORE



CIN : U31402RJ1990PTC005590
ISO 9001 : 2008 Certified
ISO 14001 : 2004 Certified
OHSAS 18001:2007 Certified

Contd.....

Page: 3 of 6

**TEMPESENS INSTRUMENTS (I) PVT. LTD.**

6-188 A, ROAD NO-5, MEWAR INDUSTRIAL AREA,
UDAIPUR, (RAJ) - 313003, INDIA
PHONE : +91 294 3507700, FAX : +91 294 3507731
E-MAIL : info@tempsens.com, www.tempsens.com

Quo No. : T222/1/R/2112032008
Dt : 29.03.2022

Page 4 of 6

Sr.	Description	Qty/Unit	Rate (Rs.)	Amount (Rs.)
	Element: Cr/Al "K" Type, Type: Duplex Ungrounded, Head: Die Cast Alu. Ip-67 Terminal & Ceramic Block, Cable Entry: 1/2" Npt(F) With Cable Gland, Standard: Cali: Ansi Mc 96.1, Insualtion: Mineral Insulated, Sheath Material: Inconel-600, Sheath Dia: 6mm, Mtg: 1/2" Npt(M) Adj. Comp. Fitting, Sheath Length: 1900mm Below Head, Temp. Range: 0 To 1200 Deg. C, Material Code : 07460055,			
9	Part Num : T-101 HSN Code : 90258090	2.00 NOS	0.00	0.00
	Tempsens Make Thermocouple:-, Material Code: 07460136 (Drawing Required To Qoute)			
10	Part Num : T-101 HSN Code : 90258090	1.00 NOS	3,550.00	3,550.00
	Tempsens Make Thermocouple:- Material Code: 06640046 (Drawing Required To Qoute)			
11	Part Num : T-101 HSN Code : 90258090	2.00 NOS	1,950.00	3,900.00
	Tempsens Make Thermocouple:- Element: Cr/Al "K" Type, Type: Simplex Ungrounded, Head: Die Cast Alu. Ip-67 Terminal & Ceramic Block, Cable Entry: 1/2" Npt(F) With Cable Gland, Standard: Cali: Ansi Mc 96.1, Insualtion: Mineral Insulated, Sheath Material: Inconel-600, Sheath Dia: 6mm, Mtg: 1/2" Npt(M) Adj. Comp. Fitting, Sheath Length: 900mm Below Head, Temp. Range: 0 To 1200 Deg. C, Material Code : 07460103,			

Total Amount : 95,600.00

Terms & Conditions:


NABL Accredited
Temperature Calibration Lab.
UDAIPUR | VADEGDARA | BANGALORE



CIN : U31402RJ1990PTC005590
ISO 9001 : 2008 Certified
ISO 14001 : 2004 Certified
OHSAS 18001:2007 Certified

Contd.....

Page: 4 of 6



Jindal Aluminium Ltd, Bhiwadi (RJ)
SP-2/333, INDUSTRIAL AREA,
BHIWADI, Rajasthan, India

Kind Attn:
Mr. Rajgopal (Manager)
purchase.bhiwadi@jindalaluminium.com
9611195368

Quote No.: **FQ-39449-21**
Issue Date: 31-03-2022
Issue By: Jailaxmi Tripathi
Created By: Jailaxmi Tripathi

Salesperson :
Vineet Bansal
vineet.bansal@tipl.com
09376590001

S.No	HSN/ SAC Code	Item Code & Description	UOM	Delivery (Weeks)	Qty	Rate	Tax Rate%	Total
1	9025199 0	T41RKO9C13/TC/M7637/1 Thermocouple	No	4-6	2	1,225.5 ₹	18	2,451 ₹

Item Code: 07460100

Element: K-type, Simplex, ungrounded
Calibration: As per standard IEC 584 Class II
Insulation: Mineral Insulation
Sheath: SS 316, 6 mm OD
Terminal block: Ceramic terminal, Ni plated
Brass Terminal
Head: Die Cast Aluminium, IP 68 with screwed
cap, chain & single 3/4 inch ET (F) Cable entry.
Process connection: 3/4 inch BSP(M) Adjustable
Compression Fitting
Length below head: 80+50 = 130 mm

Note: Kindly refer your enquiry dt. 27.03.2022.
We are quoting above specs. As per previous
supply ref. SO-01557-20 against PO no.
PO201101450 dt. 12.11.2020, if required any
changes, please inform before placing order.

*Rs. 200/-
Each.*

2	9025199 0	T41RKO9C35/TC Thermocouple	No	4-6	3	1,881.0 ₹	18	5,643 ₹
---	--------------	--------------------------------------	----	-----	---	-----------	----	---------

Item Code: 07460064

Element: K-type, Simplex, ungrounded
Calibration: As per standard IEC 584 Class II
Insulation: Mineral Insulation
Sheath: SS 316, 6 mm OD
Outer Sheath: SS316 tube, 10 mm OD X 8 mm
ID
Terminal block: Ceramic terminal, Ni plated
Brass Terminal
Head: Die Cast Aluminium, IP 68 with screwed
cap, chain & single 3/4 inch ET (F) Cable entry.
Process connection: 3/4 inch BSP(M) Adjustable
Compression Fitting
Length below head: 350 mm

Note: Kindly refer your enquiry dt. 27.03.2022.
We are quoting above specs., if required any
changes, please inform before placing order.

*Rs. 1150/-
Each*

CHECK LIST	
DISCOUNTED	Rate as above
PDF : INCLUDED	<i>incl</i> EXTRA
ESI INCLUDED	<i>N.A</i> EXTRA
COLLECTOR	<i>POST: 12% Est</i>
DELIVERY TERM:	<i>30 days</i>
FOR BANGALORE	<i>FOR - JAL BANG</i>
WARRANTY:	<i>One Year</i>
DELIVERY	<i>3 to 4 weeks</i>
VALIDITY:	

*Discussed with
Mr. Vineet and agreed
above rates*
*(Signed)
02/04/22*

S.No	HSN/ SAC Code	Item Code & Description	UOM	Delivery (Weeks)	Qty	Rate	Tax Rate%	Total
3	9025199 0	T41RKO9C20/TC/M7627/1 Thermocouple Item Code: 07460101 Element: K-type, Simplex, ungrounded Calibration: As per standard IEC 584 Class II Insulation: Mineral Insulation Sheath: SS 316, 6 mm OD Terminal block: Ceramic terminal, Ni plated Brass Terminal Head: Die Cast Aluminium, IP 68 with screwed cap, chain & single 3/4 inch ET (F) Cable entry. Process connection: 3/4 inch BSP(M) Adjustable Compression Fitting Length below head: 200 mm Note: Kindly refer your enquiry dt. 27.03.2022. We are quoting above specs. As per previous supply ref. SO-01844-21 against PO no. PO211202378 dt. 07.12.2021, if required any changes, please inform before placing order.	No	4-6	2	1,258.8 ₹	18	2,518 ₹
						<i>Rs. 1000/- Each.</i>		
4	9025199 0	T41RKO9A45/TC ation: As per standard IEC 584 Class II Insulation: Mineral Insulation Sheath: SS 310, 6 mm OD Outer Sheath: SS310 tube, 10 mm OD X 8 mm ID Terminal block: Ceramic terminal, Ni plated Brass Terminal Head: Die Cast Aluminium, IP 68 with screwed cap, chain & single 3/4 inch ET (F) Cable entry. Process connection: Not required Length below Head: 450 mm Temp. Range: 0-1200 Deg.C Note: Kindly refer your enquiry dt. 27.03.2022. We are quoting above specs., if required any changes, please inform before placing order.	No	4-6	4	1,781.3 ₹	18	7,125 ₹
						<i>Rs. 1200/- Each</i>		
5	9025199 0	T42RKO9A190/TC/M4346/1 Thermocouple Element: K-type, Duplex, ungrounded Calibration: As per standard IEC 584 Class II Insulation: Mineral Insulation Sheath: SS 316, 6 mm OD Terminal block: Ceramic terminal, Ni plated Brass Terminal Head: Die Cast Aluminium, IP 68 with screwed cap, chain & single 3/4 inch ET (F) Cable entry. Process connection: Not required Length below head: 1900 mm Note: Kindly refer your enquiry dt. 27.03.2022. We are quoting above specs. As per previous supply ref. SO-02104-20 against PO no. PO201001250 dt. 20.10.2020, if required any changes, please inform before placing order.	No	4-6	1	2,394.0 ₹	18	2,394 ₹
						<i>Rs. 2125/- Each</i>		

S.No	HSN/ SAC Code	Item Code & Description	UOM	Delivery (Weeks)	Qty	Rate	Tax Rate%	Total
6	9025199 0	T41RKO9C90/TC/M6386/1 Thermocouple	No	4-6	2	1,596.0 ₹	18	3,192 ₹

Element: K-type, Simplex, ungrounded
 Calibration: As per standard IEC 584 Class II
 Insulation: Mineral Insulation
 Sheath: SS 316, 6 mm OD
 Terminal block: Ceramic terminal, Ni plated
 Brass Terminal
 Head: Die Cast Aluminium, IP 68 with screwed
 cap, chain & single 3/4 inch ET (F) Cable entry.
 Process connection: 1/2 inch NPT(M) Adjustable
 compression Fitting
 Length below head: 900 mm

Note: Kindly refer your enquiry dt. 27.03.2022.
 We are quoting above specs. As per previous
 supply ref. SO-02438-21 against PO no.
 PO220202959 dt. 09.02.2022, if required any
 changes, please inform before placing order.

Rs. 1450/-
Each

Total Basic Amount	23,323 ₹
Taxes On Items	4,198 ₹
Net Total Amount incl Tax	27,521 ₹

Payment Term : 100% Payment Against PI before despatch
Incoterm : FREIGHT PRE PAID and INSURANCE BY TIPL(FPPIT)
Price Basis : FOR DESTINATION(FORD)

Note : 1. Offer is valid for full order qty.
 2. We regret Item Code 07460135 & 07460134. Other rest items are not cleared, so we are not quoting the same. Please provide the drawing/sketch.

TCS / TDS Provisions :

W.E.F. 01.07.2021, if TDS is required to be deducted u/s 194Q from our payment against the supplies made by us (in case your turnover in previous financial year exceeds Rs. 10 crores), please note that in accordance with section 206AA, 206AB & 206CCA of the Income Tax Act, TDS @ 0.1% should be deducted, since we have filed all our income tax returns due till date on timely basis u/s 139(1) of the Income Tax Act. In case you are not liable to deduct TDS u/s 194Q since your Total sales, gross receipts or turnover from the business carried on does not exceed Rs. 10 crores during the previous financial year, please provide declaration so that TCS can be collected from you on sales value exceeding 50 lacs.

Agreed Terms and Conditions

This offer has been prepared based on the Currency Exchange Rates from the FBIL (Financial Benchmarks of India Limited) Website as on 31-03-2022. Exchange Rate variation beyond $\pm 2\%$ would render this quote Invalid. Please ask us to submit the revised quote.

Local Taxes / Octroi / any other Government Levies etc. applicable at the specific despatch destination shall be payable by the Purchaser. Any additional charges for Door Delivery from the Transporter's warehouse to be borne by the Purchaser.

DELIVERY : Committed delivery period will start only after receipt of Customers Approved Drawings/Manufacturing Clearance or both (wherever applicable).

DEMURRAGE CHARGES : To be Paid additionally by the Purchaser @ 1% per week for delay in lifting the ordered goods from the warehouse of the transporter/freight forwarder/railways/air cargo etc.

WARRANTY : The goods offered in this quotation are warranted against manufacturing defect for a period of 12 months from date of commissioning or 18 months from the date of dispatch. Manufacturing defect reported within the warranty period will be rectified free of cost if sent to our works in Ajmer, properly packed and duly freight paid.

FORCE MAJEURE : Every effort will be made to deliver the goods within the scheduled delivery period but we take no responsibility for any delay occasioned by causes beyond our control known as "Force Majeure". Delayed delivery will not be the reason for the cancellation of contract. No claim for refund of deposits/advance or damages will be entertained.

JURISDICTION : All disputes to the above contract are subject to the Jurisdiction of the courts in Ajmer, Rajasthan.

VALIDITY : 30 Days

The taxes stated above will be based on the actual applicable rates.*
 Any statutory variation in Taxes, duties, charges, levies, fees or expense in connection of supply of material up to destination shall be borne by purchaser including but not limited to newly / amended government imposed import duties, fees and taxes.



Ph No:91-080 23450603 Fax:23450603

OMEGA ENGINEERING SYSTEMS

No:14, Hanuman layout, Ramachandrapura, Jalahalli, Bangalore 560013.

E mail - omega_systemsblr@yahoo.co.in / omegablr@system@gmail.com

Our ref: OES/368/21-22
Your enquiry No:

M/s. Jindal Aluminium Limited.,
SP-2/333, Industrial Area,
Bhiwadi Dist, Alwar, (Rajasthan) - 301019.
GST No. 08AAACJ4324M1ZH

Dear Sir,

Sub: Quotation

With reference to the above enquiry, please find herewith our items. We hope that you will find our offer reasonable and look Purchase Order at the earliest

CHECK LIST

DISCOUNTS *ed Rates as below*

EXTRA

EXTRA

Date: 28/03/2022 *16.5% Estd*

PAYMENT TERM: *30 days*

WARRANTY: *06 months*

WELCOMES *4 weeks*

lowest quotation for the following forward to receive your valuable

Approx Freight Re. 2800/- Ex-works

SL NO	INDENT NO date	ITPM CODE	DESCRIPTION	Qty UOM	Unit Price
1	DI220100159 DATE 06-Jan-22		CR/AL TYPE SIMPLEX THERMOCOUPLE 0-1200 DEG.CEN. 6MM O.D. X 80MM LONG WITH 1/2" BSP CONNECTION & BULKHEAD FITTING	2.00 NOS	Rs.860/each
2	DI220100164 06-Jan-22	07460064	CR/AL ("K"TYPE) TYPE SIMPLEX THERMOCOUPLE ,SIZE: 10MM OD X 350MM LONG WITH BULK HEAD FITTING & 3/4"BSP THREAD CONNECTION FOR THERMOCOUPLE FIXING, FOR P6 DHO , MAKE- JUMO/WIKA/RADIX/TOSHNIWAL,	3.00 NOS	Rs.1350/- each
3	DI220100475 21-Jan-22	07460052	HAND HELD THERMOCOUPLE WITH 2 NEEDLE (K+ AND K-), LENGTH 500 MM OR LONG AND DIGITAL METER WITH CABLE SUITABLE TO MEASURE ALUMINUM BILLET TEMPERATURE UP TO 600 DEG C	2.00NOS	REGRET
4	DI220100568 23-Jan-22	07460101	CR/AL TYPE SIMPLEX THERMOCOUPLE 0-1200 DEG.CEN. 6MM O.D. X 200 MM LONG WITH 1/2" BSP CONNECTION & BULKHEAD FITTING	1.00NOS	Rs.1100/each
5	DI220200972 19-Feb-22	07450023	CR/AL SIMPLEX THERMOCOUPLE, K-TYPE, 1200 DEG.C 10 MM O.D X 450 MM LONG WITH BULK HEAD FITTING RADIX / JUMO / WIKA / TOSHNIWAL MAKE	4.00NOS	Rs.1300/- each
6	DI220200947 23-Feb-22	07460135	THERMOCOUPLE FOR HOT LOG FURNACE OF BP 3 (AS PER EL-BP-10-A3 DRAWING).	2.00SET	regret
7	DI220200945 22-Feb-22	07460134	THERMOCOUPLE FOR HOT LOG FURNACE OF BP 4 (AS PER EL-BP-11-A3 DRAWING).	2.00SET	regret

Final Rates not agreed to party see the price list further

[Signature]
02/04/22

Contd 2



Ph No:91-080 23450603 Fax:23450726,Cell: 91-9448397340

OMEGA ENGINEERING SYSTEMS

No:14, Hanuman layout,Ramachandrapura,Jalahalli ,Bangalore 560013.

E mail - omega_systemsblr@yahoo.co.inomegablrssystem@gmail.com

-2-

SL NO	INDENT NO date	ITEM CODE	DESCRIPTION	Qty UOM	Unit Price
8	DI220201052 26-Feb-22	07460055	CR/AL M.I. DUPLEX THERMOCOUPLE 1200 DEG WITH BULK HEAD FITTING 6 MM ODX 1900 MM LONG WITH UNGROUDED ELEMENT	1 00NOS	Rs.3950/- each ✓
9	DI220301146 04-Mar-22	07460136	CR/AL K-TYPE SIMPLEX THERMOCOUPLE, WITH C.I TUBE , SUITABLE FOR MOLTEN ALUMINIUM , TEMP RANGE 0-1200 DEG.CEN. 20 MM O.D.(+2mm/-)0) X 1250 MM LONG BULKHEAD FITTING.	2 00NOS	Rs.9950/- each ✓
10	DI220301243 10-Mar-22	06540046	CR/AL "K" TYPE SIMPLEX THERMOCOUPLE 1200 DEG.CEN. UPPER PART 0 TO 700 MM , OD-22 MM, & LOWER PART 700 TO 1400 MM, OD-32 MM , LOWER PART SHOULD BE COVER WITH C.I TUBE. SUITABLE FOR MOLTEN ALUMINIUM. "L" shape 700 x 700mm x 36mm	1 00NOS	Rs.6900/- each ✓
11	DI220301334 15-Mar-22	07460103	CR/AL M.I. SIMPLEX THERMOCOUPLE 6 MM ODX 900 MM LONG,1200 DEG C WITH BULK HEAD FITTING .	2 00NOS	Rs.1450/- each ✓

Our Terms: Supply :within 15-20 Days on receipt of your P.O ,
Payment : Immediate on acceptance ,
Delivery : By us to your stores JAL , Bangalore , free of cost or,
Transportationr P&F charges extra
Validity : 30 days , IGST@ 18%

Thanking you
Yours Faith fully,
For, Omega Engineering Systems.


M.K.SUDHEENDRAN

GST NO: 29ALXPS0966K1ZZ / PAN NO: ALXPS0966K
Udyog Aadhar number : KR03B0022160 (MICRO)



Rajgopal C. Sarda <rajgopal@jindalaluminium.com>

REQ OF THERMOCOUPLES

1 message

Rajgopal C. Sarda <rajgopal@jindalaluminium.com>
To: omegasystemblr@gmail.com

Sun, Mar 27, 2022 at 2:37 PM

Dear Sir,

Please find below our requirement of thermocouples for your reference and needful action.

SL NO	INDENT NO	DATE	ITEM CODE	DESCRIPTION	UOM	QTY
1	DI220100159	06-Jan-22	07460100	CR/AL TYPE SIMPLEX THERMOCOUPLE 0-1200 DEG.CEN. 6MM O.D. X 80MM LONG WITH 1/2" BSP CONNECTION & BULKHEAD FITTING	NOS	2.00
2	DI220100164	06-Jan-22	07460064	CR/AL ("K"TYPE) TYPE SIMPLEX THERMOCOUPLE ,SIZE: 10MM OD X 350MM LONG WITH BULK HEAD FITTING & 3/4"BSP THREAD CONNECTION FOR THERMOCOUPLE FIXING, FOR P6 DHO , MAKE-JUMO/WIKA/RADIX/ TOSHNIWAL,	NOS	3.00
3	DI220100475	21-Jan-22	07460052	HAND HELD THERMOCOUPLE WITH 2 NEEDLE (K+ AND K-), LENGTH 500 MM OR LONG AND DIGITAL METER WITH CABLE SUITABLE TO MEASURE ALUMINUM BILLET TEMPERATURE UP TO 600 DEG C	NOS	2.00
4	DI220100508	23-Jan-22	07460101	CR/AL TYPE SIMPLEX THERMOCOUPLE 0-1200 DEG.CEN. 6MM O.D. X 200 MM LONG WITH 1/2" BSP CONNECTION & BULKHEAD FITTING	NOS	1.00
5	DI220200922	19-Feb-22	07460023	CR/AL SIMPLEX THERMOCOUPLE, K-TYPE, 1200 DEG.C 10 MM O.D X 450 MM LONG WITH BULK HEAD FITTING RADIX / JUMO / WIKA / TOSHNIWAL MAKE	NOS	4.00
6	DI220200947	22-Feb-22	07460135	THERMOCOUPLE FOR HOT LOG FURNACE OF BP 3 (AS PER EL-BP-10-A3 DRAWING).	SET	2.00
7	DI220200948	22-Feb-22	07460134	THERMOCOUPLE FOR HOT LOG FURNACE OF BP 4 (AS PER EL-BP-11-A3 DRAWING).	SET	2.00
8	DI220201052	26-Feb-22	07460055	CR/AL M.I. DUPLEX THERMOCOUPLE 1200 DEG WITH BULK HEAD FITTING 6 MM ODX 1900 MM LONG WITH UNGROUDED ELEMENT	NOS	1.00
9	DI220301146	04-Mar-22	07460136	CR/AL K-TYPE SIMPLEX THERMOCOUPLE, WITH C.I TUBE , SUITABLE FOR MOLTEN ALUMINIUM , TEMP RANGE 0-1200 DEG.CEN. 20 MM O.D. X 1250 MM LONG BULKHEAD FITTING.	NOS	2.00
10	DI220301243	10-Mar-22	06640046	CR/AL "K" TYPE SIMPLEX THERMOCOUPLE 1200 DEG.CEN. UPPER PART 0 TO 700 MM , OD-22 MM, & LOWER PART 700 TO 1400 MM, OD-32 MM , LOWER PART SHOULD BE COVER WITH C.I TUBE. SUITABLE FOR MOLTEN ALUMINIUM.	NOS	1.00
11	DI220301334	18-Mar-22	07460103	CR/AL M.I. SIMPLEX THERMOCOUPLE 6 MM ODX 900 MM LONG,1200 DEG C WITH BULK HEAD FITTING .	NOS	2.00

Billing and delivery address :

M/s. Jindal Aluminium Limited.,
SP-2/333, Industrial Area,
Bhiwadi Dist, Alwar, (Rajasthan) – 301019.
GST No. 08AAACJ4324M1ZH

Awaiting your reply,

Warm Regards,

Rajgopal C. Sarda
Assistant Manager - Purchase
M +91 9611-195-368 | L +91 8023-715-555 (422)



www.JindalAluminium.com

2 attachments

07460134_EL-BP-11-A3.pdf