

Enquiry No: EN221202582Bhiwadi Division

SAKSHI SINGH RAJPUT <sales@khandelwalagencies.net>

Sat, Dec 17, 2022 at 11:01 AM

To: purchase.bhiwadi@jindalaluminium.com, khandelwal_agencies@yahoo.com

Cc: rajgopal@jindalaluminium.com

CONTACT:9875110194

Dear Sir,

Greetings!

We thankfully acknowledge receipt of your valuable inquiry. As desired, we are submitting the offer for consideration.

SR NO.	PRODUCT	QTY	UOM	MAKE	LIST	LESS	NET	TOTAL
1	11KW 15HP 960RPM SIX POLE FOOT CUM FLANGE MOUNTING MOTOR IE2 M2BAX160MLB6	1	NOS	ABB	190575	66%	64795.5	64795.5
	,	ž.						_
							TOTAL	64795.5
						GST	18%	11663.19
							G.TOTAL	76458.69

In case you need any clarification, please feel free to contact us or write to us. We will be waiting for your valuable purchase order.

TERMS AND CONDITIONS:	Milandia W. C.	IFOULIGE
	Ci	HECK LIST
FREIGHT: EXTRA AS APPLICABLE		alone Price as Find
Tax : GST 18% extra as Applicable Discount : As mentioned	DISCOUNT	and the state of t
Insurance: In your scope; You have to Insure the co	nsignment if requ	ired.
Payment: WITHIN 30 DAYS	PRICE BASIS	: FOR BHIWADI.
	B&E	INGLAIL EXTRA NIL
	GST/IGST	18x. GST
		Re-du Stock
	DELIVERY	C CONTROL CONT
THANKS AND REGARDS		20 Dave
SAKSHI SINGH RAJPUT	PAYMENT	A second
(RELATIONSHIP MANAGER)	GCMG/TC	· D Month Warrary
CONTACT:7374909092	30,46412	S AND STREET OF STREET
Office telephone (04.402.2044.20 EVT.22	VALIDITY	n cropostocare o tao e e fir a no cabando de afrante e no e to e to e to e to e to e to e
Office telephone :01493-294120,EXT.23	AMERCA ()	
MOHIT AGGARWAL	CHECKED B	Y: Sher



Enquiry No: EN221202582Bhiwadi Division

Gurusabh Power <info@gurusabhpower.com>

Tue, Dec 13, 2022 at 8:08 PM

To: purchase.bhiwadi@jindalaluminium.com, "Rajgopal C. Sarda" <rajgopal@jindalaluminium.com>

Dear Sir,

Please note the price.

Make-Siemens

15 HP, 6 POLE, 415V, 50 HZ, IE2, IP-55, FOOT cum flg MTD., NFLP MOTOR, FRAME = 160

Net each price :- 56,600/-

DELIVERY

4-6 weeks after receipt of your po.

Make-CG

15 HP, 6 POLE, 415V, 50 HZ, IE2 IP 55, FOOT cum fig MTD., NFLP MOTOR, FRAME = 160

Net each price :- 52,227/-

DELIVERY

READY STOCK SUB, TO PRIOR SALE

TERMS & CONDITIONS:-

🎤 G.S.T

EXTRA AS APPLICABLE @18%.

* FREIGHT

EXTRA AS ACTUAL.

* PAYMENT

100% AGAINST DELIVERY BEFORE DISPATCH.

* VAL

VALIDITY

7 DAYS.

THANKS & REGARDS

DEEPAK / GARIMA

9953558241 /9643101723

GURUSABH POWER

[Quoted text hidden]

CHECK LIST

OISCOUNT: above Price are final

PRICE BASIS: FOR BHIWADI For BOD Briword

PRICE BASIS: FOR BHIWADI FOR BOD BRIWORD

PAYMENT: LEXTRA NIL

PAYMENT: Ready Stock

PAYMENT: Soday

GENETIC: 12 month warround

VALIDITY

VALIDITY

RUSON



Faridabad, Haryana-121003(INDIA) Email:- marketing@sumitengineers.com, sumitengineers@gmail.com Ph. 0129-2270063/64, M. 9643332811

GST No:-06ADXPC5835F1ZD

QUOTATION

M/S JINDAL ALUMINIUM LIMITED BHIWADI India

Dated:-17-12-2022 SUMIT/YS/2022-2023/0234R-01

Kind Attn:-Mr.... Mobile:-+91- 9611195368

Email:-purchase.bhiwadi@jindalaluminium.com

	2 paroticol management of the paroticol management o													
	* * * * * * * * * * * * * * * * * * * *				Α.	0 10								
Sr. No.	Description	Quantity	Nett.Price/Piece	Total Value (Rs.)	1 1	Kaje								
1	TYPE:- 11KW-960RPM-B35 (Foot Cum Flange), IE2, S1-DUTY 415VAC-50HZ, 160ML-FRAME Make-ABB, MOTOR	1	62,000.00	62,000.00	final									

NOTE *

The Quotation is Subject to the following Terms & Conditions Mentioned Below:

1	rrices	: Nett. After Discount.
2	GST	: @18% Extra.
3	Terms of Payment	: @100% against Proforma Invoice.
4	Packing & Forwarding	: EXTRA.
5	F.O.R.	: FARIDABAD
6	Delivery	:-SR.NO-1 - NOT IN STOCK
		DELIVERY TIME WILL BE -04 WEEKS FROM THE DATE OF RECEIPT OF PURCHASE ORDER,
7	Offer Validity	:-10 Days.
8	Warranty /Guarantee	:-12 Months from the date of installation or 18 Months from the date of invoicing whichever is earlier.

The Gears & Motion Control Engineers

CHECKED BY:

PREMIUM SIEMENS

Discursed with mar. Somist Me is agred on obove Price

DISCOUNT PRICE BASIS : FOR BHIWAD! P&F GST/IGST DELIVERY PAYMENT GC/WC/TC VALIDITY



MAKHARIA MACHINERIES PVT.LTD.

Plot No. 3313, Opp. Shree Hari Steel Industries, Phase IV, GIDC Vatva, Ahmedabad 382 445, Gujarat

Tel/Fax: 91 (79) 4003 6090 E-mail: ahd@makharia.in Website: www.makharia.in

CIN NO. U31300MH1995PTC087908

Ref No. MMPL/AHD/ND/089-R/MT/22-23

REVISED OFFER

Date: 14/12/2022

To, JINDAL ALUMINIUM LIMITED Bhiwadi

Kind Attn: Ass. Purchase Manager (09611195368)

Specifications: SIEMENS Make IE2 TEFC, Sq. cage Motor. IP 55, Class F insulation, S1 Duty Suitable Ambient temp rise limit to 50 Deg. C., Voltage 415 V+/-10%, Frequency: 50+/-5% Hz, 3 Phase as per technical patasheet & GAD.

10.35 pro-513	CHARLES CH							/	
SR	kW	HP	RPM	FRAME	MTG	QTY	DELIVERY	NUP	TOTAL
1	11	15	1000	160L	B35	2	5-6 Weeks	54949.00	

TERMS & CONDITIONS:

TAXES : 18% GST Extra
PRICE BASIS: Ex-Ahmedabad

FREIGHT : To Pay

PAYMENT : 100% against proforma invoice prior to dispatch.

Warranty: Our motors are warranted for any inherent manufacturing defects for a period of 12 months from the date dispatch. Our warranty is void if motor is opened by a person not authorized by us during the warranty period. During warranty period if motor / a part of motor is required to be taken to our works / service station, you will bear all the expenses towards freight, insurance, handling charges (to and fro) etc. Decision from manufacture regarding warranty claim shall be final and binding to you. Transit damage is not covered under warranty. During warranty period, standby motor is not provided for any reasons whatsoever.

- Validity: Our offer is valid till 5 Days unless withdrawn prior to that. After which it will be subject to our confirmation in writing. We reserve the right to revise any / every terms of this offer after the validity date.
- The offer has been made in the absence of driven equipment details viz. load GD² referred to motor speed, load torque-speed curve, load absorbed power and method of coupling to the motor and hence suitability of the offered motor to the driven equipment cannot be confirmed. Any frame size revision called for to ensure suitability of the motor and price implications thereof due to these data being furnished at a later date will be to your account.

Any Other accessories / Non std features (i.e. VPI, Space heater, Epoxy paint, epoxy gel coat on winding, Thermistor for winding, RTDs for winding, BTD for bearing, CI Fan, Encoder mounting arrangement, Roller Bearing at DE, Insulated bearing at NDE etc...) can provide on request at extra chargeable basis.

Thanking you,
From Makharis Middies
Nishich Mi

CH	-	C	K		5	7
	il Cont	-		Sharpe 6	Unell	8

DISCOUNT : above Price are fin

PRICE BASIS : FOR BHIWADI EX WORK

P&F :INCL JEXTRA EXTRO

GST/IGST : 184. Gut Extra

DELIVERY: 5 to 6 Week

AUTHORISED CHANNEL PARTNERS
YMENT

G GELECON B

Bonfiglioli

ARP

Shell

GC/WC/

> Johns

marathon

Historia con

WALIDITY Dealing In
Motors, Pumps, Gearboxes, Geared M

, Pumps, Gearboxes, Geared Motors, Drives, Lubricants & Grease

CHECKED BY:

15/12/22

4

Data she	et for tl	nree-ph	ase So	quirrel-	Cage	-Motors	SIMOT	<u>ICS</u>											
Motor type	e: 7º	CV2164C			SIM	OTICS SD -	- 160L - II	M B3 - 6	р										
lient order no.					Item	-No.	,				Off	Offer no.							
Order no.					Con	Consignment no.													
Remarks																			
Electrical d	lata								(e)		Sa	ife Area	9						
	0.94504000	D	D	i I				T	n 3)		1	er 20 it tectu		1 1 //	M _A /M _N	NA /NA	IE-CL		
U Δ <i>I</i> [V]±10%	[Hz]±5%	P [kW]	P [hp]	[A]	n [1/mir	M n] [kgf.m]	M [Nm]	4/4	η ³⁾ 3/4	2/4	4/4	cosφ 3/4		I _A /I _N	IVIA/IVIN	M _K /M _N	IE-CL		
			[lotordate			2/4	1, 171	1 3/4	217			Anama anna	L a comm		
415 Δ	50	11.00	-/-	22.00	975	11.0	108.0	88.9	88.9	88.6	0.78	0.73	3 0.62	6.0	2.5	2.6	IE2		
na a sale na aliminani				Laure section in	ikum tulumunis E														
		FT L. L. Weller	48 (5 (28)											E-0-4. E-100.					
IM B3 / IM 100		FS 160		106 kg		SF:1 C / 1,000		/ IEC 60034			Lockod	rotor ti	- me (hot /	cold) : 13	2 c l 22				
Machanica		imental C	onartion	15: -20	- +30	C 1 1,000	7 111				Locked	TOTOT LI	me (not <i>i</i>	colu) . 13	0 3 22	5			
Mechanica		244 JUNE 1. 2	par o las -	, ex countries		o Programa		0.7 194		IENTES ESC	ma paper.	an angula e		Ve-	(ctanda	rd)			
Sound press	ure level 50)Hz 60Hz		63 dl	B(A)	66	dB(A)	Exte	rnal earth	ing term	inal			Yes	(standa	u)			
Moment of i	titi ilii ile enemenee	or GD²		0.14	04 kg m	² 0.5618 k	gf.m²	Vibra	ation seve	rity grad	le				Standar				
Bearing DE	NDE			6309 2	2Z C3	630	9 2Z C3	Insul	ation					155(F) u	tilizea to	130(B)			
bearing life								Duty	type						S 1	S 1			
L _{10mh} F _{Rad max} 50 60Hz ¹⁾	according	catalogue		20.00	00 h	16	16.000 h Direction of rotation							Bidirectional					
L _{10mh} F _{Rad min} 50 60Hz 1)	for couplin	g operation	n	50.00	00 h	40.000 h Frame material Cast iron													
Type of bear				Loca	ating (fix	। ed) bearing	, NDE	Forc	ed ventila	ition mot	tor detai	ls							
Relubricatio	n interval/q	uantity DE	NDE		-/-	g [-l- g		Net	weight of	the mot	or (IM B	3)			106 kg				
Type of con:		100			IM B3	-/- h / IM 1001			r weight						41 kg				
Degree of p						IP55			of anti c	ondensat	tion hea	tina			/- V, -/- W	,			
Lubricants						Unirex N3			ing (pain		a Johnson	ung			ard paint				
	doules					· / -			Tribone's						- 1				
Regreasing						in the control of			r, paint s						RAL7030	,			
Grease nipp						-/- Yes			or protect						ithout	1 15			
Condensate	drainage h	oles						Met	hod of co	oling			IC41	1 - Self vei	ntilated,	surface o	cooled		
Terminal b	оох																		
Terminal bo	x position					Тор		Cab	le diamet	er from .	to			19.0 r	nm - 28.	0 mm			
Material of	terminal bo	×			She	et Metal		Cab	le entry					2:	xM40x1.	5			
Type of terr	minal box				T	B7 J03			le gland						2 Plugs				
Contact scr						M5													
Max. cross-		ea			2	5 mm²													
inam cross	3000101101	-			,i T	5 11111													
Notes:										U					-				
I _A /I _N = locked rot																			
$M_A/M_N = locked$ $M_K/M_N = break d$						3) Valu	ue is valid o	only for DOI	_ operation	with moto	or desian	IC411							
1) L10mh accord	ding to DIN ISO	281 10/2010																	
responsible d	ep.		technica	al reference		reated by		approved	l by				ect to change!		Link do	cuments			
DI MC LVN	Л					OT Configu	ırator				screpancie alues.	s between	calculated and	d rating plate	Г	ing Sk¢≇f			
			docume	ent type								cument s	tatus		7 }				
CIE	NAE	RIC	datas	sheet							re	eleased				10			
SIE	INIE	CVI.	MLFB a	and Order	Code						de	cument r	number		7 }		製業		
		7	1LE75	501-1DC	13-5AA	4									'	可除代码	and the C		
and the same											re	v.	creation da	nte	langua	ige Pa	ge		
© Siemen	s AG 2022	2									0	1	2022-12	2-14	en -	1/	1 .		