


As Authorised Distributors, we are pleased to submit our offer as follows:

| S/N | Description | Qty. No. | Price Each Rs. | Delivery | Image / Catalogue |
|--|---|----------|----------------|----------|--|
| 1 | Model: <u>MY2N-J</u> DC24 is Old & Discontinued. Hence, we are quoting for the New Improved Model as follows: (Please check the Suitability before ordering). Omron Plug-in Relay with <u>24VDC</u> Coil & Green Color LED Indication, DPDT Contact rated for 5A @ 250VAC / <u>24VDC</u> . Duly Tested & Accessories (Required Socket & Clip to be order Separately) <u>MY2N-GS DC24</u> ✓ | 20 | 153.00* | Ex-Stock |  Catalog |
| * The above is very Special Discounted Price | | | | | |
| HSN Code - 85371000 | | | | | |
| GST No. 33AABCI0806J1ZZ | | | | | |

P&F : Extra @ 2% (or) Rs.150/- whichever is higher; NIL for Collection by you.
 F&I : Extra @ 2% (or) Rs.150/- whichever is higher; NIL for Collection by you.
 GST : Extra @ 18%
 Payment : 100% within 30 days from the date of dispatch.
 Validity : 1 week due to price increase; subject to confirmation at the time of ordering
 Delivery : As per above Table-subject to prior sale.
 Guarantee : One Year as Provided by the Respective Brand

CHECK LIST

DISCOUNT : Above price are final

PRICE BASIS : FOR SHAWAD ~~EX-WORK~~ Ex-work

P&F : INCL. / EXTRA Extra

GST/IGST : 18% Extra

DELIVERY : 10-days

PAYMENT : 30-days

GC/WC/TC : —

VALIDITY : 1-Year

CHECKED BY: Vipul
04/04/23


NEW

OMRON

Miniature Power Relays

MY-GS


1966: MY Relays



1998: MY(S) Relays

The Reliability of an 800-million Track Record

A New Series Joins the MY Family of OMRON's Current
and Future Long-selling Relays



realizing

First appearing in 1966, over 800 million MY-series Relays had been manufactured by 2012. The MY Series grew to meet the needs of the day, and will continue to meet your needs in the future.

Easier to See, Easier to Use


OMRON insists on inhouse production from component molds to manufacturing facilities to better meet your needs.

Easily Accessible Information!

Product Information at a Glance


The model, specifications, and safety standards are all provided on the top surface.

You can check this information while the Relay is mounted in the Socket.



Contact Status at a Glance


Mechanical indicators are now a standard feature so that you know the contact operating status even for standard models.



Different Looks for Different Specifications

To prevent incorrectly using the Relays, we've made it easy to tell the difference between Relays with different specifications.

The color of the operation indicator (LED) shows whether the coil voltage is AC or DC.



Reliable Application!

High Durability


High Electrical Durability
Helps reduce the maintenance frequency.

Two-pole Relay: 500,000 operations
Four-pole Relay: 200,000 operations

Note: For switching the rated load.
Refer to the datasheet for details.

Wide Ambient Operating Temperature
Reliable application is possible for high-density mounting and in cold locations.

Ambient operating temperature:
-55 to 70°C



High Shock Resistance
Reduces malfunctions for unexpected external shocks.


Malfunction shock resistance: 20G



New Design Stable Quality in Automatic Manufacturing

We took 50 years of manufacturing experience and designed market needs into design and production.

Examples: Connection reliability was achieved with welding and one-piece molding while stable quality was achieved in automatic manufacturing.




There are reasons people continue to choose the MY Series.

The MY Series provides a wide variety of models to ensure that we have just the right model for you.

MY-series Product Lineup



Relays That Enable Checking Circuits before Power Application

MY(S) Relays with Latching Levers



Relays That Latch Contacts in the Operation Position

MYK Latching Relays



Relays That Dependably Control Small Loads



MY4Z Relays with Bifurcated Contacts
CBG Relays with Bifurcated Crossbar Contacts

| Reliability | Contact structure |
|-------------|---|
| High ↑ | Bifurcated crossbar contacts with Au cladding |
| | Bifurcated contacts with Au plating |
| | Single contacts with Au plating |



Relays for Locations with Corrosive Gas or Excessive Dust

MYQ Plastic Sealed Relays
MYH Hermetically Sealed Relays



⇒ Refer to the group catalog or your OMRON website for details.









Ordering Information

List of Models

| Classification | Contact configuration | Model | Rated voltage (V) |
|---|-----------------------|------------|---|
| Standard models | DPDT | MY2-GS | 12 VAC, 24 VAC, 48 VAC, 100/110 VAC, 110/120 VAC, 200/220 VAC, 220/240 VAC 6 VDC, 12 VDC, 24 VDC, 48 VDC, 100/110 VDC |
| | 4PDT | MY4-GS | 12 VAC, 24 VAC, 48 VAC, 100/110 VAC, 110/120 VAC, 200/220 VAC, 220/240 VAC 6 VDC, 12 VDC, 24 VDC, 48 VDC, 100/110 VDC |
| Models with built-in operation indicators | DPDT | MY2N-GS | 12 VAC, 24 VAC, 48 VAC, 100/110 VAC, 110/120 VAC, 200/220 VAC, 220/240 VAC 6 VDC, 12 VDC, 24 VDC, 48 VDC, 100/110 VDC, 220 VDC |
| | 4PDT | MY4N-GS | 12 VAC, 24 VAC, 48 VAC, 100/110 VAC, 110/120 VAC, 200/220 VAC, 220/240 VAC 6 VDC, 12 VDC, 24 VDC, 48 VDC, 100/110 VDC, 220 VDC |
| Models with built-in diodes and operation indicators | DPDT | MY2N-D2-GS | 12 VDC, 24 VDC, 48 VDC, 100/110 VDC, 220 VDC |
| | 4PDT | MY4N-D2-GS | |
| Models with built-in CR circuits and operation indicators | DPDT | MY2N-CR-GS | 100/110 VAC, 110/120 VAC, 200/220 VAC, 220/240 VAC |
| | 4PDT | MY4N-CR-GS | |

Accessories (Order Separately)

Connection Sockets and Hold-down Clips

| Mounting | Front-mounting Sockets | | | Back-mounting Sockets |
|-------------------|---|---|---|--|
| | DIN Track or screw mounting | | | PCB mounting |
| Wiring | Screw connections | | Push-in Plus terminal blocks | Soldered connections |
| MY2-GS MY2N-GS | PYF08A-E  | PYF08A-N  | PYF-08-PU  | PY08-02  |
| MY4-GS MY4N-GS | PYF14A-E  | PYF14A-N  | PYF-14-PU  | PY14-02  |
| Hold-down Clips | PYC-A1 | | Socket combination | PYC-P |

OMRON Corporation Industrial Automation Company
Kyoto, JAPAN

Contact: www.ia.omron.com

OMRON (CHINA) CO., LTD.
Room 2211, Bank of China Tower
200 Yin Cheng Zhong Road,
PuDong New Area, Shanghai, 200120, China
Tel: (86) 21-5037-2222/Fax: (86) 21-5037-2200

OMRON TAIWAN ELECTRONICS INC.
6F, Home Young Bldg., No.363,
Fu-Shing N.Road, Taipei, Taiwan R.O.C.
Tel: (886) 2-2715-3331/Fax: (886) 2-2712-9712

OMRON ASIA PACIFIC PTE. LTD.
No. 438A Alexandra Road # 05-05/06 (Lobby 2),
Alexandra Technopark, Singapore 119967
Tel: 65-6835-3011/Fax: 65-6835-2711

Authorized Distributor:

© OMRON Corporation 2014-2016 All Rights Reserved.
In the interest of product improvement,
specifications are subject to change without notice.

CSM_2_1_0416
Cat. No. J196-E1-02

O416(0414)



QUOTATION

PEENAK ELECTRICALS SERVICES

SHOP NO. 4-NE-11 GROUND FLOOR AKAYALI VIKAR - 301019, ALWAR (RAJ)

GSTIN : 08BDQPS4475P2ZB, Tel : 9983301233, 8619050419,

Email : peenakelectricals@gmail.com.

Party Details :

JINDAL ALUMINIM LIMITED

SP- 2/333, RIICO INDUSTRIAL AREA

BHIWADI - 301019 RAJ

MOBILE NO - 7988507897.

GSTIN / UIN : 08AAACJ4324M1ZH

OFFER NO : AEA/22-23/0396

DATE : 22.02.2023

| SL NO | Description of Goods | HSN / SAC CODE | Qty | Unit | List Price | Discount | Price | Amount | |
|---|--|--|-----|------|------------|----------|---------------|---------|---------|
| 1 | RELAY(OEN) 24VDC 8 PIN, TYPE-MY2NJ, OMRAN, MAKE-OMRON, | 8533 | 20 | Nos | - | - | 151 300.00 | 6000.00 | |
| <p>After discussion with our hon Party Price are final.</p> <p>Model → MY2N-4</p> | | <p>CHECK LIST</p> <p>DISCOUNT : Above price are final</p> <p>PRICE BASIS : FOR BHIWADI FOR - JAL</p> <p>P & F : INCL. — / EXTRA —</p> <p>GST/IGST : 18% - Extra</p> <p>DELIVERY : Ready stock</p> <p>PAYMENT : 100% Against Material Delivery</p> <p>GCM/OTC : —</p> <p>VALIDITY : 1-Year</p> | | | | | | 6000.00 | |
| | | 18% GST EXTRA | | | | | | | 1080.00 |
| | | | | | | | | 7080.00 | |

Vipul
04/04/23

Amount Chargeable (in Words)

Rs : SEVEN THOUSAND EIGHTY SEVENTY RUPEES ONLY,,,,,Rs : SEVEN THOUSAND EIGHTY SEVENTY RUPEES ONLY,,,,,

BANK DETAILS : HDFC Bank Ltd, A/C NO : 50200078749533, IFSC CODE : HDFC0005460, BHIWADI (RAJASTHAN) :

TERM & CONDITION :

1. Payment : AFTER WORK 7 DAYS
2. Delivery : 4-5 DAYS AFTER PURCHASE ORDER
3. GST 18% Extra ,

FOR PEENAK ELECTRICALS SERVICES

Authorised Signatory

Re: Enquiry No:EN230304065Bhiwadi Division

Goel Electricals <goelectricals@rediffmail.com>

Thu 3/16/2023 12:13 PM

To: Bhiwadi Purchase <purchase.bhiwadi@jindalaluminium.com>

Cc: Rajgopal C. Sarda <rajgopal@jindalaluminium.com>

DEAR SIR,

OUR BEST RATE AS BELOW :

MY2N-GS DC24

RATE - 250/-

GST EXTRA*

MY2N7 is discontinued
from Market.

WITH BEST REGARDS,

→ Similar series

M/S GOEL ELECTRICALS

MY2N6 8pin is

SHOP NO. 44 DHABA COMPLEX, NEAR POST OFFICE,

RIICO Ind. AREA, Bhiwadi- 301019

available.

PROFILE :-

Auth.Cp-L&T,SURYA,HAVELLS SWITCHGEARS & WIRES,

V-GUARD,BCH,CROMPTON,PSG,HPL,RR KABEL,TRINITY,

SYSKA LED,VETO,SWADESHI CABLES, SCHNIDER

E-mail:-goelectricals@rediffmail.com,ayushg000@gmail.com

CALLING AT:-

OFFER/OFFICE -RAJU GOYAL - 9414014600,9352253422

STOCK/DISPATCH -JAI NARAYAN RAI - 9667204747

ACCOUNTS/SALES -AYUSH GOYAL - 9667204750

MARKETING / SALE - YUVRAJ GOYAL - 9875104111

From: purchase.bhiwadi@jindalaluminium.com

Sent: Fri, 10 Mar 2023 10:15:08

To: goelectricals@rediffmail.com

Cc: purchase.bhiwadi@jindalaluminium.com, rajgopal@jindalaluminium.com

Subject: Enquiry No:EN230304065Bhiwadi Division

Dear Sir/Madam,

PLEASE QUOTE YOUR COMPETITIVE OFFER FOR THE ATTACHED ENQUIRY BY RETURN MAIL & KINDLY SEND YOUR ACKNOWLEDGEMENT MAIL ONCE YOU RECEIVED THE ENQUIRY FOR CONFIRMATION.

NOTE : FEEL FREE TO CONTACT US IF YOU ARE NOT GETTING ENQUIRY ATTACHMENT AS MENTIONED IN ITEM DESCRIPTION.

ASST. MANAGER PURCHASE,
JINDAL ALUMINIUM LIMITED,
Bhiwadi division,

| CHECK LIST | |
|-------------|-----------------------|
| DISCOUNT | : Above price see pin |
| PRICE BASIS | : FOR BHIWADI FOR-JAL |
| P & F | : INCL. / EXTRA |
| GST/IGST | : 18% Extra |
| DELIVERY | : 7-days |
| PAYMENT | : 7-days receipt/ Mat |
| GC/WC/TC | : - |
| VALIDITY | : 1-Year |
| CHECKED BY | : Vipul 04/04/23 |