



Jindal Aluminium

Rajgopal C. Sarda <rajgopal@jindalaluminium.com>

Proposal for the analysis of Stack Monitoring [Ref. No.:Jindal Aluminium/21122022] (EPD)

1 message

Customercare <customercare@shriraminstitute.org>
 To: "Tarun Bansal ." <tarun.bansal@jindalaluminium.com>, "Satyam Paliwal ." <satyam.paliwal@jindalaluminium.com>, "Rajgopal C. Sarda" <rajgopal@jindalaluminium.com>, Girraj sharan Sharma <girraj.sharma@jindalaluminium.com>, Shankaranand Mishra <smishra@jindalaluminium.com>, Aman Dadwal <adadwal@jindalaluminium.com>, Purushothaman Hebbar Illath <purushothamanhebbar@jindalaluminium.com>, Rajat Pallav Singh <rajatsingh@jindalaluminium.com>
 Cc: vsamania@shriraminstitute.org, kamal@shriraminstitute.org

Wed, Dec 21, 2022 at 10:17 AM

Mr. Vinay Kumar
09810078632

Shriram Institute For Industrial Research

(A Unit of Shriram Scientific and Industrial Research Foundation)
 19, University Road, Delhi 110007
 Ph. 011-27000100, 27667267 Fax: 011-27667207

Quotation

Issued To:

Mr. Tarun Bansal
 Senior Engineer - Environmental health and safety
 Jindal Aluminium
 M: +91 9999-911-366

Discussed with Mr. Vinay Kumar and not agreed to reduce price further.

CHECK LIST	
DISCOUNT	<i>ed Rate as below</i>
PRICE BASIS	<i>FOR BHIWADI FOR-JAL</i>
R&F	: INCL <input checked="" type="checkbox"/> EXTRA <input type="checkbox"/>
GST/IGST	: <i>IGST: 18% extra</i>
DELIVERY	: <i>one week</i>
PAYMENT	: <i>100% Advance copy</i>
GC/NC/TC	: <i>Test certificates to be provided as per contract</i>
VALIDITY	: <i>Test carried out.</i>
CHECKED BY:	<i>Rajgopal</i>

Dear Sir,

This is to thank you for your kind mail of dt. 20.12..2022 on the above subject. We ("Institute") are pleased to submit our offer as follows:- *Not of Testity will be carried out after 3 days of payment receipt*

S.No.	Sample Description	Study/Analysis IS: 11255	Charges (Rs.) / Per Sample
1	Stack Monitoring <i>Testity</i>	PM, NOx, CO, Co2, THC	18,050/-
		Sampling charges (Bhiwadi)	5000/- <i>→</i>

Total Rs. 23050/-

2 persons with equipment sent for sampling purpose

HSN Code : 998145 , GST will be charged extra as applicable(Current rate is 18%)

"Shriram Institute encourages Ecofriendly packaging materials. Please do not submit the samples in SINGLE USE PLASTIC (SUP) packing (Refer "The Plastic Waste Management (Amendment) Rules, 2022"). "

Note:

- Please note that our facility is NABL accredited as per ISO / IEC 17025 : 2017 with defined scope of work vide TC-5444 for testing and CC-2627 for calibration. Therefore, we will generate separate reports for the test(s) covered under our NABL accredited Scope.