

Date

28.12.2022

Reference No.

GCM-2022/043 Rev. 0.0

Handled By

Direct dialing

**Sunil Garg** 

+91 9650066406

E-MAIL

skgarg@apcranes.com

General Reference

**EWRH** 

M/S JINDAL ALLUMINIUM LIMITED SP 2/333, RIICO INDL. AREA, **BHIWADI-301019 RAJASTHAN** 

Kind Attn. Purchase Dept.

Subject Attn. Techno Commercial offer for Electric Wire Rope Hoist

Dear Sir,

With reference to your subject requirement, we are pleased to enclose our offer for your perusal.

Our offer has been divided into the following parts for easy appraisal.

A. Technical Specifications

**B. Price Schedules & Commercial Terms** 

We hope that you find the offer in lines with your requirement and shall favour us with your valued

Should you need any clarifications, please feel free to call the undersigned and we shall respond immediately.

Thanking you and assuring you of our best services at all times.

Best Regards,

**SUNIL GARG** Manager - Sales skgarg@apcranes.com



Quotation: GCM-2022/44, Rev. 0.0

Date: 28.12.2022

### A. ANNEXURE - I

# A1. TECHNICAL SPECIFICATION FOR 1 MT, 8.0 MTR. LIFT ELECTRIC HOIST

1.	Type of Crane	ELECTRIC WIRE ROPE HOIST				
2.	Class of duty	Class II (M5)as per IS :3177, 807, 3938				
3.	Capacity	1 MT				
4.	Qty required	2 Nos.				
5.	Operating Environment	Indoor, Ambient Temperature 50°c				
7.	Height of Lift MH	8.0 Mtr.				
8.	Crane Control	Through Independent Pendent Push Button				
9.	SPEED					
a.	Main Hoist	0.80 – 8.0 MPM Through VVVFD				
b.	Cross Travel	2.0 – 20.0 MPM Through VVVFD				
10.	MOTOR	and a value who such attice is especially additional positions. In additional safe, such				
a.	Main Hoist	2.2 Kw Sq. Cage Motor				
b.	Cross Travel	0.37 Kw Sq. Cage (Geared Motor)				
d.	Make	Marathon/ BBL/Crompton/SEW etc.  All motors are TEFC 40%CDF, 150starts/hr., Crane duty, class F Insulation.				
11.						
	WIRE ROPE	table of the first and the south as pleasy in three to use the contract				
a.	No of Falls/Dia	taken oo liku ta gastoo yerak oo afira tak ji walioo taka 1795 id				
		4/6 mm				
	No of Falls/Dia	4/6 mm  FMC/Steel Core / 6 x 36 / 180 Kg/sq. mm				
а.	No of Falls/Dia	4/6 mm				
а.	No of Falls/Dia MH Type of Construction	FMC/Steel Core / 6 x 36 / 180 Kg/sq. mm				
a. b.	No of Falls/Dia  MH  Type of Construction  IS Specification	FMC/Steel Core / 6 x 36 / 180 Kg/sq. mm IS 2266				
a. b.	No of Falls/Dia MH Type of Construction IS Specification Make	FMC/Steel Core / 6 x 36 / 180 Kg/sq. mm IS 2266				
a. b. c. 12.	No of Falls/Dia MH Type of Construction IS Specification Make GEAR BOX	FMC/Steel Core / 6 x 36 / 180 Kg/sq. mm IS 2266 USHA MARTIN				
a. b. c. 12.	No of Falls/Dia MH Type of Construction IS Specification Make GEAR BOX Type of Gear Box	FMC/Steel Core / 6 x 36 / 180 Kg/sq. mm IS 2266 USHA MARTIN Helical Gear Box				
a. b. c. 12. a. b.	No of Falls/Dia MH Type of Construction IS Specification Make GEAR BOX Type of Gear Box Material of Body	FMC/Steel Core / 6 x 36 / 180 Kg/sq. mm  IS 2266  USHA MARTIN  Helical Gear Box  CI Grade-FG-20, IS-210  20 MnCr5, SAE-8620, EN9/19/24  Oil Splash Lubrication				
a. b. c. 12. a. b.	No of Falls/Dia MH Type of Construction IS Specification Make GEAR BOX Type of Gear Box Material of Body Material of Gears & Pinion	FMC/Steel Core / 6 x 36 / 180 Kg/sq. mm  IS 2266  USHA MARTIN  Helical Gear Box  CI Grade-FG-20, IS-210  20 MnCr5, SAE-8620, EN9/19/24				



Quotation: GCM-2022/44, Rev. 0.0

Date: 28.12.2022

15.	LIMIT SWITCH							
a.	Main Hoist	Snap Action type						
B.	Make	Jai Bala Jee						
16.	. CRANE CONTROLS							
a.	Protective Panel	Consisting MCCB, MCB Main line contactor, Step down transformer, Single Phase Preventer.						
b.	Drive Panel	Consisting Contactor, MCB, Overload Relays.						
c.	Make	L&T/Siemens/Schneider.						
17.	CABLES	Multi Core, PVC Sheathed flexible type						
a.	Make	Finolex/KEI /Heatflex/Powerage Any ISI Mark						
18.	CURRENT COLLECTION	Land the second of the second						
a.	Cross Travel	Four trolley moving on stretched wire (Client scope)						
19.	Power Supply	415V, +/-10%, 3 phase, 50 Hz						
20.	Control Voltage	110V AC,1phase, 50Hz						
21.	WHEELS							
a.	Туре	CT Single flange type						
b.	Material	EN 8/9						
c.	Type of bearings	Antifriction Ball/Roller						
23.	3. HOOKS							
a.	Type in MH	C Type Hook						
b.	Swivelling	On Thrust Bearing						
c.	Make	Smriti Forging						
24.	Bearing	Antifriction Ball/Roller						
28.	Painting	The Hoist shall be painted with two coats of zinc chromate primer followed by two coats of golden yellow synthetic enamel paint.						



Quotation: GCM-2022/44, Rev. 0.0

Date: 28.12.2022

#### **COMMERCIAL TERMS**

Product Pricing

Des.	Brief Specification	Qu	antity	Supply Price in INR		
. 5		Nos	Unit	Unit	Total	
A1	1 MT X 8.0 Mtr. Lift Electric Wire Rope Hoist	2	EACH	(1,60,000)	3,20,000	
A2	Festoon type DSL	PER MTR.	EACH	1200	1200	

#### NOTES:-

- First Fill of oil shall be in Client scope.
- 2. Mobile Crane, Gus Cutter, Welding set required for erection shall be in Client scope.
- Please refer to the customer responsibility clause below to understand the scope of work.

Transportation charges extra at actual.

are exclusive of taxes, insurance, octroi and transportation, and are payable at actual at rates ruling at the time of delivery. GST @ 18% applicable on supplies, services, transportation changes extra at actuals.

P&F

GST/IGST

DELIVERY

PAYMENT

VALIDITY

30% of supply value as advance along with confirmed order,

of supply value with 100% taxes & duties against Proforma Invoice before dispatch.

**ERECTION PORTION** 

100% of erection value after erection and commissioning at site.

**B5. DELIVERY TERMS FOR SUPPLY** 

SUPPLY PORTION EX WORKS Gayatri Construction Machinery.

4-5 Weeks after approval of GA Drawings and receipt of advance whichever is later

**ERECTION PORTION** 

30 days after receipt of material at site, subject to site readiness and other influence of the manufacturer.

**B6. INSPECTION BEFORE DESPATCH** 

Inspection shall be carried at Gayatri Construction Machinery / Bhiwadi before dispatch machine. The too & fro travel charges for the inspectors, their hotel accommodation etc. Nould in the scope of customer. Inspection costs however would be borne us.

**B7. ARBITRATION** 

In the event of any dispute or difference arising out of operation of this offer, the same shall be referred to the sole arbitration and the sole arbitrator will be appointed by Gayatri Construction Machinery whose decision shall be final and binding on both the parties. The Venue of arbitration shall be at Gurgaon. The provisions of the Arbitration and Conciliation Act, 1996 shall apply to the Arbitration.

88. JURISDICTION

Telephone: +91 99999 97506 E-Mail: marketing@apcranes.com

Internet: www.apcranes.com

**GAYATRI CONSTRUCTION MACHINARY** SP-242 Kahrani Industrial Area Bhiwadi -301019 (RJ)-INDIA

Page 4|7

DISCOUNT

PRICE BASIS

DELIVERY

GC/WC/TC

CHECKED BY: .....

P&F



## Sub: Quotation for 1 ton capacity Electric Operated Flexible Trolly Hoist.

Devendra Dhada <nidhi.engineers@yahoo.in>

Wed, Dec 28, 2022 at 4:23 PM

Below Price are

CHECK LIST

To: "purchase.bhiwadi@jindalaluminium.com" <purchase.bhiwadi@jindalaluminium.com>

28/12/2022

Off No: DD/170/22-23

TO

Asst. Manager Purchase Jindal Aluminium Ltd. Bhiwadi Division.

Sp-2/333. Ricco Industrial Area. Bhiwadi-301019. Alwar Dist.

Rajasthan.

Enquiry No. EN 221202906 dated 28/12/2022 Ref.:

GST/IGST

Sub: Quotation for 1 ton capacity Electric Operated Flexible Trolly, Hoist

Kind Attn.: Mr. Raj Gopal C. Sarda.

Sir,

With reference to the above, we are pleased to submit our most competitive quotation as follows:

Specifications for hoist:

Capacity

Class & Duty

Type of travel

Height of lift

Hoisting speed C.T. Speed

Headroom

Motors

Class "F"

Hoist C.T.

Brake Wire rope

No.OF Falls Limit Switches

Operation Sequence

Power Supply

Control Volta Qty

: 1 Ton.

: Class II & Medium duty

: Flexible Trolly

: 8 MTRS

(6-8 M.P.M.) 18 M.P.M.

8 mt re min requise 485m.m.. : Totally enclosed Surface Cooled AC Sq. Cage Induction Type with

Insulation Crane Duty. S4-40% Motors to I S-325.

2.3 HP X 1440 RPM 0.25 HP X 1440 RPM

: Electro-magnetic fails to safe type. Disc Type DMT-15 Pethe Make.

: 8 mm dia 6 x 36 construction Usha Martin make

: For Maximum Up and Maximum Down

: Operation from landing level with Push button

: station

: 415 V 3 Phase A. C. supply

: 24 V

: 2 Nos.

Price: Rs. 137,000/- per Hoist. ex. our works.

The price mentioned above is exclusive of all the taxes & duties which will be charged extra as mentioned in terms & conditions.

## Terms and Conditions:

G.S.T. 18% will be charged extra on the above mentioned price,.

Payment: 15 days after the receipt of the hoist at your site.

Delivery: 10 to 12 weeks after the receipt of technically and commercially clear order.

Dispatch: The goods will be dispatched on freight to pay door-delivery basis.

Discoont: 5% on the above mentioned price

P.& F Charges: Rs.3000/ will be charged extra..

Thank you, Devendra Dhada. Nidhi Engineers. MO: +91 9825243772 No: BSS:Quot:22 - 23 Dated 03.01.2023

M/S. JINDAL ALUMINIUM LTD. 11, GREEN AVENUE, BHATTA ROAD, BEHIND SECTOR D-3 VASANT KUNJ NEW DELHI-110070 Mob: 9910018968

### Ref: Your E-mail Dated 28.12.2022,

Dear Sir.

With reference to your esteemed enquiry, we have much pleasure, to quote as under: WHITTE HORSE MAKE CHAIN ELECTRIC HOIST WITH ELECTRIC TROLLEY @ 2,35,000.00 Each WIRE ROPE HOIST 2.00 NOS MOTORIZED TYPE, HOIST SPEED- 8 MTR/MIN, TRAVEL SPEED- 20 MTR/MIN & LIFT OF HEIGHT- 8 MTR,. HOIST SHOULD COME WITH TROLLEY.

#### **TERMS & CONDITIONS**

Place of Delivery

Time of Delivery

Payment

:: EX - SHOP

:: within 6 weeks

:: 50% advance balance AGAISNT

PERFORMA INVOICE

Taxes

Validity

:: 18% IGST EXTRA

:: UNTIL ANY PRICE REVISION

FREIGHT EXTRA

TEST CERTIFICATE WILL BE PROVIDED

Thanking you, Yours Truly, For BALBIR SINGH & SONS

Authorized Sphatory not With are above Price above Rue A

ECK LIVE above Price one final PRICE BASIS : FOR BHINVADILEX- WOOK 18 / Gut Edtra GSTAGST within 6 week against Delivery to Should be Provided

# **Image**

### **Sales Quotation**

# **SNSENGINEERING NTA PRIVATE LIMITED**

H1-818-819, Riico Industrial Area, Chopanki, Bhiwadi

CIN: U28999RJ2020PTC067748 GSTIN: 08ABDCS2349K1Z2

Tel.: +917734054280 email: snsengg@yahoo.com

Party Details:

Jindal Aluminium Limited

SP- 2/333,RIICO Industrial Area, Bhiwadi

301019

Quotation No. : SNS/22-23/QTN-69/JAN

Dated

: 03-01-2023 : EXTRA

Freight Delivery Time

: 4-6 Weeks

PAYMENT TERMS: 50% Advance + 50 % Against Bil

GSTIN / UIN

: 08AAACJ4324M1ZH

S.N.	Description of Goods	HSN/SAC Code	Qty.	Unit	List Price	Discount	Price	Amount (`)	
1.	Hoist 1T Hoist Speed - 8MPM, CT Speed - 20MPM Height of Limit - 8MTR With VVFD PANEL	84261100	1.00		(2,20,000.00	1- fina	2,20,000.00 price	2,20,000.00	
	CHECK LIS	ice o	re.	nol		Rus	611/23	neet price	
	PRICE BASIS: FOR BHIWADI P&F::INCL	raN	1.1			ed wist	W. Ou	hove ,	
	GST/IGST : 18-/ GIV	onth		\$25	Discour	s agr	er Land	6/01/23	
,	PAYMENT : a soint	Delj Id be	Prov			(	ā 9.00 %	2,20,000.00 19,800.00 19,800.00	
Tax	VALIDITY  Taxable Amt. CGST Amt. SGST Amt.	rand Total	1.00	1				2,59,600.00	
	Rupees Two Lakh Fifty Nine Thousand Six Hundred Only  Declaration								
W	We hope our offer is in line with your requirment and now look forward to the pleasure of receiving your valued purchase order Soon.								

for SNSENGINEERING NTA PRIVATE LIMITED

Authorised Signatory