

CC 230701539

भारत पेट्रोलियम कॉर्पोरेशन लिमिटेड
प्रादेशिक कार्यालय (स्नेहक)
दू पार ट्रिनिटी, 7 वीं मंजिल, नंबर 17, एम.जी. रोड
बैंगलोर - 560 001
Ph: 080- 2297 5467/68, फैक्स: 080-2297 5469/81



BHARAT PETROLEUM CORPORATION LTD.
Territory Office (Lubricants)
'Du Parc Trinity', 7th Floor, No. 17, M.G. Road
Bangalore - 560 001.
Ph : 080- 2297 5467 / 68, Fax : 080-2297 5469 /81

Ref: BPCL.LUBES.BANGALORE.DIR/23-24
Jindal Aluminium Ltd- Bhiwadi

Date: July 5th, 2023

QUOTATION

Sir, Please find our offer attached.

S.No	Grades	Pack Size	Discounted Basic, Rs	Inc of 18% GST, Rs	Total Amount, inc of GST
1	MAK HYDROL HLP 46	BRL	90.00	106.20	22302.00

Terms & Conditions:

1. The above rates are valid till 31/07/2023
2. Payment terms - Credit for 30 days only
3. Transportation - Delivered Supplies to customer site.
4. In case of any additional statutory taxes will be charged extra.
5. Taxes - GST as indicated and TCS/TDS as applicable
6. Supply - From BPCL WADILUBE Installation

For Bharat Petroleum Corporation Ltd.,

Sujith Kumar,
Manager Marketing,
Bangalore Lubes Territory

Price - F.O.R JAL Bhiwadi.
Payment - 30 days
Delivery - 7 days
Directly from Mumbai
Rah - applicable for this order only.
12/3/23

रजिस्टर्ड कार्यालय: भारत भवन, 4 & 6, करिम्बोय रोड, बैलार्ड एस्टेट, पोस्ट बॉक्स नं 688, मुंबई - 400001
फोन: 2271 3000 2271 4000, फैक्स: 2271 3874

Registered Office: Bharat Bhavan, 4 & 6, Currimbhoy Road, Ballard Estate, P.B.No. 688, Mumbai - 400001
Phone: 2271 3000. 2271 4000, Fax: 2271 3874
Web: www.bharatpetroleum.in CIN No: L23220MH1952GO/008931

भारत पेट्रोलियम कॉर्पोरेशन लिमिटेड

प्रादेशिक कार्यालय (स्नेहक)

दू पार ट्रिनिटी, 7 वीं मंजिल, नंबर 17, एम.जी. रोड
बैंगलोर - 560 001

Ph: 080- 2297 5467/68, फैक्स: 080-2297 5469/81



BHARAT PETROLEUM CORPORATION LTD.

Territory Office (Lubricants)

'Du Parc Trinity', 7th Floor, No. 17, M.G. Road
Bangalore - 560 001.

Ph : 080- 2297 5467 / 68, Fax : 080-2297 5469 /81

Ref: BPCL.LUBES.BANGALORE.DIR/23-24

Date: July 5th, 2023

Jindal Aluminium Ltd- Bhiwadi

QUOTATION

Sir, Please find our offer attached.

S.No	Grades	Pack Size	Discounted Basic, Rs	Inc of 18% GST, Rs	Total Amount, inc of GST
1	MAK HYDROL HLP 46	BULK	82.00	14.76	96.76
2	MAK HYDROL HLP 46	BRL	105.00	18.90	123.90

Terms & Conditions:

1. The above rates are valid till 31/07/2023
2. Payment terms - Credit for 30 days only
3. Transportation - Delivered Supplies to customer site.
4. In case of any additional statutory taxes will be charged extra.
5. Taxes - GST as indicated and TCS/TDS as applicable
6. Supply - BULK of 20 KL from BPCL Wadilube Installation and Barrel supply from Rewari Depot

For Bharat Petroleum Corporation Ltd.,

Sujith Kumar,
Manager Marketing,
Bangalore Lubes Territory

रजिस्टर्ड कार्यालय: भारत भवन, 4 & 6, करिम्बोय रोड, बैलार्ड एस्टेट, पोस्ट बॉक्स नं 688, मुंबई - 400001
फोन: 2271 3000 2271 4000, फैक्स: 2271 3874

Registered Office: Bharat Bhavan, 4 & 6, Currimbhoy Road, Ballard Estate, P.B.No. 688, Mumbai - 400001

Phone: 2271 3000. 2271 4000, Fax: 2271 3874

Web: www.bharatpetroleum.in CIN No: L23220MH1952GO/008931

Large on with supply in 29th 30th

spoke to

Final best

Rate for 90/kl

for bulk requirement.

payment 30 days

FOR JAL Bhiwadi

Delivery 2 week

26/7/23

Bosch Rexroth Fluid Rating List für Rexroth-Hydraulikkomponenten (Pumpen und Motoren)* for Rexroth hydraulic components (pumps and motors)*











* Exception Hägglunds products, see 15414

Die unten genannten Hydraulikflüssigkeiten sind von der Bosch Rexroth AG positiv bewertet. Sie erfüllen die Bedingungen nach RD 90235 für eine Listung in der Bosch Rexroth Fluid Rating List 90245.

Hydraulic fluids mentioned below have been rated favourably by Bosch Rexroth AG. The requirements for listing according to RE 90235 on the Bosch Rexroth Fluid Rating List 90245 are fulfilled.

Klassifizierung von Hydraulikflüssigkeiten / Hydraulic Fluids Classification	
Hydraulikflüssigkeiten auf Basis von Mineralölen und artverwandten Kohlenwasserstoffen / <i>Hydraulic fluids based on mineral oil and related hydrocarbons</i>	HL (HL), HLP (HM), HVLP (HV) und weitere / and other
Umweltverträgliche Hydraulikflüssigkeiten / <i>Environmentally acceptable hydraulic fluids</i>	HETG, HEPG, HEES, HEPR
Schwerentflammbare Hydraulikflüssigkeiten – wasserfrei / <i>Fire-resistant, water-free hydraulic fluids</i>	HFDR, HFDU und weitere / and other
Schwerentflammbare Hydraulikflüssigkeiten – wasserhaltig / <i>Fire-resistant, water-containing hydraulic fluids</i>	HFAE, HFAS, HFB, HFC und weitere / and other
























Hydraulikflüssigkeiten auf Basis von Mineralölen und artverwandten Kohlenwasserstoffen / Hydraulic fluids based on mineral oil and related hydrocarbons

Hersteller Manufacturer	Fluidname Fluid brand name	Legend	ISO VG			Kategorie Category	Gültigkeits- datum bis Valid until
			32	46	68		
 ADNOC Distribution	ADNOC Hydraulic Oil	1	-	●	-	HLP (HM)	2022
 Aegean Marine Fuels & Lubricants	Hydralfa 46	1	-	●	-	HLP (HM)	2022
 APAR Industries Ltd.	Power Hydrol HLP Pro	1	-	●	●	HLP (HM)	2026
 Bardahl de Mexico, S.A. de C.V.	BARDAHL HYDRAULIC OIL	1	●	●	●	HLP (HM)	2026
 TECTROL Hydraulic Technology Solutions	BayWa AG TECTROL HYDRAFLEXX XL	1	-	●	-	HVLP (HV)	2023
 Bharat Petroleum Corporation Ltd	MAK Hydrol HLP	1	●	●	●	HLP (HM)	2026
 Castrol	BP Castrol Hyspin AWS HX	1	●	●	●	HLP (HM)	2023
	Castrol Hyspin ZZ HX	2	●	●	●	HLP (HM)	2026
 CHAMPION	Champion Chemicals N.V. Champion HYDRO	1	●	●	●	HLP (HM)	2022
 Chevron TEXACO CALTEX	Rando HD	1	●	●	●	HLP (HM)	2023
	Rando HDZ	1	●	●	●	HVLP (HV)	2024
 CNH INDUSTRIAL	CNH Industrial Premium Hydraulic Oil HM	1	●	●	●	HLP (HM)	2026
	Premium Hydraulic Oil HV	1	-	●	●	HVLP (HV)	2022

Legende / Legend

- 1 Zinkhaltig / with zinc
- 2 Zinkfrei / without zinc












**Hydraulikflüssigkeiten auf Basis von Mineralölen und artverwandten Kohlenwasserstoffen /
Hydraulic fluids based on mineral oil and related hydrocarbons**

Hersteller Manufacturer	Fluidname Fluid brand name	Legend	ISO VG			Kategorie Category	Gültigkeits- datum bis Valid until
			32	46	68		
 CNOOC	Hai Jinang Hydraulic Oil L-HM	1	●	●	●	HLP (HM)	2023
 CPC Corporation, Taiwan	CPC Hydraulic Oil AWS	1	●	●	●	HLP (HM)	2022
 ENOC Marketing LLC	ENOC AXIS	1	●	●	●	HLP (HM)	2026
	ENOC Axis L	1	●	-	-	HLP (HM)	2023
 ExxonMobil	Mobil DTE 10 Excel	2	●	●	●	HVLP (HV)	2026
	Mobil DTE 20 Ultra	1	●	●	●	HLP (HM)	2026
 Fuchs Schmierstoffe GmbH	Renolin B HP Plus	1	●	●	●	HLP (HM)	2026
	Renolin B Plus	1	●	●	●	HLP (HM)	2026
	Renolin Xtreme Temp	1	●	●	●	HVLP (HV)	2023
	Renolin ZAF MC	2	●	●	●	HVLP (HV)	2024
 GS Caltex Corporation	Kixx Hydro XW	1	●	●	●	HLP (HM)	2026
 Groupe MECALAC S.A.S.	MECALAC Premium Lubricants Hydraulic Oil	1	-	●	-	HVLP (HV)	2027
 Grupa Lotos S.A.	HYDROMIL L-HM BA	1	●	●	●	HLP (HM)	2022
 Gulf Oil International Limited	Harmony AW Premium	1	●	●	●	HLP (HM)	2026
 Hermann Bantleon GmbH	Avia Fluid RSL Plus	1	●	●	●	HLP (HM)	2022
 Indian Oil Corporation Limited	Servosystem XLP Gold	1	●	●	●	HLP (HM)	2026
	Servosystem XLP Star (L)	1	●	●	●	HLP (HM)	2022
 Liqui Moly GmbH	Liqui Moly Hydrauliköl HyPER SG1	1	●	●	●	HLP (HM)	2023
 MOL-LUB Kft.	MOL Hydro HME	1	●	●	●	HLP (HM)	2026
	MOL Hydro Prime HV ZF	2	●	●	●	HVLP (HV)	2024
 Palfinger AG	Hydraulic Oil Premium	1	●	●	●	HVLP (HV)	2027
 Petro Canada Lubricants Inc.	HYDREX AW	1	●	●	●	HLP (HM)	2026
 PetroChina Lubricant Company	Kunlun HM 32, 46, 68 Anti-wear Hydraulic Oil (High Pressure H)	1	●	●	●	HLP (HM)	2026
 Petronas Lubricant International	Petronas Hydraulic Plus	1	●	●	●	HLP (HM)	2023
	Petronas Hydraulic HV Plus	1	●	●	●	HVLP (HV)	2024
 Phillips 66 Company	Powerflow NZ Hydraulic Oil L-HM	2	●	●	●	HLP (HM)	2026
 Puma Energy International	Puma Hydraulic Oil HVI	1	-	●	●	HVLP (HV)	2023
 Quaker Houghton	QH QUANTOL DRIVE AW 3000 XP Series	1				HLP (HM)	2026
 Qingdao Copton Technology Co., Ltd.	Copton Wei Li Da	1	-	●	-	HLP (HM)	2026
 RALOY Lubricantes, S.A. de C.V.	HIDRAFLUID	1	●	●	●	HLP (HM)	2026
 Repsol Lubricantes y Especialidades S.A.	Repsol Telex E	1	●	●	●	HLP (HM)	2026


Legende / Legend

- 1 Zinkhaltig / with zinc
2 Zinkfrei / without zinc

**Hydraulikflüssigkeiten auf Basis von Mineralölen und artverwandten Kohlenwasserstoffen /
Hydraulic fluids based on mineral oil and related hydrocarbons**

Hersteller Manufacturer	Fluidname Fluid brand name	Legend	ISO VG			Kategorie Category	Gültigkeits- datum bis Valid until
			32	46	68		
 Shandong Zero Mileage Lubrication Technology Co., Ltd	ZERO MILEAGE HM	1	-	•	-	HLP (HM)	2026
	Shell Tellus S2MX	1	•	•	•	HLP (HM)	2026
	Shell Tellus S2VX	1	•	•	•	HVLP (HV)	2027
	Shell Tellus S3Z	1	•	•	•	HLP (HM)	2026
	Shell Tellus S4VE	1	•	•	•	HVLP (HV)	2024
	Seanon Hydraulic Oil HP	1	-	•	•	HLP (HM)	2026
	Ultra-HP Antiwear Hydraulic Oil	1	-	•	-	HLP (HM)	2026
	Great Wall AE Hydraulic Oil	1	•	•	•	HLP (HM)	2026
	Great Wall L-HM Anti-wear Hydraulic Oil (High pressure)	1	•	•	•	HLP (HM)	2024
	Sinopec AE Hydraulic Oil	1	•	•	•	HLP (HM)	2026
	SRS Schmierstoff Vertrieb GmbH	1	•	•	•	HLP (HM)	2023
	Tide Water Oil Co. (India) Ltd.	1	•	•	•	HLP (HM)	2026
	Tiger Petroleum (China) Co., Ltd	1	•	•	•	HLP (HM)	2026
	CHUNCUI ANTIWEAR Hydraulic Oil	1	•	•	•	HLP (HM)	2023
	TONGYI C6000 ANTIWEAR Hydraulic Oil	1	•	•	•	HLP (HM)	2023
	Total Azolla AF	2	•	•	•	HLP (HM)	2023
	Total Azolla ZXL	1	•	•	•	HLP (HM)	2026
	Valvoline HLP IMEX	1	•	•	•	HLP (HM)	2022
	Valvoline Ultramax HLP	1	•	•	-	HLP (HM)	2023
	Wolf Oil Corporation N.V.	1	•	•	•	HLP (HM)	2022

**Umweltverträgliche Hydraulikflüssigkeiten /
Environmentally acceptable hydraulic fluids**

Hersteller Manufacturer	Fluidname Fluid brand name	Legend	ISO VG			Kategorie Category	Gültigkeits- datum bis Valid until
			32	46	68		
	PANOLIN International Inc.	3	•	•	-	HEES	2022

Legende / Legend:

- 1 Zinkhaltig / with zinc 2 Zinkfrei / without zinc
 3 gesättigter Ester / saturated ester 4 ungesättigter Ester / unsaturated ester

Von der Bosch Rexroth AG positiv bewertete Hydraulikflüssigkeiten dürfen von den Schmierstoffherstellern in deren Datenblättern oder sonstigen Publikationen mit folgendem Vermerk geführt werden:

Erfüllt die Anforderungen gemäß Bosch Rexroth RDE 90235 oder Bosch Rexroth Fluid Rating List RDE 90245.

Nicht oder negativ bewertete Hydraulikflüssigkeiten dürfen diesen Vermerk nicht führen.

Hydraulic fluids rated favourably by Bosch Rexroth AG may be listed by the lubricant manufacturers in their data sheets or other publications with the following note:

Meets the requirements of Bosch Rexroth RDE 90235 or Bosch Rexroth Fluid Rating List RDE 90245.

Hydraulic fluids that have not been rated or that have been rated negatively may not carry this note.

Hinweise

- ▶ Fluid- und anlagenspezifische Besonderheiten sind bei der Projektierung zu berücksichtigen.
- ▶ Die Angaben in den Anwendungshinweisen 90220, 90221, 90222 und 90223 sind zu beachten.
- ▶ MCR-Motoren mit Haltebremse:
Die Leistungsdaten der MCR-Bremse basieren auf dem Betrieb der Anlage mit Mineralöl Typ HLP/HVLP nach DIN 51524. Die Verwendung eines anderen Flüssigkeitstyps kann die Bremsleistung beeinträchtigen, insbesondere HEES-Flüssigkeiten stellen ein bekanntes Risiko dar. Bei Rückfragen kontaktieren Sie bitte Bosch Rexroth Engineering in Glenrothes.
- ▶ Ausgedruckte Listen sind nicht verbindlich, die aktuelle Version ist im Bosch Rexroth Medienverzeichnis abrufbar: <https://www.boschrexroth.com/ics/ref/media/90245>

Notes

- ▶ *Fluid and system-specific characteristics are to be taken into account during project planning.*
- ▶ *The information in the application instructions 90220, 90221, 90222 and 90223 is to be observed.*
- ▶ *MCR motors with holding brake:
The MCR brake performance data is based on the system operating with Mineral Oil type HLP/HVLP to DIN 51524. Use of any other fluid type may reduce brake performance, HEES fluids are a particular known risk. Contact the Engineering Department at Bosch Rexroth Glenrothes for advice.*
- ▶ *Printed lists are not obligatory, the current version is available in the Bosch Rexroth media directory: <https://www.boschrexroth.com/ics/ref/media/90245>*

Bosch Rexroth AG
Glockeraustraße 2
89275 Elchingen, Germany
Tel. +49 7308 82-0
An den Kelterwiesen 14
72160 Horb, Germany
Tel. +49 7451 92-0
info.brm@boschrexroth.de
www.boschrexroth.com

© Bosch Rexroth AG 2016. Alle Rechte vorbehalten, auch bzgl. jeder Verfügung, Verwertung, Reproduktion, Bearbeitung, Weitergabe sowie für den Fall von Schutzrechtsanmeldungen. Die angegebenen Daten dienen allein der Produktbeschreibung. Eine Aussage über eine bestimmte Beschaffenheit oder eine Eignung für einen bestimmten Einsatzzweck kann aus unseren Angaben nicht abgeleitet werden. Die Angaben entbinden den Verwender nicht von eigenen Beurteilungen und Prüfungen. Es ist zu beachten, dass unsere Produkte einem natürlichen Verschleiß- und Alterungsprozess unterliegen.

© Bosch Rexroth AG 2016. All rights reserved, also regarding any disposal, exploitation, reproduction, editing, distribution, as well as in the event of applications for industrial property rights. The data specified within only serves to describe the product. No statements concerning a certain condition or suitability for a certain application can be derived from our information. The information given does not release the user from the obligation of own judgment and verification. It must be remembered that our products are subject to a natural process of wear and aging.


BPCL Offer - JAL HLP 46

sujith kumar (सुजीत कुमार) <sujithkumar@bharatpetroleum.in>

Thu 7/6/2023 11:04 AM

To:JRM PURCHASE <jrmpur@jindalaluminium.com>;Vijay Kumar Singh <vksingh@jindalaluminium.com>

Cc:nilesh s karpe (निलेश एस कर्पे) <nileshskarpe@bharatpetroleum.in>

 1 attachments (1 MB)

BPCL Offer - JAL.pdf;

Dear Sir

Please find the offer attached for HLP 46.

We have tried to offer both Bulk and Barrel rates.

Looking forward to hearing from you.

Thanks & Regards

Sujith Kumar

Manager Marketing, Lubes, Bangalore

Bharat Petroleum Corporation Limited**Duparc Trinity, 7th Floor, 17 MG Road****Bangalore - 560001****M: + 91 9167782240**

***** अस्वीकृति/ Disclaimer

यह संदेश भारत पेट्रोलियम कॉर्पोरेशन लिमिटेड (बीपीसीएल) - भारतवर्ष की मेलिंग संदेश प्रणाली से भेजा गया है। संदेश में जो विचार व्यक्त किये गये हैं वे प्रेषक के अपने हैं, जब तक कि इन्हे बीपीसीएल द्वारा स्पष्ट रूप से अधिकृत न किया गया हो। इस संदेश एवं किसी भी अनुलग्नक में दी गई जानकारी, प्राप्तकर्ता(ओं) के अनन्य उपयोग के लिए है और इसमें मालिकाना, गोपनीय या विशेषाधिकार की जानकारी हो सकती है। अनभिप्रेत प्राप्तकर्ता कृपया इसको हटा दें एवं प्रेषक को तुरंत सूचित करें। प्राप्तकर्ता(ओं) को सतर्क किया जाता है कि संदेश/ संलग्नक में किसी भी प्रकार का वायरस ना हो, इसकी जांच कर लें। This message was sent from Mailing System of Bharat Petroleum Corporation Limited (BPCL), India. Unless explicitly authorized by BPCL, the views expressed in the message are of the sender. The information in this message and any attachments are intended for exclusive use of the recipient(s) and may contain proprietary, confidential or privileged information. Unintended recipient(s) may kindly delete it and notify the sender immediately. Recipient(s) are cautioned to check message/ attachments for any virus.

RE: Offer for Bulk requirement at Jindal Bhiwadi unit-SERVOSYSTEM HLP 46

GUPTA, SHEREN(शेरेन गुप्ता) <guptas10@indianoil.in>

Tue 7/4/2023 12:35 PM

To: Vijay Kumar Singh <vksingh@jindalaluminium.com>

Cc: Parsheera, Gaurav <parsheerag@indianoil.in>

Dear Sir,

As discussed, Please find our best possible offer for the supply of Servosystem HLP to Bhiwadi.

Sr. No.	Prod Code	PRODUCTS	Anticipated Volume KL (MT)	TV (Offered Price) Rs./Ltr./Kg.	Pack Size
1	3082	SERVOSYSTEM HLP 46	35	93.50	Barrel
2	3082	SERVOSYSTEM HLP 46	35	87.50	Bulk

Other terms and conditions

1. Delivery terms- FOR bhiwari unit
2. Payment- As per our existing contract- 30 days
3. Pack Size- 210 L in barrel at 29.5 Deg C
4. Validity- 31.07.2023

Confirmation

Looking forward for your valuable orders.

Regards

Sheren Gupta

Assistant Manager (Lubes-TS)

Bangalore Sales Area

Indian Oil Corporation Ltd.

M- 7506449265

सर्वो सर्वत्र सर्वोत्तम

From: GUPTA, SHEREN(शेरेन गुप्ता)

Sent: 28 June 2023 15:11

To: 'Vijay Kumar Singh .'

Cc: Parsheera, Gaurav

Subject: Offer for Bulk requirement at Jindal Bhiwadi unit-SERVOSYSTEM HLP 46

Dear Sir,

Good Day!

As discussed, Please find our best offer for supply of Servosystem HLP 46 at Jindal unit in Bhiwadi. As understood There is requirement of approx 35KL of hydraulic oil of ISO VG 46. Since we are already supplying to Jindal Aluminium we have taken special approval from management for the particular enquiry.

Offer for Bulk requirement at Jindal Bhiwadi unit-SERVOSYSTEM HLP 46

GUPTA, SHEREN(शरेन गुप्ता) <guptas10@indianoil.in>

Wed 6/28/2023 3:10 PM

To:Vijay Kumar Singh <vksingh@jindalaluminium.com>

Cc:Parsheera, Gaurav <parsheerag@indianoil.in>

Dear Sir,

Good Day!

As discussed, Please find our best offer for supply of Servosystem HLP 46 at Jindal unit in Bhiwadi. As understood There is requirement of approx 35KL of hydraulic oil of ISO VG 46. Since we are already supplying to Jindal Aluminium we have taken special approval from management for the particular enquiry.

Sr. No.	Prod Code	PRODUCTS	Anticipated Volume KL (MT)	TV (Offered Price) Rs./Ltr./Kg.	Pack Size
1	3082	SERVOSYSTEM HLP 46	35	96.00	Barrel
2	3082	SERVOSYSTEM HLP 46	35	90.00	Bulk

Other terms and conditions

1. Delivery terms- FOR bhiwari unit
2. Payment- As per our existing contract- 30 days
3. Pack Size- 210 L in barrel at 29.5 Deg C
4. Validity- 31.07.2023

Looking forward for your valuable orders.

Regards
Sheren Gupta
Assistant Manager (Lubes-TS)
Bangalore Sales Area
Indian Oil Corporation Ltd.
M- 7506449265

Course at 93.50 / lit
Spoke to Mr Sharan Dhotre
final price for Barrel Requirement - 93.50 / lit
bulk
Delivery 2 weeks

RE: Offer for EN230304139

Parsheera, Gaurav <parsheerag@indianoil.in>

Sat 15-Apr-23 12:21

To: JRM PURCHASE <jrmpur@jindalaluminium.com>

Cc: Vijay Kumar Singh <vksingh@jindalaluminium.com>; Tiwari, Sudeep (सुदीप तिवारी) <sudeeptiwari@indianoil.in>

Sir,

We appreciate the business opportunity provided to us and will ensure best services from our side. Please find below our Offered rate for both Bulk and BRL packaging for SERVOSYSTEM HLP 46 on DELIVERED supply basis:

Prod Code	Product Name	Taxable Value Rs/Ltr-Kg (BRLS)	Taxable Value Rs/Ltr-Kg (BULK)
3082	SERVOSYSTEM HLP 46	101	97

TERMS AND CONDITIONS:

18% GST will be applicable

Delivered supply from LBP Asaoti

Payment Terms:

30 Days Credit facility

Validity:

15.04.2023- 30.06.2023

Thanks & Regards

Gaurav Parsheera

Jaipur-TS, Lubes

Rajasthan State Office, MD

Indian Oil Corporation Limited

Contact Number: 9521743449



Blessed are those who see beautiful things in humble places where other people see nothing.

From: JRM PURCHASE [mailto:jrmpur@jindalaluminium.com]

Sent: Friday, April 7, 2023 11:15 AM

To: Parsheera, Gaurav

Cc: Vijay Kumar Singh; Tiwari, Sudeep (सुदीप तिवारी)

Subject: Reg: Offer for EN230304139

CAUTION: External email. Do not click links or open attachments unless you recognize the sender and know the content is safe.



SHIVA INDUSTRIAL CHEMICALS

H-872, Phase-III, Riico Indl. Area, Behind ESIC Hospital, BHIWADI-301019 (Raj.)
e-mail: gaur_shell9@yahoo.com, shivashell9@gmail.com
M. : 9314012929, 9414013929, 9414012929 GSTIN No.: 08AEPPS4103R1ZR

SIC/YP/23-24/081

12th July, 2023

M/s. Jindal Aluminium Limited
Bhiwadi.

Kind Attention: Mr. V K Singh

REF: PROPOSAL FOR SHELL MAKE INDUSTRIAL LUBRICANTS

Dear Sir,

We thank you for the kind courtesy extended on the undersigned when we called upon your works regarding your Lubricants requirement. As per the discussion held with you we pleased to quote our rates, terms & conditions as under:-

S.No.	Category	Our Suggestion	HSN Code	GST Rate	Pack Size	Unit Price
1.	High Viscosity Index Premium Grade Hydraulic Oil	Shell Tellus S1 V 46	27101990	18%	209 Ltrs.	126.50

TERMS & CONDITIONS:

1. GST is extra in above rates.
2. Freight: Included.
3. Payment: As Present.
4. Lead Time: 20-25 Days.

Confirmed copy

Thanking you and assuring you of our best services always.
Yours Faithfully,

For SHIVA INDUSTRIAL CHEMICALS
Yogesh Pahat
(+91)9783333929
sales1.shiva9@gmail.com, yogesh@shiva29.com.

Authorised Distributors





SHIVA INDUSTRIAL CHEMICALS

H-872, Phase-III, Riico Indl. Area, Behind ESIC Hospital, BHIWADI-301019 (Raj.)
e-mail: gaur_shell9@yahoo.com, shivashell9@gmail.com
M. : 9314012929, 9414013929, 9414012929 GSTIN No.: 08AEPPS4103R1ZR

SIC/YP/23-24/011

27th April, 2023

M/s. Jindal Aluminium Limited

Bhiwadi.

Kind Attention: V K Singh

REF: PROPOSAL FOR SHELL MAKE INDUSTRIAL LUBRICANTS

Dear Sir,

We thank you for the kind courtesy extended on the undersigned when we called upon your works regarding your Lubricants requirement. As per the discussion held with you we pleased to quote our rates, terms & conditions as under :-

S.No.	Category	Our Suggestion	HSN Code	GST Rate	Pack Size	Unit Price per ltr for SMS Press Initial fill Project
1.	High Viscosity Index Premium Grade Hydraulic Oil	Shell Tellus S1 V 46	27101990	18%	209 Ltrs	130.00 <i>126.50 / ltr</i>

TERMS&CONDITIONS:

1. GST is extra in above rates.
2. Freight: ~~Included~~.
3. Payment: ~~15~~ days.
4. Lead Time : 3 Weeks

Thanking you and assuring you of our best services always.

Yours Faithfully,

For SHIVA INDUSTRIAL CHEMICALS

Yogesh Pahat
(+91) 9783333929
sales1.shiva9@gmail.com, yogesh@shiva29.com.



Spoke to Mr. Yogesh. confirm final price @ 126.50 / ltr. P.O.R JAL Payment 30 days Delivery - 3 weeks
12/4/23

Authorised Distributors





**Technical Offer for Hydraulic Oil Grade
Shell Tellus S1 V 46 for an Aluminium Extrusion Press
of make SMS Group having Bosch Rexroth Pumps**



Typical Challenges highlighted in the Aluminium Extrusion Application by Jindal Aluminium Ltd. Shop Floor team during their In-house training conducted by Team Shell India:-



Productivity

- Continuous operation
- Fastest possible cycle speed
- No significant downtime
- Quick changeovers
- Reliability
- **Minimizing Pressure drops as Temperature Increases** leading to:-
 - Non-Uniform Process Cycle
 - Fluctuating pressure conditions



Precision

- Maximum repeatability
- Consistent process cycle
- **Difficulty achieving tighter tolerances** due to imprecise movements remated to pressure drops at elevated temperatures
- Low scrap



Costs

- **Extended maintenance intervals** by reducing downtime of maintaining leakages, replacing failed parts and frequent top ups
- Die protection
- Long machine lifespan



Environment

- **Waste reduction** by Minimizing excessive Leakages taking place
- Emission reduction
- Reduced noise levels
- **Energy Efficiency** reduction due to power output loss related to pressure drops, leakages etc.

A5116-AGGARWAL BEARING HOUSE-9460369963-
B5037-BHARAT PETROLEUM CORPORATION LIMITED-0-
EQ00355-GOYAL MOTOR -9671807622-9671807622
G5566-GOYAL MOTORS-9671807622-

EN230304139

16-Mar-2023

23/03/2023

DI230204517 - 02-MAR-23

1	05130082	HYDRAULIC OIL HLP 46,WE REQUIRE MINERAL OIL HLP ISO VG46 - DIN 51524-2 ONLY.,	31,500.00	LTF
---	----------	--	-----------	-----

Note : Please collect offer and technical specification from BHARAT PETROLIUM, SHELL and SERVO.

Note

- 1) YOU HAVE TO DELIVER THE MATERIAL AS PER YOUR COMMITTED DATE OF DELIVERY AT OUR WORKS FAILING WHICH 2% PENALTY PER WEEK WILL BE DEPENDING UPON THE COMMODITY/ URGENCY OF THE MATERIAL.HENCE,INDICAT DELIVERY PERIOD .
- 2) IN CASE, YOU ARE NOT ABLE TO SUPPLY THE MATERIAL ON OR BEFORE THE DUE DATE WE ARE EMPOWERED TO DIVERT / CANCEL OUR ORDER TO OTHER SUITABLE VENDOR AT THE PREVAILING RATE IN THE MARKET.AND THE PRICE DIFFERENCE IF ANY WILL BE DEBITED TO YOUR ACCOUNT.

Please provide Service Tax/TIN Registration No./Certificate . We are releasing our payment through bank hence provide the details of RTGS/NEFT/MICR/BANK ACCOUNT NO.