



Vashi Integrated Solutions Ltd.

Plot No 19, Sec 17/18, Dividing Road, Sheela Lane, Gurgaon, Haryana -122001
 GST No.: 06AAACV1496Q1ZQ, PAN: AAACV1496Q

Sales Quotation

Quote No : 1431680/QTN	Quote Date : 14/7/2023
Case No : 02805821	Quote Update : 14/7/2023

Customer Details: Jindal Aluminium Limited, SP-2/333, RICCO INDUSTRIAL AREA, BHIWADI - 301019, RAJASTHAN INDIA	Name: Purchase team Contact No.: 9611195368 Email Id: purchase.bhiwadi@jindalaluminium.com
Customer Reference No.: 14/7/2023 12:43 pm Price Validity: 2 Days Sales Person: Abhishak Saini Sales Person No.: +91 8447206680	Payment Terms: 30 DAYS Mode of Transport: By Road Freight: To Pay Customer O/S.: INR 1,74,200.00 Packing & Forwarding : Inclusive

Dear Purchase team,
 We thank you for your valuable enquiry. Our quote for your requirements is as below: For our full range of Products, Price List, Data Sheet, Test Certificate, Technical Information, HSN Code, kindly Visit our WebSite <http://vashiisl.com> for Full Details.

Sr. No	HSN/SAC Code	Product Description	GTP Link	Delivery Period	Quantity	Rate Per Unit	Disc %	Net Unit Price	Total
1	8544.60.90	Polycab Flex - 1.0 SQMM X 12 CORE PVC INS. & SHEATHED COPPER FLEXIBLE CABLE BLACK AS PER IS 694 (100 Mtr) -	GTP Link	Ex Stock	200.00	278.00	54.00	127.88	25,576
Total Before Tax:									INR 25,576.00
Total Quote Amount:									INR 30,180.00

Amount in words: (INR) Thirty Thousand One Hundred Eighty Rupees Only

Remark:	NEFT / RTGS Instructions: RTGS in favour of Vashi Integrated Solutions Limited. 1.HSBC Bank A/c No. - 006235162001, IFSC - HSBC0400002 2.HDFC Bank A/c No. - 50200050070484, IFSC - HDFC0000240
----------------	---

For live inventory tracking against your quote, Datasheets, Test Certificates and many other Industry First Digital Offerings, login to the Enterprise Portal: <https://enterprise.vashiisl.com>

Terms & Conditions:
 Our Return Policy is really simple:
 1. The customer should verify the Product upon its receipt.
 2. We assure you of free replacement or repairs in case of any defect in the performance of the standard products purchased from us within 30 days of receipt of material at your end.
 3. Our prices as mentioned in the offer are applicable for immediate delivery. In case of planned or future delivery, our principal list price as published on that date will be applicable, however, the discount agreed will remain the same.
 4. Kindly email our Customer Care team at customercare@vashiisl.com or call our Tollfree no - 1800266105

→ After discussion with MR. Abhishak Saini Above Discount is final
 → make - poly cab
 → colour coded cable.

CHECK LIST	
DISCOUNT	: Above price are final
PRICE BASIS	: FOR BHIWADI. FOR JAL BHZWAR
P & F	: INCL. / EXTRA.
GST/IGST	: 18% I GST.
DELIVERY	: Ready stock
PAYMENT	: 30 DAY
GC/WC/TC	: _____
VALIDITY	: 10 DAY
CHECKED BY :	<i>Anish</i>



Connection Zindagi Ka

CABLES

Fire Properties

a) Flammability test

As per IEC 60332-1-2

Standard packing length

100 meter coil, 300 meter coil, 500 meter, 1000 meter
(Higher quantity in wooden drum)

Printing

POLYCAB <SIZE SQ.MM> 1100V IS : 694 <ISI LOGO> CM/L -
2832257, HALOL - <CE MARKING>

Annexure-1			
Colour Scheme for Multicore flexible cable 6 core and above			
Sr. No	Printing No.	Basic Colour	Stripe
1		Yellow	Green
2	1	Black	-
3	2	White	-
4	3	Red	-
5	4	Green	-
6	5	Orange	-
7	6	Blue	-
8	7	White	Black
9	8	Red	Black
10	9	Green	Black
11	10	Orange	Black
12	11	Blue	Black
13	12	Black	White
14	13	Red	White
15	14	Green	White
16	15	Blue	White
17	16	Black	Red
18	17	White	Red
19	18	Orange	Red
20	19	Blue	Red
21	20	Red	Green
22	21	Orange	Green
23	22	Black	Green
24	23	Blue	Green
25	24	White	Green
26	25	Black	Orange

Re: Enquiry No:EN230701730Bhiwadi Division

KHANDELWAL AGENCIES <khandelwal_agencies@yahoo.com>

Thu 7/13/2023 3:36 PM

To:sales@khandelwalagencies.net <sales@khandelwalagencies.net>;Bhiwadi Purchase <purchase.bhiwadi@jindalaluminium.com>

Cc:Rajgopal C. Sarda <rajgopal@jindalaluminium.com>

Dear Sir,

Greetings!

We thankfully acknowledge receipt of your valuable inquiry. As desired we are submitting the offer for consideration

SR NO	PRODUCT	QTY	UOM	MAKE	LIST	LESS	NET	TOTAL
1	COPPER FLEXIBLE WIRE 1 MM 12 CORE	200	MTR	POLYCAB	278	56%	122.32	24464.00
					GST	18%		4403.52
								28867.52

TERMS AND CONDITIONS:

FREIGHT : EXTRA AS APPLICABLE

TAX : GST 18% extra as applicable

Discount : As mentioned

Insurance : In your scope; You have to Insure the consignment if required.

PAYMENT: WITH IN 30 DAYS

Validity of offer – Till the new list price will be announced by the company

THANKS & REGARDS
 MOHIT AGGARWAL
 9875110194

CHECK LIST

DISCOUNT : Above Discount is final

PRICE BASIS : FOR BHIWADI FOR JAL BHZWK

P & F : INCL / EXTRA

GST/IGST : 18% GST

DELIVERY : 3 DAYS

PAYMENT : 30 DAYS

GC/WC/TC :

VALIDITY : 10 DAYS

CHECKED BY : Anil

→ After discussion with MR. Mohit Above prices are final,

→ make polycab / number coded cable

Guaranteed Technical Particulars

Report No.	: UIL/GTP/20-21/6022	Date	: 13/07/2023
Customer Name	: JINDAL ALUMINIUM LIMITED - BHIWADI	Standard Category	: IS : 694
Item Name	: 12C X 1.0 SQ.MM. IND. FLEX. - 080880	Type	: YY
Item Description	: 12C X 1.0 Sq. mm. PVC Insulated (Type-D) & PVC Sheathed (ST-3) heavy duty Industrial Flexible cable with Multistrand Flexible Bare Copper conductor (Class-5) for working voltage up to 1100 V as per IS : 694-2010.		
Quotation No.	: 2233/23-24 - 13/07/2023		
PO No.	:		
Tender No.	:		

12C X 1.0 Sq. mm. PVC Insulated (Type-D) & PVC Sheathed (ST-3) heavy duty Industrial Flexible cable with Multistrand Flexible Bare Copper conductor (Class-5) for working voltage up to 1100 V as per IS : 694-2010.

SR. NO.	Description	Unit	12C X 1.0 Sq. mm. PVC Insulated (Type-D) & PVC Sheathed (ST-3) heavy duty Industrial Flexible cable with Multistrand Flexible Bare Copper conductor (Class-5) for working voltage up to 1100 V as per IS : 694-2010.
1	MAKE		ULTRACAB
2	STANDARD APPLICABLE		IS : 694 - 2010.
3	RATED VOLTAGE	VOLT	1100
4	SUITABLE FOR EARTHED OR UNEARTHED SYSTEM		-----
	CONSTRUCTIONAL DETAILS		
5	CONDUCTOR		MULTISTRAND FLEXIBLE BARE COPPER (CLASS-5). AS PER IS: 8130 – 1984. (EC GRADE)
6	SHAPE SECTOR OF CONDUCTOR		CIRCULAR
7	INSULATION		AS PER IS : 5831-1984.
	A) COMPOSITION OF INSULATION		PVC – TYPE – D
	B) APPROX DIAMETER OF INSULATION CORE	MM	2.40
	C) NOMINAL THICKNESS OF INSULATION	MM	AROUND 0.60
	D) MIN. VOLUME RESISTIVITY AT 27 DEG. C.	OHM-CM	12 1*10 OHM-CM MIN.
	E) MIN. VOLUME RESISTIVITY AT 70 DEG. C.	OHM-CM	9 1*10 OHM-CM MIN.
	F) MIN. INSULATION RESISTANCE AT 27 DEG. C.	MOHM-KM	3.67 MOHM-KM MIN.
	G) MIN. INSULATION RESISTANCE AT 70 DEG. C.	MOHM-KM	0.004 MOHM-KM MIN.
	H) COLOUR SCHEME FOR IDENTIFICATION		11 CORES- GREY COLOUR WITH NUMBERING LAST CORE IN OUTERMOST LAYER - YELLOW/GREEN
8	OUTER SHEATH		AS PER IS: 5831-1984
	A) MATERIAL		PVC TYPE -ST-3



ULTRACAB
W I R E S & C A B L E S

® Ultracab (India) Limited

Sr. No. 262, B/h. Galaxy Bearings Ltd. Shapar (Veraval) - 360 024, Dist. Rajkot
Gujarat (India) Phone : 02827 - 253122 / 23, Fax : 02827 - 252725
Email : info@ultracab.in Web : www.ultracab.in
Customer Care : 1800 313 0323, Email ID : complain@ultracab.in

An Iso 9001:2015 Certified Company

Guaranteed Technical Particulars

Report No.	: UIL/GTP/20-21/6022	Date	: 13/07/2023
Customer Name	: JINDAL ALUMINIUM LIMITED - BHIWADI	Standard Category	: IS : 694
Item Name	: 12C X 1.0 SQ.MM. IND. FLEX. - 080880	Type	: YY
Item Description	: 12C X 1.0 Sq. mm. PVC Insulated (Type-D) & PVC Sheathed (ST-3) heavy duty Industrial Flexible cable with Multistrand Flexible Bare Copper conductor (Class-5) for working voltage up to 1100 V as per IS : 694-2010.		
Quotation No.	: 2233/23-24 - 13/07/2023		
PO No.	:		
Tender No.	:		

12C X 1.0 Sq. mm. PVC Insulated (Type-D) & PVC Sheathed (ST-3) heavy duty Industrial Flexible cable with Multistrand Flexible Bare Copper conductor (Class-5) for working voltage up to 1100 V as per IS : 694-2010.

SR. NO.	Description	Unit	12C X 1.0 Sq. mm. PVC Insulated (Type-D) & PVC Sheathed (ST-3) heavy duty Industrial Flexible cable with Multistrand Flexible Bare Copper conductor (Class-5) for working voltage up to 1100 V as per IS : 694-2010.
	B) THICKNESS OF THE OUTER SHEATH (NOM.)	MM	1.10
	C) OUTER SHEATH COLOUR		BLACK
	D) APPROX OVERALL DIA. OF CABLE (+/- 1.00 MM)	MM	12.40
9	ELECTRICAL CHARACTERISTICS		
	A.) MAX. D.C. RESISTANCE AT 20 DEG.C	OHM/KM MAX.	19.50
10	MAX. PERMISSIBLE CONDUCTOR TEMPERATURE		
	A) UNDER CONTINUOUS FULL LOAD	DEG.C.	70
	B) UNDER TRANSIENT CONDITION	DEG.C.	160
11	CURRENT CARRYING CAPACITY		
	MAXIMUM CURRENT RATING	AMPS	14
12	GENERAL		
	A) STANDARD LENGTH OF CABLE (+/- 5%)	METER	100 MTR COIL

Note : * As per international practice which is also adopted by Bureau of Indian Standards. The diameter of the conductor shown above in nominal. The Size of the conductor is determined by its resistance. The construction of the conductor is as per market convention and should be treated as a guideline only it may vary within the limits of IS: 8130-1984.



® Ultracab (India) Limited

Sr. No. 262, B/h. Galaxy Bearings Ltd. Shapar (Veraval) - 360 024, Dist. Rajkot Gujarat (India)

Email : info@ultracab.in Web : www.ultracab.in

ULTRACAB WIRES HE TO AAPKA CHAR SURAKSHIT HE

Customer Care : 1800 313 0323

QUOTATION

Quotation No. : 2234/23-24

Cust. Code : P21110046

To, JINDAL ALUMINIUM LIMITED - BHIWADI

SP-2/333, Industrial Area,

Bhiwadi Dist, Alwar.

BHIWADI - 301019

Kind Attn. : Mr.Rajgopal C. Sarda

9611195368

Date : 13/07/2023

Inquiry Through : By Email

Ref. No. & Date : 13.07.2023

Price List No. : 002/23-24 - 05/06/2023

No.	Particulars	Unit	Quantity	Rates / Unit	Dis.(%)	Basic Rate	
1	12C X 1.0 SQ.MM. IND. FLEX. - 080880	MTR.	200.000	-	-	125.40	25080.00

GST Amount in Word : RS. Four Thousand Five Hundred Fourteen and Forty PAISE Only

IGST 18.00% 25080.00

Sub Total 29594.40

Round Off -0.40

Amount in Word : RS. Twenty Nine Thousand Five Hundred Ninety Four Only

Total Amount 29594.00

Terms & Conditions :

- 1 ABOVE RATES ARE EX-OUR WORKS .
- 2 PAYMENT : 100 % ADVANCE WITH PURCHASE ORDER .
- 3 DELIVERY : WITHIN 2 WEEKS FROM THE DATE OF CONFIRM P.O.
- 4 ALL DUTIES & LEVIES WILL BE APPLICABLE AS ACTUAL AT TIME OF DELIVERY.
- 5 VALIDITY QUOTATION : 2 DAYS FROM THE DATE OF QUOTATION .
- 6 QTY TOLERANCE- +/- 5% AT THE TIME OF DELIVERY AS PER INDUSTRY NORMS.
- 7 SUBJECT TO RAJKOT JURISDICTION
- 8 E & O E

CHECK LIST

DISCOUNT : Above price are final
 PRICE BASIS : FOR BHIWADI FOR JAL BHIWADI
 P & F : INCL / EXTRA
 GST/IGST : 18 % GST
 DELIVERY : 7 Days
 PAYMENT : 30 Days

For, Ultracab (India) Limited

Authorized Signatory

For More Detail Contact Mr. JATIN CHHAYANI (HIREN BHUVA) Mo. 9099051245

NOTE : Computer Generated Document, No Signature is required.



VALIDITY 10 Days
 CHECKED BY: [Signature]



→ After discarding with MR. Banshi Above prices are final, Page 1 of 1