Vashi Integrated Solutions Ltd.



Plot No 19, Sec 17/18, Dividing Road, Sheetla Lane, Gurgaon, Haryana -122001 GST No.: 06AAACV1496Q1ZQ, PAN: AAACV1496Q

Sales Quotation

£xc×f:»nc+ fe×	+			Quote No : 1448270/QTN	Quote Date : 24/7/2023	
				Case No : 02824290	Quote Update : 24/7/2023	
Customer Details:	Jindal Aluminium Limited, SP-2/333, RICCO INDUSTRIAL AREA, BHIWADI - 301019, RAJASTHAN INDIA	Name: Contact No: Email Id:	Purchase team 9611195368 purchase.bhiwadi@jindalaluminium.cor			
Customer Reference I Price Validity: Sales Person: Sales Person No:	No.:[CAUTION: SUSPECT SENDER] Enquiry No:EN230701888Bhiwadi Division 2 Days Abhishak Saini +91 8447206680	Payment Terms: Mode of Transport: Frieght: Customer O/S.: Packing & Forwarding:	30 DAYS By Road To Pay INR 38,914.0 Inclusive	00		

Dear Purchase team,

We thank you for your valuable enquiry. Our quote for your requirements is as below: For our full range of Products, Price List, Data Sheet, Test Certificate, Technical Information, HSN Code, kindly Visit our WebSite http://vashiisl.com for Full Details.

Sr. No	HSN/SAC Code	Product Description	GTP Link	Delivery Period	Quantity	Rate Per Unit	Disc %	Net Unit Price	Total
1	8544.60.90	Polycab Arm - 240 SQMM X 3.5 CORE A2XFY ALUMINIUM XLPE INSU. ARMD STR CABLE 1.1 KV AS PER IS 7098(PART 1) 1988 -	GTP Link	Ex-Stock	100.00	2,810.00	69:00	87110 pc	87,140
						6	To	tal Before Tax:	INR 87,110.00
							Total C	Quote Amount:	INR 1,02,790.00

Amount in words: (INR) One Lakh Two Thousand Seven Hundred Ninety Runees Only

Remark:	Qty. tolerance +/-5%	NEFT / RTGS Instructions:
2		RTGS in favour of Vashi Integrated Solutions Limited. 1.HSBC Bank A/c No 006235162001, IFSC - HSBC0400002 2.HDFC Bank A/c No 50200050070484, IFSC - HDFC0000240

For live inventory tracking against your quote, Datasheets, Test Certificates and many other Industry First Digital Offerings, login to the Enterprise Portal: https://enterprise.vashiisl.com


Terms & Conditions:	,	7
Our Return Policy is really simple: 1. The customer should verify the Product upon its receipt. 2. We assure you of free replacement or repairs in case of any defect in the performance of material at your end.	1	
 Our prices as mentioned in the offer are applicable for immediate delivery. In case of date will be applicable, however, the discount agreed will remain the same. Kindly email our Customer Care team at <u>customercare@vashiisl.com</u> or call our 		41
FRLS-		FOR BHIWADI FOR JAL BI
	P&F	:INCLFEXTRA
After Disuppion with	GST/IGST	: 184IhST
MR. Abhisher, Above peice	DELIVERY	: Ready Stock
are final,	PAYMENT	45-30 DAYS
ALAUGA ALAUGA I	GC/WC/TC	
Molike - Poly (ccb This is a computer generated document. N	VALIDITY	· 10 DAy,D

Page 1 of 1

CHECKED BY: A-14d -







Stranded Aluminium Conductor

XLPE Insulation

Inner Sheath

Gal. Steel Flat Strip Armour

Extruded PVC type ST2 Outer Sheath



LT XLPE CABLE

Document	ID.	TE	ON	10/	F /	02
Document	ID.		VIIV	112/	Г/	uz

DESIGN CODE: LVIS09AXSFY23.5C240SA002S

Parti	culars	3.5 Core X 240 Sq.mm				
Name	of Manufacturer	Polycab India Ltd				
Type of cable		A2XFY				
Voltag	e Grade V	1100				
No of	cores X size in sqmm	3.5 Core X 240 Sq.mm				
Cond	luctor					
a)	Material	H2/H4 Grade Aluminium as per Class 2 of IS: 8130/2013 latest				
b)	Max. d.c. resistance of conductor at 20° C (ohm/km) Main	0.125				
	Neutral	0.253				
c)	Shape of the conductor	Stranded Compacted Sector				
Insula	ation					
a)	Material	XLPE as per IS 7098(Pt-1)/88, Latest				
b)	Nominal thickness (mm) Main	1.7				
	Neutral	1.2				
c)	Core identification	Red,Yellow,Blue,Black				
Inner	Sheath					
a)	Material	Wrapping of Tapes				
b)	Minimum thickness (mm)	0.6				
Arme	ouring					
a)	Material	Galvanised Steel				
b)	Type of armouring	Flat Strip				
c)	Nominal size of armour (mm)	4.0 x 0.8				
d)	Tolerance on armour dimensions	±10%				
Oute	r Sheath	的一种工程的				
a)	Material	Extruded PVC Type 'ST2' as per IS:5831				
b)	Thickness (mm)	2.04 (Min.)				
c)	Colour of outer sheath.	Black				
Elect	rical Parameters					
a)	Max. a.c. resistance of conductor at 90° C (ohm/km)	0.162				





b) Calculated Cable reactance (ohm/km)	0.0713
c) Impedance of cable (ohm/km)	0.177
d Approx. Cable Capacitance (mfd/km)	0.67
Maximum conductor temperature under normal operating conditions	90°C
Maximum conductor temperature at the termination of short circuit	250°C
Short Circuit rating of conductor for the duration of 1 sec (kA)	22.68
Continuous Current carrying capacities:-	
 (a) In Ground at 30°C (A)	327
(b) In Air at 40°C (A)	392
Applicable Standard	IS 7098 Part I/88, IS 8130/2013, IS 5831/84, IS 3975/1999 etc. with latest up to date amendments
Approx. overall diameter of the cable in mm	50.5 +/- 2.0
Minimum bending radius	12 times Overall diameter
Max. Tensile strength	
(i) for Cables pulled with stocking (Newtons)	$9 \times D^2$, D is the cable OD in mm
ii) for Cables pulled with pulling eyes (N)	25,200
Embossing	POLYCAB ELECTRIC 1100 VOLTS GRADE XLPE
Printing	YEAR POLYCAB ELECTRIC 1100 VOLTS GRADE XLPE CABLE SIZE, CABLE TYPE WITH SEQUENTIAL MARKING at every one meter interval.
Standard Drum Length (Mtr.)	500 ± 5%
Non-Standard Drum Length (Mtr.)	Maximum 5% of order quantity

QUOTATION

Sanjay Dharwal <sanjayelect.bhiwadi@gmail.com> Sat 7/22/2023 5:41 PM

To:Bhiwadi Purchase <purchase.bhiwadi@jindalaluminium.com> Cc:Rajgopal C. Sarda <rajgopal@jindalaluminium.com>

Respected Sir/madam,

WE ARE SENDING BEST RATES QUOTE AS NOTED BELOW

1 CABLE 3.5CX 240 SQMM ALU ARMD HAVELLS	LP=2810/-								
MAKE-HAVELLS KEI	red								
MAKE-HAVELLS KEI DISCOUNT@70% FIREO GST@18% FREIGHT EXTRA READY SOTCK	CHECKLIST								
READY SOTCK	DISCOUNT: Above princes afefin								
	DISCOUNT: Above princes are An								
	P&F :INCL/EXTRA								
	GST/IGST : 18 1. GST								
	DELIVERY: Ready Stock (3 DA								
	PAYMENT: 7 DAYS								
	GCWCTC :								
	VALIDITY : 10 DAYA								
SANJAY ELECTRICALS	CHECKED SY: Ang 1								
SANJAY ELECTRICALS Shop No.20,Regency Complex Neelam chowk Bhiwadi, Dist-Alawar (Raj.)									

All Dealing +91 9610412712 Stock & Inquiry +91 9610412713 Dispatch +91 9610412714

Accounts +91 9610412716

www.sanjayelectricals.co.in

स्वच्छ भारत एक कदम स्वच्छता की ओर

Diswoplan with MR. Sanjay Above pencer Final

make-KEI

Re: Enquiry No:EN230701888Bhiwadi Division

KHANDELWAL AGENCIES < khandelwal_agencies@yahoo.com>

Sat 7/22/2023 3:48 PM

To:sales@khandelwalagencies.net <sales@khandelwalagencies.net>;Bhiwadi Purchase <purchase.bhiwadi@jindalaluminium.com> Cc:Rajgopal C. Sarda <rajgopal@jindalaluminium.com>

Dear Sir,

Greetings!

We thankfully acknowledge receipt of your valuable inquiry. As desired we are submitting the offer for consideration

SR NO	PRODUCT	QTY	иом	MAKE	LIST	LESS	NET	TOTAL
1	ALU ARMOURED CABLE 240 MM 3.5 CORE	100	MTR	POLYCAB/HAVELLS/RR KABEL	2810	68%	899.20	89920.00
					GST	18%		16185.60
								106105.60

TERMS AND CONDITIONS:

EDEIGHT, EVTDA AS ADDITION DE D	C	HECK LIST
FREIGHT: EXTRA AS APPLICABLE TAX: GST 18% extra as applicable	DISCOUNT	: Above percep and fine
Discount : As mentioned	PRICE BASIS	: FOR BHIWADI POR JAL
Insurance: In your scope; You have to Insure the consignment if required. PAYMENT: WITH IN 30 DAYS	P&F	:INCL=EXTRA
	GST/IGST	722.1-81
Validity of offer – Till the new list price will be announced by the company.	DELIVERY	: Ready (JDAYD)
THANKS & REGARDS	PAYMENT	: 30 DAyo
MOHIT AGGARWAL 9875110194	GC/WC/TC	· · · · · · · · · · · · · · · · · · ·
* The state of the	VALIDITY	: 10 DAYA
	HECKED BY	Angs 1
After Sisconnay with UR, mohi	it, Ab	ore peices
are final		•
and Discount oure fired	1.	
- 1 I	•	