

CIN No: U51109W B1995PTC07196 O

GST No: 19AABCC0054E1Z6

CEPL/105/23-24

Dated: 28.04.2023

To,
Asst. Manager Purchase
Jindal Aluminium Limited
(Bhiwadi Division)
SP-2/333, Industrial Area,
Alwar Dist,
Bhiwadi - 301 019, (Rajasthan)

E-mail: jrmpur@jindalaluminium.com

Ph. No: +91 96111 95368

Dear Sir,

With reference to your enquiry by mail, we are pleased to submit our offer for the fan required by you along with our commercial terms and condition as mentioned below.

SI. No.	<u>Description</u>	Qty	<u>Price</u>
			F.O.R. Alwar
1.	(HSN Code: 84145930)	10	Rs.
	(Your Material Code: 07310075)	Nos.	18,500.00
	24" (600 MM) Sweep "CALCUTTA" Brand Industrial Heavy Duty		Each
	Tubular Type Mancooler Fan, Three Phase, fitted with		18000
	0.75KW/1HP/1440RPM/415V AC TEFC Motor, 50Hz.		
	The Complete fan will be assembled with M.S. Casing fitted with		
	Aluminium Casting Impeller 5 Wings, directly mounted on motor shaft		
	alongwith M.S. Safety Wire Guard fitted on both side with stand and		
	Complete with paint & DOL Starter.		*
	Air Delivery:- 16,500 CFM & 28,000 M³/Hr.		
	Color – Hamerton Dark Grey.		

## Terms and Conditions:-

1. IGST : - Extra @ 18%.

2. Freight : - To be borne by us (Till your works at Alwar, Rajasthan)

3. Packing : - Free.

4. Payment : - Within 7 days of receipt of material by you.

5. Despatch : - Within 20/25 days approx after receiving of your Purchase Order.

6. Guarantee : - 12 Months from the date of supply for any manufacturing defect for

We hope you will find our price most reasonable and will favour us with your valued order.

With regards,

Varun Goenka – (M). 098369 89087

CARAVAN ELECTRICALS PVT. LTD.

161, S.N. Roy Road, Kolkata - 700 038.

E-mail: sales@calcuttafans.com Website: www.calcuttafans.com Spole to Mx Varun

CG Motor Wisa

For Rhibrali For Rhibrali

A Kear

## AEROCON CORPORATION

26, MALAKAR PARA ROAD, KOLKATA 700 038 (INDIA) PHONE: 98300 90132 E-MAIL: vdm@powerventfans.com

UDYOG AADHAR No.: WB18A0021787

28 April, 2023

Ref No: ACE/SD/1980

ASST. MANAGER PURCHASE, JINDAL ALUMINIUM LIMITED, Bhiwadi division,SP-2/333, INDUSTRIAL AREA, BHIWADI - 301019,ALWAR DIST,( RAJASTHAN ) GST No. 08AAACJ4324M1ZH PH. NO. 9611195368

E: -purchase.bhiwadi@jindalaluminium.com

Sub: Quotation for Tubular Man Cooler Fan

Dear Sir,

We are pleased to quote against your e-mail enquiry dated Apr 25, 2023, 4:47 PM(Enquiry No:EN230400308 Bhiwadi Division) & our best price & delivery schedule, along with our Terms & Conditions for the above mentioned subject as follows:

SI.	ltem	Qty.	Rate (Rs.)
	Industrial Heavy Duty <u>Tubular Type Man Cooler Fan</u>		
1	Brand: Powervent Size: 24" (600 mm) sweep Supply: Three Phase / 415V AC Power: 1 HP Air Delivery: 16,500 CFM / 28,000 CMH Speed: 1,440 RPM Motor: 4 Pole TEFC Motor having class 'F' insulation & IP 55 protection	10 Nos.	20,000.00 each
	The complete fan will be assembled on a M.S. heavy casing, TEFC Motor, safety M.S. guard on both sides with Aluminium casting impeller, complete with paint & DOL Starter.		

Spike to Mr. Mundre

The price

Delis 4-5 Weery.

Want 14en

FOR DIF

30 200 Payment

<u>lowervent</u>

visit us at www.powerventfans.com

MANUFACTURERS OF EXHAUST FAN. JET FAN. AIR CIRCULATOR, ROOF EXTRACTOR UNIT, AIR VENTILATOR FAN. MANCO AXIAL FLOW FAN. CENTRIFUGAL FAN. AIR BLAST OIL COOLER, CABIN FAN. PORTABLE AIR BLOWER. DUCTS & NOT







ANNEXURE - 1 OFFER NO.EF/HVAC/2324/SZ/150

CLIENT: JINDAL ALUMINIUM LIMITED

Fan Location	
MATERIAL STATE OF THE STATE OF	1
Fan Designation	INDUSTRIAL MAN COOLER
Manufacturer	Elta India
Catalogue No	AP0634GA3/32
Description	AP Series In-Line Direct Drive
mpeller Type	Axial
Required Air Volume CMH (m³/h)	16500
Required Air Volume CFM	9706
Static Pressure (mm WG)	2
Total Pressure (mm WG)	15.6
an Speed (r/min)	1440
Motor Power	1.5 kW
Motor Frame	D90L
Motor Type	Standard IE-2
Electrical Supply	415V 3ph 50Hz
Full Load Current (A)	3.3
Motor Speed	4 pole
Pitch Angle	32°
Nominal Diameter (mm)	630
Hub Diameter (mm)	255
otal Efficiency	57.0%
mpeller Abs Power (kW)	1.25
mpeller Peak Power (kW)	1.3
Blade Material	Aluminium
Outlet Velocity (m/s)	15
an Quantity	10
ound Level at Inlet dB(A)	64 @ 3m
ound Level at Outlet dB(A)	64 @ 3m
ype of Starter	DOL
ainting	COMPLETE FAN SHALL BE POWDER COATED
erformance Curves	ATTACHED
COPE OF SUPPLY	Fan complete with Inlet & Outlet screen, Mounting Structu- with angular adjustment facility, DOL starter & IE2 Standa Motor, Class-F insulation, IP-55 Protection, Duty-S1

- Estimated Sound Pressure based on free field condition, spherical (Q = 1) radiation at the stated distance.
- 2. The environment for each fan installation influences its measured sound value, therefore dBA levels cannot be guaranteed. Consult AMCA Publication 303 for further details. A fan's dBA is influenced by nearby reflective
- Our scope is limited to supply of fan and accessories as stated in our scope above.
- 4. The offered fans are subject to the above specifications & quantities. In case of any deviation after award of the contract, rate should be ammended accordingly.

58.700 Amount (Rs) 5,87,000 Total Price (Rs) - Ex-works, Kolkata 5,87,000 GST Shall be extra @ 18%.

Jul privery

Dels man

Wards DIF Payment

Sof Jans