

Material requirement data sheet for Aluminium sheet	
TDS No.	Date: 11/01/2021
Customer Name	Corporate Décor Industries
Product	4 mm Aluminum Sheet
End Application	FACADE
Thickness	4 mm
Width	1050
Length	3850
Alloy	3003
Temper	H 14

Material process

1. Bending	YES
2. Punching	YES
3. Powder Coating	YES
4. Anodizing	NO
5. Welding	NO

Aluminium sheet finish

1. Flat material	YES
2. Deep drawing	NO

Aluminium Sheet Tolerances in MM, if not critical JAL will supply as per IS standard

1. Thickness tolerance	as per IS standard - 2676 [Tol. ± 0.18 mm]
2. Width tolerance	as per IS standard - 2676 [Tol. ± 1.0 mm]
3. Length tolerance	as per IS standard - 2676 [Tol. ± 7.0 mm]
4. Squareness tolerance	as per IS standard - 2676 [Sum of Width + Length Tol.]
5. Quantity tolerances	+/- 10% of Actual order quantity.

Aluminium Sheet mechanical properties


Tensile strength	as per IS standard - 737-2008 [140 - 180 Mpa]
Elongation	as per IS standard - 737 - 2008 [Min 6%]
Resistivity (Max)	N/A
Conductivity (Min)	N/A

Aluminium sheet Packing

1. Bundle weight	500kg X 2 - 1 MT
2. Packing type	Wooden pallet

Surface	Free from cracks, dent mark, Pit mark, oil & Scratch mark.
Manufacturing Standard	As per IS 737 - 2008
Special requirement, if any.	NOT REQUIRED

For Corporate Décor Industries	For Jindal Aluminium Limited (Rolling Div.)
BISWAJIT NAYAK (Partner)	Name & Designation :-



Signature
12/01/2021

JINDAL ALUMINIUM LIMITED
(Rolling Mill Division)
K.I.A.D.B. Industrial Area
Yedahalli Village, Tumkur Road
Bengaluru-562 111
050-27735051-27735003