



** ALLOY / MATERIAL GRADE 63400W AS PER IS: 733-1983

LOCATION:-P1 - 1HOLE
 ALL DIMENSION ARE IN M.M.
 UNSPECIFIED CORNER RADIUS:0.40

TOL. AS PER IS: 3965-1981
 UNLESS SPECIFIED

TWIST = ±1/2°/300 M.M./M.
 STRAIGHTNESS = 1.50 M.M./MTR.
 ANGULARITY = ±2°

INDO ALUSYS INDUSTRIES LIMITED BHIWADI RAJASTHAN - 301019

PARTY SAMPLE & DRG.		227	PARTY NAME		M/S AIKON TECHNOLOGY (FARIDABAD)	REF:-AS PER FAX. ON Dt.-05.03.09		
002	(C)	+0.30 +0.40 TOL-0.00 WAS -0.00 AS PER EMAIL ON Dt.-27.03.09	DRAWN	DHARMVIR	05.03.09	AREA	578.00	MM ²
	(B)	+0.65 +0.80 TOL-0.00 WAS -0.00				CHECKED	2.4.09	WEIGHT
	(A)	+0.75 +0.80 TOL-0.00 WAS -0.00	APPROVED	2.4.09	DATE	WT. RANGE	-----	Kg/12'
001	(REF.)	AS PER IOM Dt.-12.03.09	SCALE	1:1&2:1	DATE	ALLOY	63400-W **	
			CRITICAL DIM.	*		MAL NO	11011	
REV. STATUS	REV. NO.	DESCRIPTION	SIGN DATE	PERIMETER	INT.	EXT.	SEC.NO.	D-4635
		REVISION				308.50		