

## Anjali Aswal

---

**From:** Quotation  
**Sent:** 12 June 2025 11:36  
**To:** Anjali Aswal  
**Subject:** Fw: RFQ-DO-IND-RPS-442/5 # INDEUTSCH INDUSTRIES PVT LTD( SAP Code-1012020)

**Follow Up Flag:** Follow up  
**Flag Status:** Completed

---

**From:** R P Singh <rpsingh@jindalaluminium.com>  
**Sent:** Thursday, June 12, 2025 11:34 AM  
**To:** Quotation <quotation@jindalaluminium.com>  
**Subject:** Re: RFQ-DO-IND-RPS-442/5 # INDEUTSCH INDUSTRIES PVT LTD( SAP Code-1012020)

Dear Team,

Please proceed as per comments and send quote for all 4 sizes.

Regards,

® ® ®

---

**From:** Quotation <quotation@jindalaluminium.com>  
**Sent:** Thursday, June 12, 2025 11:30 AM  
**To:** R P Singh <rpsingh@jindalaluminium.com>  
**Subject:** Re: RFQ-DO-IND-RPS-442/5 # INDEUTSCH INDUSTRIES PVT LTD( SAP Code-1012020)

Dear Sir,

### Routing Details

User	Date	Remarks
PARIMALA	04/06/2025 18:23	PPC-1070A-O
RITIC	05/06/2025 14:44	13165-13005-13222 (Not possible in existing die, However we can supply in new d
VJ	09/06/2025 19:48	OK
PARIMALA	04/06/2025 18:23	

Warm Regards,  
Bharathi  
M - +91 6366915099 | Ext - 404

---

**From:** R P Singh <rpsingh@jindalaluminium.com>  
**Sent:** Thursday, June 12, 2025 11:28 AM  
**To:** Quotation <quotation@jindalaluminium.com>  
**Subject:** Fw: RFQ-DO-IND-RPS-442/5 # INDEUTSCH INDUSTRIES PVT LTD( SAP Code-1012020)

REMINDER

Regards,

® ® ®

---

**From:** R P Singh <rpsingh@jindalaluminium.com>  
**Sent:** Wednesday, June 4, 2025 9:57 AM  
**To:** Quotation <quotation@jindalaluminium.com>  
**Subject:** Fw: RFQ-DO-IND-RPS-442/5 # INDEUTSCH INDUSTRIES PVT LTD( SAP Code-1012020)

Dear Team

Please proceed with proposed dwgs & send quote as per specified Alloys.

Regards,

® ® ®

---

**From:** Quotation <quotation@jindalaluminium.com>  
**Sent:** Wednesday, May 28, 2025 4:58 PM  
**To:** R P Singh <rpsingh@jindalaluminium.com>  
**Subject:** Re: RFQ-DO-IND-RPS-442/5 # INDEUTSCH INDUSTRIES PVT LTD( SAP Code-1012020)

Dear Sir,

The exact section not available, attached nearest section, confirm to quote.

Warm Regards,  
Bharathi  
M - +91 6366915099 | Ext - 404

---

**From:** R P Singh <rpsingh@jindalaluminium.com>  
**Sent:** Wednesday, May 28, 2025 11:48 AM  
**To:** Quotation <quotation@jindalaluminium.com>  
**Subject:** RFQ-DO-IND-RPS-442/5 # INDEUTSCH INDUSTRIES PVT LTD( SAP Code-1012020)

Dear Team,

Please refer below enq & send quote as per below from Bhiwadi plant-

1. Round Tube : 12.50 mm X 1 mm- A&T -1070AO
2. Round Tube : 19 mm x 1 mm- A&T- 1070 AO & 6063 T6 both
3. Round Tube : 25.40 mm x 1 mm - A&T- 1070 AO & 6063 T6 both
4. Round Tube : 30 mm x 1 mm- A&T- 1070 AO

Regards,

® ® ®