
P-JAL-B-353

Q03619



Q00995

UNCONTROLLED COPY

- 1. STRAIGHTNESS= 1.7mm/M
- 2. TWIST= 1.7mm/M
- 3. ANGULARITY= ±2°
- 4. FLATNESS= 0.007xWIDTH

1) THE WELDING LINE IN THE EXPOSED SURFACE OF PROFILE IS UNAVOIDABLE. 2) PLEASE SPECIFY IMPORTANT SIZES.

3) PLEASE SPECIFY IF THIS PROFILE MATCHES WITH OTHER PROFILES. 4) PLEASE SPECIFY EXPOSED SURFACE. OTHER WISE CONSIDERED AS NO EXPOSED SURFACE. 5) FINISH:- MILL FINISH / ANODIZING / POWDER COATING

TWISE CONSIDERED AS NO EXPOSED SORPAGE. SYPTIMIST : [MILE FINIST / [ANODIZING / [] FOWDER OF						1 00/111110
			·		NAME	DATE
(JINDAL)	JINDAL ALU	IMINIUM L	TD.	DRAWN	ASHUTOSH	16-10-2023
CYMPOL OF OUNLITY	BHIWADI-301019 (INDIA)			CHECKED		
SYMBOL OF QUALITY AN ISO 9001 COMPANY				APPROVED		
1. ALL DIMENSIONS ARE IN mm. 2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm. 7. TOLERANGES WITH DE AS DER REIEN 755 0			SCALE		1:1	
			AREA mm ²		162.523	
3. TOLERANCES WILL BE AS PER BS:EN-755-9 , UNLESS OTHERWISE SPECIFIED			PERIMETER mm.		243.34	
PARTY'S NAME	SARRK INTERNATIONAL, FARIDABAD		WEIGHT kg/	[/] m	0.439	
			DRAWING	No. SE	CTION No.	
PARTY'S DRAWING No.	AS PER SAMPLE		P-JAL-B-3	353 –		
ALLOY & TEMPER	6063 T6	PRODUCT CODE:-08 HSN CODE:- 7604		-	_	
DESCRIPTION	AUTOMOBILE SECTION					