




Q03654



A(4:1)



1:1



The technical requirements:

1. Not commented fillet: R0.5

2. ENFORCE standard: GB/T 5237-2017 High


precision level

3. --- visible surfaces


4. UNSPEC thickness $\pm 0.15\text{mm}$

Drawn by		Perimeter	128.31 mm	Drawing no	YT-5561
Checked by		Area	119.66 mm ²	Material	6005-T6
Approved by		Weight	0.3245 kg/m	Description	
Date	20231122			Customer Ref	
Machine	1100T	Unit	mm		
version	A0	Scale	2:1		


Q03655



A(4:1)



1:1




The technical requirements:

1. Not commented fillet : R0.5
2. ENFORCE standard: GB/T 5237-2017 High precision level
3. --- visible surfaces
4. UNSPEC thickness $\pm 0.15\text{mm}$

Drawn by	Perimeter	158.31	mm	Drawing no	YT-5560
Checked by	Area	151.0	mm ²	Material	6005-T6
Approved by	Weight	0.4093	kg/m	Description	
Date	20231122			Customer Ref	
Machine	1100T				
version	A0				
	Unit	mm			
	Scale	2:1			

YT-5562
6005-T6



2.ENFORCE standard:GB/T5237-2017 High precision level

Drawn by		Perimeter	181.69 mm	Drawing no	YT-5562
Checked by		Area	269.62 mm ²	Material	6005-T6
Approved by		Weight	0.7307 kg/m	Description	
Date	20230418			Customer Ref	
Machine	1100T	Unit	mm		
version	A0	Scale	2:1		