



UNCONTROLLED COPY

ROUND OFF ALL SHARP CORNERS WITH 0.50 mm.

NOTE:-
V = 0.5x90° V-GOOVE (1 PLACE)

1. STRAIGHTNESS = 1.0mm/M
2. TWIST = 1.0mm/M
3. ANGULARITY = ±1°
4. FLATNESS = ±1.0mm



(Handwritten signature)

1) THE WELDING LINE IN THE EXPOSED SURFACE OF PROFILE IS UNAVOIDABLE. 2) PLEASE SPECIFY IMPORANT SIZES 3) PLEASE SPECIFY IF THIS PROFILE MATCHES WITH OTHER PROFILES. 4) PLEASE SPECIFY EXPOSED SURFACE. OTHER WISE CONSIDERED AS NO EXPOSED SURFACE. 5) FINISH :- <input type="checkbox"/> MILL FINISH / <input type="checkbox"/> POWDER COATING	
SYMBOL OF QUALITY AN ISO 9001 COMPANY	
JINDAL ALUMINIUM LTD. BHIWADI-301019 (INDIA)	
1. ALL DIMENSIONS ARE IN mm. 2. ROUND OFF ALL SHARP CORNERS WITH 0.50 mm. 3. TOLERANCES WILL BE AS PER EN 12020-2, UNLESS OTHERWISE SPECIFIED	
PARTY'S NAME MFS FORM WORK SYSTEM PVT. LTD., FARIDABAD	PARTY'S DRAWING No. AS PER DRAWING- MFS-AL-65-32B
ALLOY & TEMPER 6061 T6	PRODUCT CODE:-029 HSN CODE:-76042990
DESCRIPTION FORM WORK SECTION-L SECTION 300x65 W/O CH.	DRAWING No. P-JAL-B-604-2
SCALE 1:1	AREA mm ² 1428.702
PERIMETER mm. 728.95	WEIGHT kg/m 3.857
DRAWING No. P-JAL-B-604-2	SECTION No. -
DRAWN ASHUTOSH	NAME ASHUTOSH
CHECKED -	DATE 22-06-2024
APPROVED -	POWDER COATING -