

CLASSIFICATION OF CHARACTERISTICS	
●	CRITICAL
◐	MAJOR
▲	KEY INSTRUCTION

REV. 02

IF IN DOUBT, PL. ASK


DO NOT SCALE DRAWING

APPROVED FOR

DEVELOPMENT PRODUCTION



Q03661



NOTE:-

1. ALLOWABLE FLATNESS & BENDING THROUGH OUT LENGTH IS 0.6.
2. CUTTING LENGTH: 433.5+5.0/-0.0.
3. SUPPLIER IDENTIFICATION MARKING : X-XXXX (FIRST LETTER OF SUPPLIER NAME IN BLOCK LETTER-YEAR OF MANUFACTURING)

▲	SUPPLIER IDENTIFICATION MARKING ADDED	EC-345	11.02.23			
▲	Ø18.2±0.2 WAS Ø18.4±0.2, 3.9 WAS 3.8, 18.2 WAS 18.4 & 15.4 WAS 15.3.	EC-310	01.12.21			
REV.No.	DESCRIPTION	REF./ECN	DATE	DRN.	CHD.	APPD.
NOTES :- ALL DIMENSIONS ARE IN MM. REMOVE BURRS & SHARP EDGES. TOLERANCES UNLESS STATED AS PER..IS:2102...(PART...1)...MEDIUM FINISH :-		MATERIAL ● EXTRUDED ALUMINIUM 6061 T6		27.01.20		
PART FOR SQT				SCALE : NTS		
		DESCRIPTION 483/494 RAIL EXTRUSION		DRG. NO. ZOAL-LC-5935 SHEET 1 OF 1		

CERTIFIED