


P-JAL-B-364




NOTE:-
V= 0.5x90° V-GOOVE (1 PLACE)

1. STRAIGHTNESS= 1.0mm/M
2. TWIST= 1.0mm/M
3. ANGULARITY= ±1°
4. FLATNESS= ±1.0mm

UNCONTROLLED COPY

1) THE WELDING LINE IN THE EXPOSED SURFACE OF PROFILE IS UNAVOIDABLE. 2) PLEASE SPECIFY IMPORTANT SIZES. 3) PLEASE SPECIFY IF THIS PROFILE MATCHES WITH OTHER PROFILES. 4) PLEASE SPECIFY EXPOSED SURFACE. OTHERWISE CONSIDERED AS NO EXPOSED SURFACE. 5) FINISH :- MILL FINISH / ANODIZING / POWDER COATING

 SYMBOL OF QUALITY AN ISO 9001 COMPANY	JINDAL ALUMINIUM LTD. BHIWADI-301019 (INDIA)	NAME	DATE
		DRAWN	ASHUTOSH 09-11-2023
		CHECKED	
		APPROVED	
1. ALL DIMENSIONS ARE IN mm. 2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm. 3. TOLERANCES WILL BE AS PER IS:3965-1981 , UNLESS OTHERWISE SPECIFIED		SCALE	1:1
		AREA mm ²	1439.513
		PERIMETER mm.	639.88
		WEIGHT kg/m	3.887
PARTY'S NAME	MAYRA ALUMINIUM	DRAWING No.	SECTION No.
PARTY'S DRAWING No.	AS PER MAIL 03.11.2023	P-JAL-B-364	-
ALLOY & TEMPER	6061 T6	PRODUCT CODE:-029	
		HSN CODE:- 76042990	
DESCRIPTION	STRUCTURAL MISC. SECTION		