




UNSPECIFIED TOLERANCES WILL BE IN ACCORDANCE WITH DIN ISO 2768-1 class C = Coarse

Dimension	0.5 - 3	3 - 6	6 - 30	30-120	120-400	400-1000
Longitudinal	±0.2	±0.3	±0.5	±0.8	±1.2	±2.0
chamfer & radius	0.5 - 3	3 - 6	6 - 30	30-120	120-400	over 400
Degrees & Minutes	at 10	10-50	50-120	120-400	over 400	
	±1°30'	±1°	±0°30'	±0°15'	±0°10'	



CODE : SEW/STA/S1/882
 REV : 00 / Dt : 18.07

NOTE: - ALL DIMENSIONS ARE IN mm.

UNSPECIFIED RADIUS: -0.30

AREA: 161.209 Sqmm [^]	ALLOY/TEMPER:- 6063 T6	DRAWN BY: RAJE
EX PERIMETER: 226.190	FLATNESS:-±0.8mm [^]	DATE: 18/07/2022
WEIGHT: 1.593 Kg/12'	TOLERANCES:	REVISION:-
TYPE: SOLID	ANGULARITY:-±2°	CHECKED BY:-
PARTY DRG NO:	straightness:-1.70mm	APPROVED BY:-
SECTION NO:	TWIST:-1.70mm/meter	SCALE: 2:1