



SCALE: 1:1



NOTE:- ALL DIMENSIONS ARE IN mm.

CODE : SEW/STA/S1/883
REV : 00 / Dt : 03.06

UNSPECIFIED RADIUS:-0.30

UNSPECIFIED TOLERANCES WILL BE IN ACCORDANCE WITH DIN ISO 2768-1 class C = Coarse		0.5 - 3	3 - 6	6 - 30	30 - 120	120 - 400	400 - 1000
		±0.2	±0.3	±0.5	±0.8	±1.2	±2.0
Dimension	Longitudinal	0.5 - 3	3 - 6	6 - 30	30 - 120	120 - 400	over 400
chamfer & radius		±0.4	±1.0	±2.0	±0.8	±1.2	±0.10°
Degrees & Minutes		at 10	10-50	50-120	120-400	over 400	
		±1°30'	±1°	±0°30'	±0°15'	±0°10'	

AREA: 570.068 Sqmm <sup>^</sup>	ALLOY/TEMPER:- 6063 T6	DRAWN BY: RAJE
EX PERIMETER: 303.318	FLATNESS:-±0.8mm <sup>^</sup>	DATE: 18/07/2022
WEIGHT: 5.633 Kg/12'	TOLERANCES:	REVISION:-
TYPE: HOLLOW	ANGULARITY:-±2°	CHECKED BY:-
PARTY DRG NO:	straightness:-1.70mm	APPROVED BY:-
SECTION NO:	TWIST:-1.70mm/meter	SCALE: 1:1