

DETAIL A
SCALE 2:1

Corned

$$\begin{array}{r} 250 + 2.0 \\ - 10.5 \\ \hline \end{array}$$

 250 + 10.0

$$\begin{array}{r} 250 + 10.0 \\ - 10.0 \\ \hline \end{array}$$


 250
 0.1c
 1/2"

NOTE:-
R= 1.0 RADIUS (4 PLACES)
V= 0.5X90° V-GROOVE (2 PLACES)

1. STRAIGHTNESS = 1.0mm/M
2. TWIST = 1.0mm/M
3. ANGULARITY = $\pm 1^\circ$
4. FLATNESS = ± 1.0 mm

					
JINDAL ALUMINIUM LTD. <i>BHIMADI-301019 (INDIA)</i>					
STRIPS OF QUALITY AN ISO 9001 COMPANY					
1 ALL DIMENSIONS ARE IN mm 2 ROUND OFF ALL SHARP CORNERS WITH 0.40 mm 3 TOLERANCES WILL BE AS PER BS-755-9.2001, UNLESS OTHERWISE SPECIFIED					
PARTY'S NAME	SB SCAFFOLDING INDIA PVT LTD.				
PARTY'S DRAWING No	AS PER DRAWING-C SECTION 65-200 TO 300				
ALLOY & TEMPER	6061 T6		PRODUCT CODE--029		
			HSN CODE--760429950		
DESCRIPTION	FOUR WORK SECTION C EXTRUDED SECTION 65x250				
	DRAWN	NAME	DATE		
	CHECKED	PARVESH	15-06-2022		
	APPROVED	N.K.HOLEY	04-07-2022		
	SCALE		1:1		
	AREA	mm ²	1789.465		
	PERIMETER	mm.	753.71		
	WEIGHT kg/m	4.832			
	DRAWING No.	SECTION No.			
	P-JAL-B-650-I	70C0002B54			
	G102467	G102467			

Q04089



NOTE:-
ROUND OFF ALL SHARP CORNERS WITH 0.50 mm.
ALL EXTRUSION, THAT WILL BE SUPPLIED, SHALL BE WITH TEST CERTIFICATE & PATROL INSPECTION REPORT


250±0.3
250±0.3
3.8±0.2
OK

NOTE:-
R=1.0 RADIUS (2 PLACES)
V=0.5x90° V-GROOVE (2 PLACES)


Q01870		JINDAL		JINDAL ALUMINIUM LTD.	
CONTROLLED COPY		STANDARD OF QUALITY AS ISO 9001 COMPANY		BHIMADI-301019 (INDIA)	
PARTY'S NAME		SR SCAFFOLDING INDIA PVT. LTD		AS PER DRAWING-1 SECTION 65-125 TO 300	
PARTY'S DRAWING NO		6061 T6		PRODUCT CODE-019	
ALLOT & TEMPER		FORM WORK SECTION		HIN CODE - 76043993	
DESCRIPTION		EXTRUDED SECTION 250.65			
1. ALL DIMENSIONS ARE IN mm		2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm		3. TOLERANCES WILL BE AS PER BS EN-755-9:2001 UNLESS OTHERWISE SPECIFIED	
DRAWN		NAME		DATE	
CHECKED		PARVESH		04-07-2024	
APPROVED		N.K.HOLEY		04-07-2024	
SCALE		1:1			
AREA		mm ²		1394.675	
PERIMETER		mm		630.43	
WEIGHT kg/m				3.765	
DRAWING No.		SECTION No.			
P-JAL-B-592		7000007563			
G102401		G102401			

P-JAL-B-601
G102468

Q04090



DETAIL A
SCALE 2:1



NOTE:-

- ROUND OFF ALL SHARP CORNERS WITH 0.50 mm.
- ALL EXTRUSION, THAT WILL BE SUPPLIED, SHALL BE WITH TEST CERTIFICATE & PATROL INSPECTION REPORT

235 x 0.0 ✓ Cosmos
- 1.0. ✓ Jindal accepted
OK

NOTE:-
R=1.0 RADIUS (4 PLACES)
V=0.5x90° V-GROOVE (2 PLACES)

Q01956
CONTROLLED COPY



JINDAL ALUMINIUM LTD.
BHIKADI-301019 (INDIA)


STANDARD OF QUALITY
AS ISO 9001 COMPANY

1. ALL DIMENSIONS ARE IN mm.	1. STRAIGHTNESS = 1.0mm/M
2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm.	2. TWIST = 1.0mm/M
3. TOLERANCES WILL BE AS PER BS EN-755-9:2001, UNLESS OTHERWISE SPECIFIED	3. ANGULARITY = ±1°
	4. FLATNESS = ±1.0mm

PARTY'S NAME	SB SCAFFOLDING INDIA PVT LTD	DRAWN	NAME	DATE
PARTY'S DRAWING NO.	AS PER DRAWING-C SECTION 65-200 TO 300	CHECKED	ASHUTOSH	13-06-2024
ALLOY & TEMPER	6061 T6	APPROVED	PARVESH	04-07-2024
DESCRIPTION	FORM WORK SECTION C EXTRUDED SECTION 65x275	SCALE	N K HOLEY	04-07-2024
		AREA mm ²		1889.465
		PERIMETER mm		803.71
		WEIGHT kg/m		5.102
		DRAWING NO.		SECTION No.
		P-JAL-B-601		700007655
		G102468		G102468

P-JAL-B-599-1
C102466

Q04091



DETAIL A
SCALE 2:1

OK

NOTE:-
1. ROUND OFF ALL SHARP CORNERS WITH 0.50 mm.
2. ALL EXTRUSION, THAT WILL BE SUPPLIED, SHALL BE WITH TEST CERTIFICATE & PATROL INSPECTION REPORT.

NOTE:-
R=1.0 RADII (4 PLACES)
V=0.5X90° V-GROOVE (2 PLACES)

001954
CONTROLLED COPY

JINDAL ALUMINIUM LTD.

BHIMADI-301019 (INDIA)

1. ALL DIMENSIONS ARE IN mm.
2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm.
3. TOLERANCES WILL BE AS PER IS 9001-2001, UNLESS OTHERWISE SPECIFIED

PARTY'S NAME

PARTY'S DRAWING NO

ALLOY & TEMPER



DESCRIPTION

1. STRAIGHTNESS- 1.0mm/m
2. TWIST- 1.0mm/m
3. ANGULARITY- ±1°
4. FLATNESS- ±1.0mm

DATE	NAME	DATE
15-06-2024	ASHUTOSH	
04-07-2024	PARVESH	
04-07-2024	APPROVED IN-HOLEY	
SCALE	1:1	
AREA	mm ²	1689.465
PERIMETER	mm	703.71
WEIGHT	kg/m	4.562
DRAWING NO.	SECTION NO.	
P-JAL-B-599-1	7000002653	
C102466	C102466	

P-JAL-B-588
G102397

Q04092



NOTE:-
ROUND OFF ALL SHARP CORNERS WITH 0.50 mm.
ALL EXTRUSION, THAT WILL BE SUPPLIED, SHALL BE WITH TEST CERTIFICATE & PATROL INSPECTION REPORT

NOTE:-
R=1.0 RADIUS (4 PLACES)
V=0.5X90° V-C GROOVE (2 PLACES)


Q01866
CONTROLLED COPY

JINDAL SYMBOL OF QUALITY AN ISO 9001 COMPANY		JINDAL ALUMINIUM LTD. BHIMADI-301019 (INDIA)	
1. ALL DIMENSIONS ARE IN mm. 2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm. 3. TOLERANCES WILL BE AS PER BS11-755-9:2001 UNLESS OTHERWISE SPECIFIED		PARTY'S NAME SB SCAFFOLDING INDIA PVT. LTD.	
PARTY'S DRAWING No 6061 16		AS PER DRAWING-C SECTION 65, 200 TO 300	
ALLOY & TEMPER 6061 16		PRODUCT CODE-029 HSN CODE-78042930	
DESCRIPTION C EXTRUDED SECTION 65x200		FORM WORK SECTION C EXTRUDED SECTION 65x200	
NAME	DATE	NAME	DATE
DRAWN	ASHUTOSH 07-06-2024	CHECKED	PARYASH 04-07-2024
APPROVED	N K HOLEY 04-07-2024	SCALE	1:1
AREA	mm ²	PERIMETER	mm.
WEIGHT	kg/m	SECTION No.	4 292
DRAWING No.			
F-JAL-B-588	7000002579		
G102397	G102397		

1. STRAIGHTNESS = 1.0mm/M
2. THICKNESS = 1.0mm/M
3. ANGULARITY = ±1°
4. FLATNESS = ±1.0mm

P-JAL-B-604-2
G102471

Q04093



3.8 +0.2
-0.1
Corners R

300 +0.0
-0.4 } Corners
300 +0.0 } Jindal
-1.0 }
OK

NOTE:-
V=0.5x90° V-GOOVE (1 PLACE)

ROUND OFF ALL SHARP CORNERS WITH 0.50 mm.

002055
CONTROLLED COPY



JINDAL ALUMINIUM LTD.
BHIMADI-301019 (INDIA)

1. ALL DIMENSIONS ARE IN mm.
2. ROUND OFF ALL SHARP CORNERS WITH 0.50 mm.
3. TOLERANCES WILL BE AS PER EN 12020-2 . UNLESS OTHERWISE SPECIFIED

PARTY'S NAME	MFS FORM WORK SYSTEM PVT. LTD., FARIDABAD
PARTY'S DRAWING No	AS PER DRAWING- MFS-AL-65-328
ALLOY & TEMPER	6061 T6
DESCRIPTION	FORM WORK SECTION-L SECTION 300x65 W/O CH

1. STRAIGHTNESS= 1.0mm/M
2. TWIST= 1.0mm/M
3. ANGULARITY= ±1°
4. FLATNESS= ±1.0mm

DRAWN	NAME	DATE
CHECKED	NAME	DATE
APPROVED	NAME	DATE

SCALE	1:1
AREA mm²	1429.702
PERIMETER mm	728.95
WEIGHT kg/m	3.857


DRAWING No	SECTION No
P-JAL-B-604-2	70200002662
G102471	G102471

3.8 +0.4 } Jindal
-0.0 }
Corners

3.8 +0.2
-0.1

P-JAL-B-589
G102398

Q04094



NOTE:-

ROUND OFF ALL SHARP CORNERS WITH 0.50 mm.

ALL EXTRUSION, THAT WILL BE SUPPLIED, SHALL BE WITH TEST CERTIFICATE & PATROL INSPECTION REPORT

300 + 0.00 ✓
- 1.00
] Cosmo's
found accepted

DETAIL A
SCALE 2:1

NOTE:-
R= 1.0 RADIIUS (4 PLACES)
V= 0.5x90° V-GROOVE (2 PLACES)

Q01867
CONTROLLED COPY

JINDAL
SUBSIDIARY OF QUALITY
ISO 9001 COMPANY

JINDAL ALUMINIUM LTD.
BHIMADI-301019 (INDIA)

1. ALL DIMENSIONS ARE IN mm
2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm.
3. TOLERANCES WILL BE AS PER BS EN-755-9:2001 UNLESS OTHERWISE SPECIFIED

PARTY'S NAME	SB SCAFFOLDING INDIA PVT LTD.
--------------	-------------------------------

PARTY'S DRAWING NO	A3 PER DRAWING-C SECTION 65_200 TO 300
--------------------	--

ALLOT & LEMPER	DOB 1/6	MSN 0005-75042990
----------------	---------	-------------------

EXPIRED SECTION 65.000

1. STRAIGHTNESS = 1.0mm/M
2. TWIST = 1.0mm/M
3. ANGULARITY = $\pm 1'$
4. FLATNESS = $\pm 1.0mm$

	NAME	DATE
DRAWN	ASHUTOSH	07-06-2022
CHECKED	PARESH	04-07-2022
APPROVED	N K HOLEY	04-07-2022
SCALE		1:1
AREA mm ²	1989.465	
PERIMETER mm.	853.71	
WEIGHT kg/m	5.372	
Drawing No.		SECTION No.

P-JAL-B-589	7000002580
-------------	------------
