



REMOVE ALL SHARP EDGES IF IN DOUBT PLEASE ASK

THICKNESS WILL
BE 2.50 mm.

THICKNESS :-2.8





Q02607



DETAIL-A

NOTES:

- TWIST AND STRAIGHTNESS TOLERANCE: LESS THAN 0.8mm PER 1 METER,
- OTHER TECHNICAL ACCORDING TO STANDARD GB/T 6892-2015:
- "WROUGHT ALUMINIUM AND ALUMINIUM ALLOYS EXTRUDED PROFILES FOR GENERAL ENGINEERING"

PART NAME					PART NO.	DRG. NO.	HARDNESS	MATL.		PARAMOUNT IMPEX		
AE-090-ESTRADE					P-37397			ALUMINIUM 6063 T5		D-202, PHASE-VI, FOCAL POINT LUDHIANA (INDIA)		
Sr. No.	REV	DATE	DESCRIPTION	SIGN	PARTY APPD DATE:-	PARTY CODE:-	UNSPECIFIED TOL:-	FINISH:-		NAME/SIGN	DATE	
							GB/T 14846					
					FINISH WEIGHT:-	SCALE:-		THIS DRAWING IS THE PROPERTY OF PARAMOUNT IMPEX AND MAY NOT BE REPRODUCED OR COPIED WITHOUT WRITTEN PERMISSION BY PARAMOUNT IMPEX	DRAWN BY	AMAN SHARMA	24/10/24	
					12.700Kg	N.T.S			CHKD BY			
					CUT WEIGHT:-	PACKING:-	IIIrd Angle Projection		APPV. BY			
							ALL DIMENSIONS ARE IN MM					