


SECTION NO.

GI.;-5012

L 250

Q03171



NOTE:- UNSPECIFIED RADIUS 0.4R

:- ALL DIMENSIONS ARE IN mm.


:- TOLERANCES WILL BE AS PER IS:6477-1983, UNLESS OTHERWISE SPECIFIED

:- TWIST & STRAIGHTNESS-

:- FLATNESS -

Gl.;-2038

Q03172




:- UNSPECIFIED TOLERANCE $\pm 0.2\text{mm}$.

SECTION NO.:-

GI-3041

Q03173

cc ISOXISO without tip



NOTE:- UNSPECIFIED RADIUS $0.4R$

:- UNSPECIFIED TOLERANCES $\pm 0.2\text{mm}$.

:- ALL DIMENSIONS ARE IN mm.

:- TOLERANCES WILL BE AS PER IS:3965-1981, UNLESS OTHERWISE SPECIFIED


— TWIST & STRAIGHTNESS—

Q03174

Solder without lip

SECTION NO.:-

GI.-2019




NOTE:- UNSPECIFIED RADIUS 0.4R
:- ALL DIMENSIONS ARE IN mm.
:- TWIST & STRAIGHTNESS-
:- FLATNESS -

SECTION NO.:-

GI-3045

Q03175

CC-150x150 with lip



NOTE:- UNSPECIFIED RADIUS 0.4R
:- UNSPECIFIED TOLERANCES $\pm 0.2\text{mm}$.
:- ALL DIMENSIONS ARE IN mm.
:- TOLERANCES WILL BE AS PER IS:3965-1981, UNLESS OTHERWISE SPECIFIED
:- TWIST & STRAIGHTNESS-