



P-16600
S5225
12319



TOLERANCES ON OVERALL WIDTHS & WIDTHS ACROSS FLATS OF BARS, & REGULAR SECTIONS								
UPTO 6.40mm	-	±0.20	UPTO 32.0mm	-	±0.38	UPTO 120.0mm	-	±0.85
UPTO 10.0mm	-	±0.23	UPTO 50.0mm	-	±0.46	UPTO 160.0mm	-	±1.02
UPTO 12.0mm	-	±0.25	UPTO 60.0mm	-	±0.53	UPTO 200.0mm	-	±1.14
UPTO 16.0mm	-	±0.28	UPTO 80.0mm	-	±0.69	UPTO 250.0mm	-	±1.40
UPTO 25.0mm	-	±0.30	UPTO 100.0mm	-	±0.75	UPTO 300.0mm	-	±1.65

F : FULL RADIUS (2 PLACES)

 <p>SYMBOL OF QUALITY AN ISO 9001 COMPANY</p>		<p>JINDAL ALUMINIUM LTD. <i>BANGALORE-560073 (INDIA)</i></p>		DRAWN	KIRAN	DATE	08-12-2016
<p>1. ALL DIMENSIONS ARE IN mm. 2. ROUND OFF ALL SHARP CORNERS WITH 0.50 mm. 3. TOLERANCES WILL BE AS PER IS:3965-1981 UNLESS OTHERWISE SPECIFIED</p>				CHECKED			
<p>PARTY'S NAME REEP INDUSTRIES PVT. LTD., KANCHIPURAM</p>				APPROVED	B.NATARAU	SCALE	1:1
<p>PARTY'S DRAWING No. AS PER SPECIFICATION</p>				AREA	mm ²	PERIMETER	mm.
<p>ALLOY & TEMPER 63401 WP</p>				WEIGHT	kg/m		
<p>DESCRIPTION FLAT BAR WITH FULL RADIUS</p>				DRAWING No.		SECTION No.	
				P-16600			
				S5225		S5225	
				12319		12319	