



P-12639

S3741

17721



R = 5 mm RADIUS (4 PLACES)

TOLERANCES ON OVERALL WIDTHS & WIDTHS ACROSS FLATS OF BARS, & REGULAR SECTIONS

UPTO 6.40mm - ±0.20	UPTO 32.0mm - ±0.38	UPTO 120.0mm - ±0.85	UPTO 320.00mm - ±1.70
UPTO 10.0mm - ±0.23	UPTO 50.0mm - ±0.46	UPTO 160.0mm - ±1.02	
UPTO 12.0mm - ±0.25	UPTO 60.0mm - ±0.53	UPTO 200.0mm - ±1.14	
UPTO 16.0mm - ±0.28	UPTO 80.0mm - ±0.69	UPTO 250.0mm - ±1.40	
UPTO 25.0mm - ±0.30	UPTO 100.0mm - ±0.75	UPTO 300.0mm - ±1.65	



SYMBOL OF QUALITY
AN ISO 9001 COMPANY

JINDAL ALUMINIUM LTD.
BANGALORE-560073 (INDIA)

	NAME	DATE
DRAWN	SRIVATHSA	01-04-2013
CHECKED		
APPROVED	S.S.GARG	11-05-2013
SCALE		2:1
AREA mm ²		346.268
PERIMETER mm.		281.437
WEIGHT kg/m		0.935
DRAWING No.		SECTION No.
P-12639		-
S3741		S3741
17721		17721

1. ALL DIMENSIONS ARE IN mm.
2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm.
3. TOLERANCES WILL BE AS PER IS:3965-1981 ,UNLESS OTHERWISE SPECIFIED

PARTY'S NAME	ASTRA MICROWAVE PRODUCTS LTD., HYDERABAD
PARTY'S DRAWING No.	AT132ELD-28 REV-0A
ALLOY & TEMPER	6063 T66
DESCRIPTION	"C" CHANNEL