



- A = R0.50 mm (2 PLACES)
 - C = R0.80 mm (4 PLACES)
 - D = R1.00 mm (9 PLACES)
 - E = R3.00 mm (4 PLACES)
 - F = FULL RADIUS (4 PLACES)
 - G = R5.00 mm (1 PLACE)
- UNSPECIFIED WALL THICKNESS = 1.75±0.2
- EXPOSED SURFACE



 <p>SYMBOL OF QUALITY AN ISO 9001 COMPANY</p>		<p>JINDAL ALUMINIUM LTD. BANGALORE-560073 (INDIA)</p>		DRAWN	NAME	DATE
				CHECKED	PRASANNA.H	15-02-2008
<p>1. ALL DIMENSIONS ARE IN mm. 2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm. 3. TOLERANCES WILL BE AS PER IS:6477-1983 UNLESS OTHERWISE SPECIFIED</p>		<p>INTERMARK ASSOCIATES PVT. LTD., DELHI</p>		SCALE	2:1	
				AREA	562.079	
<p>PARTY'S NAME</p>		<p>Z744</p>		PERIMETER	513.118	
				WEIGHT	1.518	
<p>PARTY'S DRAWING No.</p>		<p>6106 T6</p>		DRAWING No.	SECTION No.	
<p>ALLOY & TEMPER</p>		<p>21316</p>				
<p>DESCRIPTION</p>		<p>LOUVER SECTION</p>				