



- A = R0.50 mm (2 PLACES)
- C = R0.80 mm (4 PLACES)
- D = R1.00 mm (7 PLACES)
- E = R3.00 mm (4 PLACES)
- F = FULL RADIUS (4 PLACES)
- G = R5.00 mm (1 PLACE)

ISSUE-2

1. DIMENSION REDUCED FROM 28mm. TO 25.5mm. & WEIGHT ALSO CHANGED FROM 1.558 Kg/M TO 1.547 Kg/M.
2. GROOVE'S LOCATION CHANGED.

V = VEE GROOVE 0.4x90°(1 PLACE)



 SYMBOL OF QUALITY AN ISO 9001 COMPANY		JINDAL ALUMINIUM LTD. BANGALORE-560073 (INDIA)		DRAWN	NAME	DATE
				CHECKED	PARVESH	07-06-2012
1. ALL DIMENSIONS ARE IN mm. 2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm. 3. TOLERANCES WILL BE AS PER BS:EN-755-9, UNLESS OTHERWISE SPECIFIED		INTERMARK ASSOCIATES PVT. LTD., DELHI		APPROVED	S.S.GARG	12-06-2012
				SCALE	2:1	
PARTY'S NAME	INTERMARK ASSOCIATES PVT. LTD., DELHI		AREA	mm ²		572.883
PARTY'S DRAWING No.	AS PER SAMPLE		PERIMETER	mm.		517.913
ALLOY & TEMPER	6106 T6		WEIGHT kg/m			1.547
DESCRIPTION	LOUVER SECTION		DRAWING No.	SECTION No.		