


F = FULL RADIUS (16 PLACES)
 V = VEE GROOVE 0.3x90° (10 PLACES)
 — = EXPOSED SURFACE

TOLERANCES ON OVERALL WIDTHS & WIDTHS ACROSS FLATS OF BARS, & REGULAR SECTIONS

UPTO 6.40mm - ±0.20	UPTO 32.0mm - ±0.38	UPTO 120.0mm - ±0.85
UPTO 10.0mm - ±0.23	UPTO 50.0mm - ±0.46	UPTO 160.0mm - ±1.02
UPTO 12.0mm - ±0.25	UPTO 60.0mm - ±0.53	UPTO 200.0mm - ±1.14
UPTO 16.0mm - ±0.28	UPTO 80.0mm - ±0.69	UPTO 250.0mm - ±1.40
UPTO 25.0mm - ±0.30	UPTO 100.0mm - ±0.75	UPTO 300.0mm - ±1.65

<p>JINDAL SYMBOL OF QUALITY AN ISO 9001 COMPANY</p>		<p>JINDAL ALUMINIUM LTD. BANGALORE-560073 (INDIA)</p>	
<p>1. ALL DIMENSIONS ARE IN mm. 2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm. 3. TOLERANCES WILL BE AS PER IS:6477-1983, UNLESS OTHERWISE SPECIFIED</p>			
PARTY'S NAME		GENERAL CATEGORY, MUMBAI MARKET	
PARTY'S DRAWING No.		AS PER DRAWING & REQUIREMENT	
ALLOY & TEMPER		HE9 WP	
DESCRIPTION		WINDOW SECTION	



DRAWN	NAME	DATE
CHECKED	PARVESH	03-05-2014
APPROVED	S.S.GARG	07-05-2014
SCALE		
AREA	mm ²	1326.61
PERIMETER	mm.	850.286
WEIGHT	kg/m	3.582
DRAWING No.	SECTION No.	
P-13560-1	-	
21498	21498	