







P-12554-1  
S3688  
22970



F = FULL RADIUS (8 PLACES)  
X = RADIUS 2 mm. (4 PLACES)  
S = RADIUS 1 mm. (17 PLACES)

<p>SYMBOL OF QUALITY AN ISO 9001 COMPANY</p> <p><b>JINDAL ALUMINIUM LTD.</b> BANGALORE-560073 (INDIA)</p>		DRAWN	NAME	DATE
		CHECKED	PARVESH	28-02-2013
<p>1. ALL DIMENSIONS ARE IN mm. 2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm. 3. TOLERANCES WILL BE AS PER IS:6477-1983, UNLESS OTHERWISE SPECIFIED</p>		APPROVED	S.S.GARG	06-03-2013
		SCALE	1:1	
<p>PARTY'S NAME ONE 11 TECHNOLOGIES LTD., SECUNDERABAD</p>		AREA	mm <sup>2</sup>	1197.182
		PERIMETER	mm.	663.087
<p>PARTY'S DRAWING No. AS PER Auto CAD DRAWING</p>		WEIGHT	kg/m	3.232
		DRAWING No.	SECTION No.	
<p>ALLOY &amp; TEMPER 6063 T6</p>		P-12554-1	S3688	
<p>DESCRIPTION MISC. SECTION</p>		22970	22970	