



P-9435-3

S2579

25179



TWIST = 1.7 mm/MTR.

FLATNESS = ± 0.40

ANGULARITY = ± 2°

STRAIGHTNESS = 1.7mm/MTR.

R = RADIUS 2.5 (6 PLACES) "V" GROOVE DETAIL
 x = RADIUS 1.5 (3 PLACES)



SYMBOL OF QUALITY
 AN ISO 9001 COMPANY

JINDAL ALUMINIUM LTD.
 BANGALORE-560073 (INDIA)

	NAME	DATE
DRAWN	J.P.KAUSHIK	29-06-2010
CHECKED		
APPROVED	S.S.GARG	04-07-2010
SCALE		2:1
AREA mm ²		416.29
PERIMETER mm.		275.81
WEIGHT kg/m		1.124
DRAWING No.	SECTION No.	
P-9435-3	-	
S2579	S2579	
25179	25179	

1. ALL DIMENSIONS ARE IN mm.
2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm.
3. TOLERANCES WILL BE AS PER IS:6477-1983 UNLESS OTHERWISE SPECIFIED

PARTY'S NAME	NETRACK ENCLOSURES PVT. LTD., BANGALORE
PARTY'S DRAWING No.	8736
ALLOY & TEMPER	6063 T6
DESCRIPTION	MISC. SECTION