



P-3765-1

S855

27542



SECTION TO SNAP FIT WITH 27543



FOR T5 TEMPER

PROOF STRESS	110 mpa
TENSILE STRESS	150 mpa
ELONGATION	8%

1. GENERAL WALL THICKNESS =  $1.7 \pm 0.15$ mm
2. ANGULARITY =  $\pm 1^\circ$
3. STRAIGHTNESS = 1.0mm/m
4. TWIST =  $1.5^\circ$ /m
5. FLATNESS =  $\pm 0.50$ mm



SYMBOL OF QUALITY  
AN ISO 9002 COMPANY

**JINDAL ALUMINIUM LTD.**  
BANGALORE-560073 (INDIA)

	NAME	DATE
DRAWN	RAGHAVENDRA	02-02-02
CHECKED		
APPROVED		
SCALE	1:1	
AREA mm <sup>2</sup>	244.92	
PERIMETER	286.23mm	
WEIGHT kg/m	0.661	
SECTION No.	27542	
DRAWING No.	27542	

1. ALL DIMENSIONS ARE IN mm.
2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm.
3. TOLERANCES WILL BE AS PER BS 1474-1987 UNLESS OTHERWISE SPECIFIED

PARTY'S NAME	THE CONTROLLER OF STORES , VARANASI
PARTY'S DRAWING No.	AS PER DRAWING (40069754)
ALLOY & TEMPER	6063 T5 EQUIVALENT (EMS307)
DESCRIPTION	COVER EXTRUSSION SECTION