



P-12887  
S3811  
28106



TOLERANCES ON OVERALL WIDTHS & WIDTHS ACROSS FLATS OF BARS, & REGULAR SECTIONS	
UPTO 6.40mm - ±0.20	UPTO 32.0mm - ±0.38
UPTO 10.0mm - ±0.23	UPTO 50.0mm - ±0.46
UPTO 12.0mm - ±0.25	UPTO 60.0mm - ±0.53
UPTO 16.0mm - ±0.28	UPTO 80.0mm - ±0.69
UPTO 25.0mm - ±0.30	UPTO 100.0mm - ±0.75
	UPTO 120.0mm - ±0.85
	UPTO 160.0mm - ±1.02
	UPTO 200.0mm - ±1.14
	UPTO 250.0mm - ±1.40
	UPTO 300.0mm - ±1.65
	UPTO 320.00mm - ±1.70

 SYMBOL OF QUALITY AN ISO 9001 COMPANY	<b>JINDAL ALUMINIUM LTD.</b> BANGALORE-560073 (INDIA)	
	1. ALL DIMENSIONS ARE IN mm. 2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm. 3. TOLERANCES WILL BE AS PER IS:3965-1981 UNLESS OTHERWISE SPECIFIED	DRAWN J.P. KAUSHIK 03-07-2013
PARTY'S NAME	ARECAZ ELECTRONICS, COIMBATORE	
PARTY'S DRAWING No.	200-20U-102-1	
ALLOY & TEMPER	HE9 WP	
DESCRIPTION	CHUTE SECTION	

SCALE	1:1
AREA mm <sup>2</sup>	1826.534
PERIMETER mm.	831.179
WEIGHT kg/m	4.932
DRAWING No.	SECTION No.
P-12887	-
S3811	S3811
28106	28106