



PLEASE NOTE:  
1. STRAIGHTNESS-1mm/M  
2. BEND/TWIST-1mm/M

TOLERANCES ON OVERALL WIDTHS & WIDTHS ACROSS FLATS OF BARS, & REGULAR SECTIONS

UPTO 6.40mm - ±0.20	UPTO 32.0mm - ±0.38	UPTO 120.0mm - ±0.85
UPTO 10.0mm - ±0.23	UPTO 50.0mm - ±0.46	UPTO 160.0mm - ±1.02
UPTO 12.0mm - ±0.25	UPTO 60.0mm - ±0.53	UPTO 200.0mm - ±1.14
UPTO 16.0mm - ±0.28	UPTO 80.0mm - ±0.69	UPTO 250.0mm - ±1.40
UPTO 25.0mm - ±0.30	UPTO 100.0mm - ±0.75	UPTO 320.0mm - ±1.70

<p>SYMBOL OF QUALITY AN ISO 9001 COMPANY</p>	<b>JINDAL ALUMINIUM LTD.</b>	
	<i>BANGALORE-560073 (INDIA)</i>	

1. ALL DIMENSIONS ARE IN mm.  
2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm.  
3. TOLERANCES WILL BE AS PER IS:3965-1981 UNLESS OTHERWISE SPECIFIED

PARTY'S NAME	GENN CONTROLS INDIA PVT LTD., COIMBATORE	
PARTY'S DRAWING No.	AS PER DRAWING	
ALLOY & TEMPER	6063 T6	
DESCRIPTION	CHUTE SECTION	

DRAWN	NAME	DATE
CHECKED	SRIYATHSA	23-10-2013
APPROVED	S.S.GARG	14-11-2013
SCALE	1:1	
AREA	mm <sup>2</sup>	1924.692
PERIMETER	mm.	949.039
WEIGHT	kg/m	5.197
DRAWING No.	SECTION No.	
P-13058-1	-	
S3919	S3919	
28210	28210	