


P-16571


S5204

28325



TOLERANCES ON OVERALL WIDTHS & WIDTHS ACROSS FLATS OF BARS, & REGULAR SECTIONS

UPTO 6.40mm - ±0.20	UPTO 32.0mm - ±0.38	UPTO 120.0mm - ±0.85	1. STRAIGHTNESS=1.7mm/M 2. TWIST=1.7mm/M 3. ANGULARITY= ±2° 4. FLATNESS =0.007xWIDTH
UPTO 10.0mm - ±0.23	UPTO 50.0mm - ±0.46	UPTO 160.0mm - ±1.02	
UPTO 12.0mm - ±0.25	UPTO 60.0mm - ±0.53	UPTO 200.0mm - ±1.14	
UPTO 16.0mm - ±0.28	UPTO 80.0mm - ±0.69	UPTO 250.0mm - ±1.40	
UPTO 25.0mm - ±0.30	UPTO 100.0mm - ±0.75	UPTO 300.0mm - ±1.65	

 SYMBOL OF QUALITY AN ISO 9001 COMPANY	<b>JINDAL ALUMINIUM LTD.</b> BANGALORE-560073 (INDIA)	DRAWN	NAME	DATE
		CHECKED	KIRAN	01-12-2016
1. ALL DIMENSIONS ARE IN mm. 2. ROUND OFF ALL SHARP CORNERS WITH 0.50 mm. 3. TOLERANCES WILL BE AS PER IS:3965-1981, UNLESS OTHERWISE SPECIFIED		APPROVED	B.NATARAJ	05-12-2016
		SCALE		1:1
PARTY'S NAME OBLUM ELECTRICAL INDUSTRIES PVT. LTD., HYDERABAD		AREA	mm <sup>2</sup>	12687.279
		PERIMETER	mm.	492.371
PARTY'S DRAWING No. AS PER DRAWING-PBC4-T25-TP-M148P139		WEIGHT	kg/m	34.256
		DRAWING No.	SECTION No.	
ALLOY & TEMPER HE30 WP		P-16571		
		S5204	S5204	
DESCRIPTION M148 C4 TERMINAL PROFILE		28325	28325	