



TOLERANCE CHART CD = CIRCUMSCRIBING CIRCLE

DIMENSION	CD<100	100<CD<200	200<CD<300	300<CD<500
UP TO 10mm	±0.25	±0.30	±0.35	±0.40
10.0 - 25.0	±0.30	±0.40	±0.50	±0.60
25.0 - 50.0	±0.50	±0.60	±0.80	±0.90
50.0 - 100	±0.70	±0.90	±1.10	±1.30
100 - 150	-	±1.10	±1.30	±1.50
150 - 200	-	±1.3	±1.50	±1.80
200 - 300	-	-	±1.70	±2.10
300 - 450	-	-	-	±2.80

JINDAL
SYMBOL OF QUALITY
AN ISO 9001 COMPANY

JINDAL ALUMINIUM LTD.
BANGALORE-560073 (INDIA)

- ALL DIMENSIONS ARE IN mm.
- ROUND OFF ALL SHARP CORNERS WITH 0.50 mm.
- TOLERANCES WILL BE AS PER BS:EN-755-9 UNLESS OTHERWISE SPECIFIED

PARTY'S NAME	AARON LIGHTS PVT. LTD., BANGALORE	NAME		DATE	
PARTY'S DRAWING No.	ARP_2520_01 (285 EXT)	DRAWN	SRIYATHSA	28-10-2013	
ALLOY & TEMPER	6063 T6	CHECKED			
DESCRIPTION	MISC. SECTION	APPROVED	S.S.GARG	21-11-2013	
		SCALE		1:1	
		AREA mm ²		2804.147	
		PERIMETER mm.		1876.062	
		WEIGHT kg/m		7.571	
		DRAWING No.		SECTION No.	
		P-13135		-	
		S3928		S3928	
		33562		33562	