


P-20995-1
S6822
33650



1. STRAIGHTNESS=1.5mm/M
2. TWIST & BEND=1.5mm/M
3. FLATNESS ON 323.85 mm WIDTH =1.5 mm

TOLERANCES ON OVERALL WIDTHS & WIDTHS ACROSS FLATS OF BARS, & REGULAR SECTIONS		
UPTO 6.40mm - ±0.20	UPTO 32.0mm - ±0.38	UPTO 120.0mm - ±0.85
UPTO 10.0mm - ±0.23	UPTO 50.0mm - ±0.46	UPTO 160.0mm - ±1.02
UPTO 12.0mm - ±0.25	UPTO 60.0mm - ±0.53	UPTO 200.0mm - ±1.14
UPTO 16.0mm - ±0.28	UPTO 80.0mm - ±0.69	UPTO 250.0mm - ±1.40
UPTO 25.0mm - ±0.30	UPTO 100.0mm - ±0.75	UPTO 300.0mm - ±1.65

 SYMBOL OF QUALITY AN ISO 9001 COMPANY	<b>JINDAL ALUMINIUM LTD.</b> BANGALORE-560073 (INDIA)	DRAWN	J.P.KAUSHIK	DATE	22-05-2020
		CHECKED			
1. ALL DIMENSIONS ARE IN mm. 2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm. 3. TOLERANCES WILL BE AS PER IS:3965-1981 UNLESS OTHERWISE SPECIFIED		APPROVED	B.NATARAJA		03-06-2020

PARTY'S NAME	RAJSHI TECHNOLOGIES INDIA PVT. LTD., NOIDA	SCALE	1:1
PARTY'S DRAWING No.	AS PER DRAWING	AREA mm <sup>2</sup>	5211.356
ALLOY & TEMPER	6063 T5	PERIMETER mm.	2589.468
DESCRIPTION	HEAT SINK SECTION	WEIGHT kg/m	14.071
		DRAWING No.	SECTION No.
		P-20995-1	-
		S6822	S6822
		33650	33650