


P-12680
X1670
35088



F = FULL RADIUS (6 PLACES)

TOLERANCES ON OVERALL WIDTHS & WIDTHS ACROSS FLATS OF BARS, & REGULAR SECTIONS

UPTO 6.40mm - ±0.20	UPTO 32.0mm - ±0.38	UPTO 120.0mm - ±0.85
UPTO 10.0mm - ±0.23	UPTO 50.0mm - ±0.46	UPTO 160.0mm - ±1.02
UPTO 12.0mm - ±0.25	UPTO 60.0mm - ±0.53	UPTO 200.0mm - ±1.14
UPTO 16.0mm - ±0.28	UPTO 80.0mm - ±0.69	UPTO 250.0mm - ±1.40
UPTO 25.0mm - ±0.30	UPTO 100.0mm - ±0.75	UPTO 300.0mm - ±1.65

 SYMBOL OF QUALITY AN ISO 9001 COMPANY	JINDAL ALUMINIUM LTD. BANGALORE-560073 (INDIA)	
	DRAWN	NAME
CHECKED	PARVESH	DATE
APPROVED	S.S.GARG	07-05-2013

1. ALL DIMENSIONS ARE IN mm.	SCALE	2:1
2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm.	AREA mm ²	144.537
3. TOLERANCES WILL BE AS PER IS:3965-1981, UNLESS OTHERWISE SPECIFIED	PERIMETER mm.	352.553

PARTY'S NAME	GALA COPY CENTER 16, MUMBAI	WEIGHT kg/m	0.39
PARTY'S DRAWING No.	AS PER SAMPLE	DRAWING No.	SECTION No.
ALLOY & TEMPER	HE9 WP	P-12680	-
DESCRIPTION	DISPLAY SECTION	X1670	X1670
		35088	35088

