



P-21604

35170



SCALE: - 1:1



SCALE: - 3:1

WEIGHT RANGE (kg/m) - 0.101 - 0.123 (APPROX.)

RADIUS R0.3mm TYPICAL.

F = FULL RADIUS (2 PLACES)

FINISH:- ANODIZING

TOLERANCES ON OVERALL WIDTHS &amp; WIDTHS ACROSS FLATS OF BARS, &amp; REGULAR SECTIONS

UPTO 6.40mm - ±0.20	UPTO 32.0mm - ±0.38	UPTO 120.0mm - ±0.85	1. STRAIGHTNESS=1.7mm/M 2. TWIST=1.7mm/M 3. ANGULARITY= ±2° 4. FLATNESS =0.007xWIDTH
UPTO 10.0mm - ±0.23	UPTO 50.0mm - ±0.46	UPTO 160.0mm - ±1.02	
UPTO 12.0mm - ±0.25	UPTO 60.0mm - ±0.53	UPTO 200.0mm - ±1.14	
UPTO 16.0mm - ±0.28	UPTO 80.0mm - ±0.69	UPTO 250.0mm - ±1.40	
UPTO 25.0mm - ±0.30	UPTO 100.0mm - ±0.75	UPTO 300.0mm - ±1.65	

SYMBOL OF QUALITY  
AN ISO 9001 COMPANYJINDAL ALUMINIUM LTD.  
BANGALORE-560073 (INDIA)

	NAME	DATE
DRAWN	DARPAN	30-09-2020
CHECKED		
APPROVED	B.NATARAJA	08-10-2020

- ALL DIMENSIONS ARE IN mm.
- ROUND OFF ALL SHARP CORNERS WITH 0.40 mm.
- TOLERANCES WILL BE AS PER IS:3965-1981, UNLESS OTHERWISE SPECIFIED

SCALE	3:1
AREA mm <sup>2</sup>	41.613
PERIMETER mm.	96.139
WEIGHT kg/m	0.112
DRAWING No.	SECTION No.
P-21604	-
35170	35170

PARTY'S NAME  
OBASIX INDUSTRIES PRIVATE LIMITED.,  
NEW DELHIPARTY'S DRAWING No.  
AS PER SAMPLEALLOY & TEMPER  
6063 T6DESCRIPTION  
DISPLAY SECTION