



P-13213  
S3945  
35884



TOLERANCES ON OVERALL WIDTHS & WIDTHS ACROSS FLATS OF BARS, & REGULAR SECTIONS

UPTO 6.40mm - ±0.20	UPTO 32.0mm - ±0.38	UPTO 120.0mm - ±0.85
UPTO 10.0mm - ±0.23	UPTO 50.0mm - ±0.46	UPTO 160.0mm - ±1.02
UPTO 12.0mm - ±0.25	UPTO 60.0mm - ±0.53	UPTO 200.0mm - ±1.14
UPTO 16.0mm - ±0.28	UPTO 80.0mm - ±0.69	UPTO 250.0mm - ±1.40
UPTO 25.0mm - ±0.30	UPTO 100.0mm - ±0.75	UPTO 300.0mm - ±1.65

 <p>SYMBOL OF QUALITY AN ISO 9001 COMPANY</p>		<p><b>JINDAL ALUMINIUM LTD.</b> BANGALORE-560073 (INDIA)</p>	
<p>1. ALL DIMENSIONS ARE IN mm. 2. ROUND OFF ALL SHARP CORNERS WITH 0.50 mm. 3. TOLERANCES WILL BE AS PER IS:3965-1981, UNLESS OTHERWISE SPECIFIED</p>			
PARTY'S NAME	AAR AAR ENTERPRISES, NEW DELHI	SCALE	1:1
PARTY'S DRAWING No.	SECTION No.-11	AREA mm <sup>2</sup>	5994.057
ALLOY & TEMPER	6063 T6	PERIMETER mm.	938.766
DESCRIPTION	CURTAIN WALL SECTION	WEIGHT kg/m	16.184
		DRAWING No.	SECTION No.

DRAWN	NAME	DATE
CHECKED	PARVESH	30-11-2013
APPROVED	S.S.GARG	12-12-2013