



ISSUE-2
TWO SCREW BOX LOCATION CHANGED.

* = RADIUS 1 mm. (16 PLACES)
F = FULL RADIUS (16 PLACES)

| TOLERANCES ON OVERALL WIDTHS & WIDTHS ACROSS FLATS OF BARS, & REGULAR SECTIONS | | | |
|--|---------|---------------|---------|
| UPTO 6.40mm | - ±0.20 | UPTO 32.0mm | - ±0.38 |
| UPTO 10.0mm | - ±0.23 | UPTO 50.0mm | - ±0.46 |
| UPTO 12.0mm | - ±0.25 | UPTO 60.0mm | - ±0.53 |
| UPTO 16.0mm | - ±0.28 | UPTO 80.0mm | - ±0.69 |
| UPTO 25.0mm | - ±0.30 | UPTO 100.0mm | - ±0.75 |
| | | UPTO 120.0mm | - ±0.85 |
| | | UPTO 160.0mm | - ±1.02 |
| | | UPTO 200.0mm | - ±1.14 |
| | | UPTO 250.0mm | - ±1.40 |
| | | UPTO 300.0mm | - ±1.65 |
| | | UPTO 320.00mm | - ±1.70 |

| | | | |
|--|-------------------------------|--|-------------------------|
| <p>SYMBOL OF QUALITY AN ISO 9001 COMPANY</p> | | <p>JINDAL ALUMINIUM LTD. BANGALORE-560073 (INDIA)</p> | |
| PARTY'S NAME | GLOBAL SYNDICATE, BANGALORE | DRAWN | J.P. KAUSHIK 08-06-2017 |
| PARTY'S DRAWING No. | AS PER DRAWING-SOB/LULU/SE103 | CHECKED | |
| ALLOY & TEMPER | 6063 T6 | APPROVED | B.NATARAU 09-06-2017 |
| DESCRIPTION | CURTAIN WALL SECTION | SCALE | 1:1 |
| | | AREA mm ² | 1695.423 |
| | | PERIMETER mm. | 846.602 |
| | | WEIGHT kg/m | 4.578 |
| | | DRAWING No. | P-16909-1 |
| | | SECTION No. | - |
| | | | S5371 |
| | | | S5371-ISSUE-2 |
| | | | 36014 |
| | | | 36014 |