


P-17582

S5552

36055



V = V GROOVE 0.3x90° (3 PLACES)
 * = 1.0 RADIUS (6 PLACES)

TOLERANCES ON OVERALL WIDTHS & WIDTHS ACROSS FLATS OF BARS, & REGULAR SECTIONS		NAME	DATE
UPTO 6.40mm - ±0.20	UPTO 32.0mm - ±0.38	DRAWN	J.P.KAUSHIK
UPTO 10.0mm - ±0.23	UPTO 50.0mm - ±0.46	CHECKED	
UPTO 12.0mm - ±0.25	UPTO 60.0mm - ±0.53	APPROVED	J.N.RAJ
UPTO 16.0mm - ±0.28	UPTO 80.0mm - ±0.69	SCALE	1:1
UPTO 25.0mm - ±0.30	UPTO 100.0mm - ±0.75	AREA	mm ²
	UPTO 120.0mm - ±0.85	PERIMETER	mm.
	UPTO 160.0mm - ±1.02	WEIGHT	kg/m
	UPTO 200.0mm - ±1.14	DRAWING No.	SECTION No.
	UPTO 250.0mm - ±1.40		
	UPTO 300.0mm - ±1.65		
	UPTO 320.0mm - ±1.70		
JINDAL ALUMINIUM LTD. BANGALORE-560073 (INDIA)		SYMBOL OF QUALITY AN ISO 9001 COMPANY	
		1. ALL DIMENSIONS ARE IN mm. 2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm. 3. TOLERANCES WILL BE AS PER IS:3965-1981 UNLESS OTHERWISE SPECIFIED	
		PARTY'S NAME ALUMINIUM INNOVATIONS, BANGALORE	
PARTY'S DRAWING No. AS PER DRAWING		DRAWING No. P-17582	
ALLOY & TEMPER 6063 T6		SECTION No. S5552	
DESCRIPTION CURTAIN WALL SECTION		WEIGHT 36055	