




P-16825
S5307
36101



* = 1.0 RADIUS (8 PLACES)
F = FULL RADIUS (8 PLACES)

TOLERANCES ON OVERALL DIMENSIONS OF HOLLOW SECTIONS			
UPTO 20.0mm - ±0.30	UPTO 80.0mm - ±0.70	UPTO 180.0mm - ±1.27	1. STRAIGHTNESS=1.7mm/M 2. TWIST=1.7mm/M 3. ANGULARITY= ±2° 4. FLATNESS =0.006xWIDTH
UPTO 30.0mm - ±0.38	UPTO 100.0mm - ±0.80	UPTO 200.0mm - ±1.40	
UPTO 40.0mm - ±0.45	UPTO 120.0mm - ±0.90	UPTO 225.0mm - ±1.52	
UPTO 50.0mm - ±0.52	UPTO 140.0mm - ±1.00		
UPTO 60.0mm - ±0.60	UPTO 160.0mm - ±1.14		

 SYMBOL OF QUALITY AN ISO 9001 COMPANY	JINDAL ALUMINIUM LTD. BANGALORE-560073 (INDIA)	DRAWN	J.P.KAUSHIK	DATE	18-02-2017
		CHECKED			
		APPROVED	B.NATARAJ		22-02-2017
1. ALL DIMENSIONS ARE IN mm. 2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm. 3. TOLERANCES WILL BE AS PER IS:6477-1983 UNLESS OTHERWISE SPECIFIED		SCALE		1:1	
		AREA mm ²		1273.316	
		PERIMETER mm.		472.691	
		WEIGHT kg/m		3.438	
				DRAWING No.	SECTION No.
PARTY'S NAME	HATIM GLAZING & CLADDING PVT. LTD., MUMBAI	P-16825	-		
PARTY'S DRAWING No.	AS PER AutoCAD DRAWING	S5307	S5307		
ALLOY & TEMPER	6063 T6	36101	36101		
DESCRIPTION	CURTAIN WALL SECTION				