


P-17301
X2231
36156




x = 0.50 RADIUS (4 PLACES)
 * = 1.0 RADIUS (5 PLACES)
 V = V GROOVE 0.3x90° (2 PLACES)

TOLERANCES ON OVERALL DIMENSIONS OF HOLLOW SECTIONS

UPTO 20.0mm - ±0.30	UPTO 80.0mm - ±0.70	UPTO 180.0mm - ±1.27
UPTO 30.0mm - ±0.38	UPTO 100.0mm - ±0.80	UPTO 200.0mm - ±1.40
UPTO 40.0mm - ±0.45	UPTO 120.0mm - ±0.90	UPTO 225.0mm - ±1.52
UPTO 50.0mm - ±0.52	UPTO 140.0mm - ±1.00	
UPTO 60.0mm - ±0.60	UPTO 160.0mm - ±1.14	

		JINDAL ALUMINIUM LTD. BANGALORE-560073 (INDIA)	NAME J.P. KAUSHIK DATE 24-06-2017
SYMBOL OF QUALITY AN ISO 9001 COMPANY			
1. ALL DIMENSIONS ARE IN mm. 2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm. 3. TOLERANCES WILL BE AS PER IS:6477-1983 UNLESS OTHERWISE SPECIFIED		APPROVED B.NATARAJA	DATE 31-07-2017
PARTY'S NAME TEAM WORK GLASS SOLUTION PVT. LTD., BANGALORE		SCALE 2:1	
PARTY'S DRAWING No. AS PER DRAWING-TWS 2017 009		AREA mm ² 384.463	
ALLOY & TEMPER 6063 T6		PERIMETER mm. 382.096	
DESCRIPTION WINDOW SECTION		WEIGHT kg/m 1.038	
		DRAWING No. P-17301	SECTION No. -
		X2231	X2231
		36156	36156



EXPOSED SURFACE	
1:1	