





P-20660
36194



V = VEE GROOVE 0.5x90° (2 PLACES)
X = RADIUS 0.3 mm. (24 PLACES)
Z = RADIUS 1 mm. (5 PLACES)

ROUND OFF ALL SHARP CORNERS WITH 0.50 mm.

TOLERANCES ON OVERALL WIDTHS & WIDTHS ACROSS FLATS OF BARS, & REGULAR SECTIONS			
UPTO 6.40mm - ±0.20	UPTO 32.0mm - ±0.38	UPTO 120.0mm - ±0.85	1. STRAIGHTNESS=1.7mm/M 2. TWIST=1.7mm/M 3. ANGULARITY= ±2° 4. FLATNESS =0.007xWIDTH
UPTO 10.0mm - ±0.23	UPTO 50.0mm - ±0.46	UPTO 160.0mm - ±1.02	
UPTO 12.0mm - ±0.25	UPTO 60.0mm - ±0.53	UPTO 200.0mm - ±1.14	
UPTO 16.0mm - ±0.28	UPTO 80.0mm - ±0.69	UPTO 250.0mm - ±1.40	
UPTO 25.0mm - ±0.30	UPTO 100.0mm - ±0.75	UPTO 300.0mm - ±1.65	

<p>SYMBOL OF QUALITY AN ISO 9001 COMPANY</p>	<p>JINDAL ALUMINIUM LTD. BANGALORE-560073 (INDIA)</p>	NAME	DATE
		DRAWN	PARVESH
		CHECKED	
		APPROVED	B.NATARAJA
		10-08-2020	
		SCALE	1:1
		AREA mm ²	1797.828
		PERIMETER mm.	1036.59
		WEIGHT kg/m	4.854
		DRAWING No.	SECTION No.
		P-20660	-
		36194	36194
PARTY'S NAME	HARDWARE SYNDICATE, BANGALORE		
PARTY'S DRAWING No.	AS PER AUTOCAD DRAWING-GAPL/SKP/S4/0329		
ALLOY & TEMPER	6063 T6		
DESCRIPTION	CURTAIN WALL SECTION-INTERNAL CORNER MALE MULLION		