



P-18191-2
S5884
36219



V = V GROOVE 0.3x90° (1 PLACE)

TOLERANCES ON OVERALL WIDTHS & WIDTHS ACROSS FLATS OF BARS, & REGULAR SECTIONS

UPTO 6.40mm - ±0.20	UPTO 32.0mm - ±0.38	UPTO 120.0mm - ±0.85
UPTO 10.0mm - ±0.23	UPTO 50.0mm - ±0.46	UPTO 160.0mm - ±1.02
UPTO 12.0mm - ±0.25	UPTO 60.0mm - ±0.53	UPTO 200.0mm - ±1.14
UPTO 16.0mm - ±0.28	UPTO 80.0mm - ±0.69	UPTO 250.0mm - ±1.40
UPTO 25.0mm - ±0.30	UPTO 100.0mm - ±0.75	UPTO 300.0mm - ±1.65



JINDAL ALUMINIUM LTD.
BANGALORE-560073 (INDIA)

SYMBOL OF QUALITY
AN ISO 9001 COMPANY

1. ALL DIMENSIONS ARE IN mm.
2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm.
3. TOLERANCES WILL BE AS PER IS:6477-1983, UNLESS OTHERWISE SPECIFIED

PARTY'S NAME	INNOVATORS FACADE SYSTEMS PVT. LTD., THANE	NAME	J.P. KAVSHIK	DATE	01-06-2018
PARTY'S DRAWING No.	IFS-1493	CHECKED		APPROVED	B. NATARAJA
ALLOY & TEMPER	6063 T6	SCALE	1:1	AREA	3165.023
DESCRIPTION	TOP TRACK SECTION FOR UTILITY WINDOW	PERIMETER	1063.886	WEIGHT	8.546
		DRAWING No.	P-18191-2	SECTION No.	-
			S5884		S5884
			36219		36219