


P-21144-1

36234



AVERAGE WEIGHT:-3.027 kg/m TO 3.892 kg/m \* = 1.0 RADIUS (8 PLACES)

C = CHAMFER 1.5x45° (4 PLACES)  
 F = FULL RADIUS (8 PLACES)


TOLERANCES ON OVERALL DIMENSIONS OF HOLLOW SECTIONS			
UPTO 20.0mm - ±0.30	UPTO 80.0mm - ±0.70	UPTO 180.0mm - ±1.27	1. STRAIGHTNESS=1.7mm/M
UPTO 30.0mm - ±0.38	UPTO 100.0mm - ±0.80	UPTO 200.0mm - ±1.40	2. TWIST=1.7mm/M
UPTO 40.0mm - ±0.45	UPTO 120.0mm - ±0.90	UPTO 225.0mm - ±1.52	3. ANGULARITY= ±2°
UPTO 50.0mm - ±0.52	UPTO 140.0mm - ±1.00		4. FLATNESS =0.006xWIDTH
UPTO 60.0mm - ±0.60	UPTO 160.0mm - ±1.14		

**JINDAL**  
 SYMBOL OF QUALITY  
 AN ISO 9001 COMPANY

**JINDAL ALUMINIUM LTD.**  
 BANGALORE-560073 (INDIA)

1. ALL DIMENSIONS ARE IN mm.  
 2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm.  
 3. TOLERANCES WILL BE AS PER IS:6477-1983 UNLESS OTHERWISE SPECIFIED

PARTY'S NAME	G S ENTERPRISES, INDORE	SCALE	1:1
PARTY'S DRAWING No.	AS PER DRAWING	AREA mm <sup>2</sup>	1281.448
ALLOY & TEMPER	6063 T6	PERIMETER mm.	621.141
DESCRIPTION	CURTAIN WALL FIN SECTION	WEIGHT kg/m	3.460
		DRAWING No.	P-21144-1
		SECTION No.	-
			36234



SCALE:-1:2

S6698