



P-21901

38776



SCALE:- 1:1



SCALE:- 2:1

R = 0.5mm RADIUS (8 PLACES)
 F = FULL RADIUS (2 PLACES)


(UNSPECIFIED RADIUS R0.3mm)

TOLERANCE CHART CD = CIRCUMSCRIBING CIRCLE			
CD≤100	100<CD≤200	200<CD<300	300<CD<500
UPTO 10mm - ±0.25	±0.30	±0.35	±0.40
10.0 - 25 - ±0.30	±0.40	±0.50	±0.60
25.0 - 50 - ±0.50	±0.60	±0.80	±0.90
50.0 - 100 - ±0.70	±0.90	±1.10	±1.30
100 - 150 - -	±1.10	±1.30	±1.50
150 - 200 - -	±1.3	±1.50	±1.80
200 - 300 - -	-	±1.70	±2.10
300 - 450 - -	-	-	±2.80

1. STRAIGHTNESS=1.7mm/M
2. TWIST=1.7mm/M
3. ANGULARITY= ±2°
4. FLATNESS =0.007xWIDTH

APPROXIMATE WEIGHT RANGE

0.435 - 0.691 kg/m

 SYMBOL OF QUALITY AN ISO 9001 COMPANY	JINDAL ALUMINIUM LTD. BANGALORE-560073 (INDIA)	NAME	DATE
		DRAWN	DARPAN 25-12-2020
1. ALL DIMENSIONS ARE IN mm. 2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm. 3. TOLERANCES WILL BE AS PER BS:EN-755-9 , UNLESS OTHERWISE SPECIFIED		CHECKED	
		APPROVED	B.NATARAJA 31-12-2020
PARTY'S NAME SUNRISE BUILDING SYSTEMS, NEW DELHI		SCALE	2:1
		AREA mm ²	208.669
PARTY'S DRAWING No. AS PER DRAWING		PERIMETER mm.	297.528
		WEIGHT kg/m	0.563
ALLOY & TEMPER 6063 T6		DRAWING No.	SECTION No.
		P-21901	-
DESCRIPTION ARCHITECTURAL SECTION		38776	38776