



TWIST=±1/4°/300 M.M.
 FLATNESS= WIDTH X 0.005mm.
 STRAIGHTNESS= 150 M.M./MTR.
 ANGULARITY=±1.5°



ASSEMBLY

NOTE:-

- r= 0.30R
- = 0.50R
- R= 1.00R
- F= Full Radius

 SYMBOL OF QUALITY AN ISO 9001 COMPANY	JINDAL ALUMINIUM LTD. BANGALORE-560073 (INDIA)		NAME	DATE
	DRAWN	PARVESH	29-12-2021	
	CHECKED			
	APPROVED			
1. ALL DIMENSIONS ARE IN mm. 2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm. 3. TOLERANCES WILL BE AS PER IS:3965-1981 , UNLESS OTHERWISE SPECIFIED			SCALE	1:1
			AREA mm ²	273.55
			PERIMETER mm.	307.82
			WEIGHT kg/m	0.739
PARTY'S NAME	-		DRAWING No.	SECTION No.
PARTY'S DRAWING No.	AS PER DRAWING		IAL-D-6742	-
ALLOY & TEMPER	6063 T6		38847	38847
DESCRIPTION	ARCHITECTURAL SECTION			