


P-23940-1


-

B-1511



1. STRAIGHTNESS=1.7mm/M
2. TWIST=1.7mm/M
3. ANGULARITY= $\pm 2^\circ$
4. FLATNESS =0.007xWIDTH

1) THE WELDING LINE IN THE EXPOSED SURFACE OF PROFILE IS UNAVOIDABLE. 2) PLEASE SPECIFY IMPORTANT SIZES. 3) PLEASE SPECIFY IF THIS PROFILE MATCHES WITH OTHER PROFILES. 4) PLEASE SPECIFY EXPOSED SURFACE, OTHER-WISE CONSIDERED AS NO EXPOSED SURFACE. 5) FINISH :- MILL FINISH / ANODIZING / POWDER COATING

 SYMBOL OF QUALITY AN ISO 9001 COMPANY	JINDAL ALUMINIUM LTD. BANGALORE-560073 (INDIA)	NAME		DATE
		DRAWN	SURENDRA	11/05/2022
		CHECKED		
		APPROVED	<i>[Signature]</i>	09/06/22
1. ALL DIMENSIONS ARE IN mm. 2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm. 3. TOLERANCES WILL BE AS PER BS:EN:755-9 , UNLESS OTHERWISE SPECIFIED		SCALE		1:1
		AREA mm ²	1045.4623	
		PERIMETER mm.	309.6991	
		WEIGHT kg/m	2.823	
		DRAWING No.	SECTION No.	
PARTY'S NAME		FAB INDIA., NEW DELHI		
PARTY'S DRAWING No.		AS PER DRAWING	P-23940-1	B-1511
ALLOY & TEMPER		6005 T6	-	-
DESCRIPTION		SQUARE TUBE WITH 6mm CORNER RADIUS		