



NOTE:-

F= Full Radius

LOCATION:-P3 - 4HOLE
 ALL DIMENSION ARE IN mm.
 UNSPECIFIED CORNER RADIUS:0.40

PLEASE SPECIFY THE EXPOSED SURFACE

TOL. AS PER BS EN 755-9:2008
 UNLESS SPECIFIED

TWIST=±1/4°/300 M.M./M.
 FLATNESS= WIDTH X 0.005mm.
 STRAIGHTNESS= 1.50 M.M./MTR.
 ANGULARITY=±1.5°

INDO ALUSYS INDUSTRIES LIMITED BHIWADI RAJASTHAN - 301019

PARTY SAMPLE & DRG. SAMPLE		PARTY NAME M/S CPM			REF:- AS PER SAMPLE Dt.-17.01.15			
				DRAWN	DHARMVIR	20.01.15	AREA	49.57 MM ²
				CHECKED	<i>SB</i>	27.6.15	WEIGHT	0.134 KG/M.
				APPROVED	<i>SB</i>	27.6.15	WT. RANGE	----- Kg/12
				SCALE	1:1 & 3:1	DATE	ALLOY	6063-T6
00	(REF.)			CRITICAL DIM. *			MAL NO	14672
REV. STATUS	REV. NO.	DESCRIPTION	SIGN DATE	PERIMETER	INT.		SEC.NO.	C-844
A4		REVISION			EXT.	100.28		