



SHUTTER

NOTE: --- Expose Surface

F = Full Radius
 R = 0.50 R
 r = 0.30 R
 TWIST = $\frac{1}{4}$ / 300 m.m.
 STRAIGHTNESS = ± 2.5 m.m./Meter
 ANGULARITY = $\pm 2^\circ$
 FLATNESS = \pm

LOCATION: P1-1 Hole
 UNSPECIFIED TOL. = ± 0.2
 ALL DIMENSIONS ARE IN M.M.
 UNSPECIFIED CORNER RADIUS: 0.40
 TOL AS PER B.S.1474:1987
 UNLESS SPECIFIED

MAHAVIR ALUMINIUM LIMITED BHIWADI-301019

Party: Sample/Drg no. MAL/JIL/D/02		Party Name M/S. AAP DIVISON		Ref. no. IOM. Dt: - 27.11.2000	
		Drawn S.K. Sharma 11/12/2000		EST. AREA 325.0 m.m. ²	
		Checked <i>SBP</i> 11/12/2000		EST. WEIGHT 0.878 Kg./M.	
		APPROVED <i>SBP</i> 1.12.2000		Wt. Range	
A RADIUS 0.4 WAS 5.0R		Scale: 1:1		Date Alloy 6063	
001	Ref. IOM Dt: 31/1/2001	CRITICAL DIMN *		MAL. NO. 7178	
Rev. status	Rev. no.	DESCRIPTION	Sign/date	Perimeter	INT. 76.6
REVISION					EXT. 246.5
				SEC. NO.	D-3121